

**PRODUCT
CATALOG**

 **Schmith**[®]
Die Technik



**TOOLS FOR
DEMANDING**



10

YEARS ON THE MARKET

10

On the occasion of the 10th anniversary of Schmith Poland, we thank you for your unwavering support, trust, and cooperation. Your contribution has enabled us to reach this significant milestone. Thanks to you, our company has become synonymous with innovation, professionalism, and teamwork. Together, we create a unique story of success and solidarity. We are grateful for every challenge we have faced, every project we have completed together, and every lesson we have learned along the way.

 **Schmith**[®]
Die Technik



Schmith Poland is a company dedicated to providing comprehensive customer service in the industrial fittings sector. Our offer includes the supply of high-quality components for pipelines, with a commitment to meet the demanding expectations of the market.

WHAT CHARACTERIZES THE SCHMITH BRAND:

WIDE RANGE OF PRODUCTS

Our extensive warehouse and assortment program allows us to respond to the needs of various industries, such as construction, petrochemical, and electronics. You will find with us a wide range of products like valves, fittings, and other construction and installation materials, including HDPE pipes.

AVAILABILITY

Schmith Poland is located in a key logistics area within Poland, ensuring efficient access to all sorts of products. In our warehouses, we maintain a constant supply of products, which means that the client can always count on their prompt delivery.

RELIABILITY

The trust we have built with our clients stems from the consistent quality and reliability of our products. Our approach is to participate actively in the implementation of their industrial projects. Each delivered product is a testament to our commitment to building lasting relationships with our customers.

INNOVATION

Driven by continuous improvement, we introduce new, innovative products based on the latest technological trends.

***Join our family of customers
and find out why we are the best choice for you!***

 **Schmith**[®]
Die Technik





TABLE OF CONTENTS

New products	6
Drills and bits	83
Abrasive and cutting tools	100
Manual tools	114
Construction tools	172
Automotive	188
Electrical equipment and products	192
Power tools	210
Chemicals	218
Health and Safety	230
Gardening tools	244
Welding	274
Q-Technic	290

1



NEW PRODUCTS



SQN-82

SOCKET WRENCH SET, 82 PIECES

A socket wrench set made from durable alloy steel designed for torsional and static stress. The unique chrome plating not only increases comfort and grip but also ensures the tools remain clean.

Contents of the set:

- 13x socket 1/4": 4 / 4.5 / 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm
- 17x bit socket 1/4": SL4, 5.5, 7, T8, T10, T15, T20, T25, T30, PZ1, PZ2, PH1, PH2, H3, H4, H5, H6
- 2x extension bar 1/4": 50 mm, 100 mm
- 1x universal joint 1/4"
- 1x flexible extension bar 1/4", 150 mm
- 1x sliding T-bar 1/4", 115 mm
- 1x ratchet handle 1/4", 72-tooth
- 1x spinner handle 1/4"
- 1x bit holder 1/4"
- 18x bits 1/4"
- 12x socket 1/2": 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 24, 27, 30, 32mm
- 5x bit socket 1/2": T40, T45, T50, T55, T60
- 2x extension bar 1/2": 125 mm, 250 mm
- 1x universal joint 1/2"
- 2x spark plug socket 1/2": 16 mm, 21 mm
- 1x ratchet handle 1/2", 72-tooth
- 9x combination wrench: 8, 10, 11, 12, 13, 14, 17, 19, 22mm
- 15x bits (30mm L): SL8, 10, 12, H8, 10, 12, 14, T40, 45, 50, 55, PZ3, PZ4, PH3, PH4



INDEX	Elements (pcs)	Packaging (pcs)
SQN-82	82	1

SQN2-108

SOCKET WRENCH SET, 108 PIECES

A comprehensive socket wrench set made of alloy steel designed for torsional and static stress. Chrome plating on the surface significantly increases comfort and grip while ensuring cleanliness.

Contents of the set:

- 18x socket bits 1/2": with SL: 4/5.5/6.5, PH: 1/2, PZ: 1/2, HEX: 3/4/5/6/7/8/10/12/14 mm
- 13x 1/4" sockets: 4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
- 8x deep sockets 1/4": 6/7/8/9/10/11/12/13 mm
- 2x 1/4" extension bars: 50 mm, 100 mm
- 1x 1/4" universal joint
- 1x 1/4" flexible extension bar, 150 mm
- 1x 1/4" sliding T-bar
- 1x 1/4" ratchet handle with a quick release
- 17x socket bits 1/4" with TORX: E4/E5/E6/E7/E8
- 1x 1/4" universal joint
- 1x 1/4" bit holder
- 17x 1/2" sockets: 10/11/12/13/14/15/16/17/18/19/20/21/22/24/27/30/32 mm
- 5x 1/2" deep sockets: 14/15/17/19/22 mm
- 2x 1/2" extension bars: 125 mm, 250 mm
- 1x 1/2" universal joint
- 8x 1/2" TORX socket bits: E10/E11/E12/E14/E16/E18/E20/E24
- 1x 1/2" spark plug socket: 16 mm, 21 mm
- 1x 1/2" ratchet handle with a quick release
- 3x hex keys: 1.5/2/2.5 mm
- 17x 30mm L bits: SL8/10/12, T40/45/50/55/60, PH3/4, PZ3/4, HEX: 7/8/10/12/14 mm³



INDEX	Elements (pcs)	Packaging (pcs)
SQN2-108	108	1

SQN-215**SOCKET WRENCH SET, 215 PIECES**

INDEX	Elements (pcs)	Packaging (pcs)
SQN-215	215	1

A complete socket wrench set crafted from alloy steel for high torsional and static stress resistance. The chrome plating ensures greater comfort and ease of maintenance while keeping the tools clean.

Contents of the set:

- 1/4" short socket wrench: 4 / 4,5 / 5 / 5,5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm
- 3/8" short socket wrench: 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 mm
- 1/2" short socket wrench: 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 24 / 27 / 30 / 32 mm
- 1/4" TORX socket wrench: E4, E5, E6, E7, E8
- 3/8" TORX socket wrench: E10, E11, E12, E14, E16, E18
- TORX 1/2" socket wrench: E20, E22, E24
- 1/4" long socket wrench: 4 / 5 / 6 / 7 / 8 / 9 / 10 mm
- 3/8" long socket wrench: 10 / 11 / 12 / 13 / 14 / 15 mm
- 1/2" long socket wrench: 16 / 17 / 18 / 19 / 22 mm
- open-end wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Allen(HEX) wrenches: 1 / 1.5 / 2 / 2.5 / 3 / 4 / 5 mm
- ratchet 72 teeth: 1/4", 3/8", 1/2"
- bit holder 1/4"
- 1/4" flexible knob
- adapter for bits: 1/4", 3/8", 1/2"
- "T" type knob shunt: 1/4", 1/2"
- universal joint: 1/4", 3/8", 1/2"
- 1/4" socket extension: 2", 4"
- extension for 3/8" sockets: 5"
- extension for 1/2" sockets: 5", 10"
- 3/8" plug socket wrench: 16mm
- 1/2" plug socket wrench: 16, 21mm
- 1/4" bits: PH(0/1/2), PZ(0/1/2), SL(4/5.5/6.5/7/), HEX(3/4/5/6) T(8/9/10/15/20/25/27/30), TT(8/9/10/15/20/25/27/30)
- 1/2" bits: T(55/60)
- 6.35mm bits: PH(0/1/2/3), PZ(0/1/2/3), SL(3/4/5/5.5/6/6.5/7/8), HEX(2/2.5/3/4/5/6/7/8), T(8/9/10/15/20/25/27/30/40/45), TT(8/9/10/15/20/25/27/30/40/45)
- 8mm bits: PH(3/4), PZ(3/4), SL(6/6.5/8), M(5/6/8/10), HEX(5,5/6/6.5/7/8/10/12), T(27/30/35/40/45/50), TT(27/30/35/40/45/50)



NS-12-12-36

SOCKET WRENCH 12-ANGLE SHORT 1/2" 36

The tool made with full precision and the highest standards of quality standards. It is characterized by high mechanical strength and high resistance to abrasion. Made of chrome vanadium steel CrV. High quality, durability and reliability in all conditions. Rounded walls inside the socket eliminate direct contact with sensitive points. Screws preventing its rapid destruction - wear. DIN 3124 standard, polished finish.



INDEX	Size	Packaging (pcs)
NS-12-12-36	36	10

NS-12-36

SOCKET WRENCH SHORT 1/2" HEXAGONAL 36

The tool made with full precision and the highest standards of quality standards. It is characterized by high mechanical strength and high resistance to abrasion. Made of chrome vanadium steel CrV. High quality, durability and reliability in all conditions. Rounded walls inside the socket eliminate direct contact with sensitive points. Screws preventing its rapid destruction - wear. DIN 3124 standard, polished finish.



INDEX	Size	Packaging (pcs)
NS-12-36	36	10

SQBT-12

SET OF BITS FOR ELECTRONICS 108 PCS.

A professional kit designed to opening all kinds of electronics such as phones, tablets, cameras, laptops etc. as well as other household appliances In which there are non-standard screws. The tips are made of the highest quality nickel-plated CrV steel. The set includes a very useful magnetizer/demagnetizer, which will significantly facilitate screw picking and guiding in hard-to-reach places.

Kit contents:

- 8x Sockets M: M2.5, M3, M4 2pcs, M4.5, M5, M5.5
- 10x Phillips bits: PH000, PH00, PH0, PH1, PH2 (2pcs each)
- 2x Type Y (Try-Wing) Bits: 2.0, 3.0
- 8x Pozi bits: PZ00, PZ0, PZ1, PZ2 (2 pieces each)
- 14x Bits: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 (2 pieces each)
- 8x Star bits: 0.8, 1.2, 1.5, 2.0 (2 pieces each)
- 20x Torx bits: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20 (2 pieces each).
- 15x Hex bits: 0.7 (1x), 0.9 (1x), 1.3, 1.5, 2.0, 2.5, 3.0, 3.5 (1x), 4.0 (2 pcs each *)
- 7x Hex bits: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32
- 4x Triangle bits: 2.0, 2.3, 2.7, 3.0
- 2x Type H bits: 2.6
- 1x Magnetizer/demagnetizer
- 1x Triangular case opener
- 2x Screwdriver with rubber-coated handle
- non-slip + adapter for bits
- 1x Rubber extension, flexible, rotating.
- 1x Precision bent tweezers
- 1x Suction cup for LCD removal
- 2x Plastic openers
- 1x Pin, key for ejecting SIM cards



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-12	108	1

SDP3-PLUS

SDS PLUS FLAT CHISEL 60X250

Effectiveness of impact transfer to the workpiece. They are designed for processing concrete (of various hardnesses), stone, brick (all types), plaster, etc.

- made of special alloy steel
- subjected to four cycles in the production process:
- forging - hardening - tempering - final processing
- uniformly hard surface and adequate elasticity
- resistant to cracks, impacts and abrasion

INDEX	Size (mm)	Packaging (pcs)
SDP3-PLUS	60x250	25



SOD-M14/68

DIAMOND HOLE SAW M14 - 68 MM

Diamond hole saw with M14 chuck for dry use.

The M14 thread used makes it possible to work with an angle grinder angle grinder. Diamond coated holesaws allow drilling in: porcelain stoneware, glazed stoneware, glaze, concrete, stone, granite, marble, brick, asphalt, ceramic glass, laminate, PVC and metals non-ferrous metals.

INDEX	Size (mm)	Packaging (pcs)
SOD-M14/68	68	24



SSFW-254

PANEL CLEANING BRUSH TELESCOPIC 200-490CM

Provides optimal care for photovoltaic panels, solar panels, also suitable for cleaning cars, caravan, truck. Robust telescopic brush with aluminum handle with adjustable length up to 400cm. Made of soft fibers not damaging the paint coating. The handle has foam grips, quick connector for connecting a water hose and a water flow valve water. The water connection of the brush is ½ inch.

INDEX	Packaging (pcs)
SSFW-254	6



SSDU

AXE HAMMER WITH WOODEN HANDLE

Wooden handle impregnated with natural substances on a based on linseed oil and wax. Such a method of impregnation provides comfortable work with tools for a long time, while protecting wood against the action of water and excessive drying. The chuck forged from high-quality carbon steel.

- Ergonomic wooden handle made of selected ash wood resistant to breakage.
- handle covered with a unique impregnation for comfort and safety of work
- forged tool, designed for gardeners, foresters, construction workers, farmers

INDEX	Weight (g)	Packaging (pcs)
SSDU-1000	1000	1
SSDU-1250	1250	1
SSDU-1400	1400	1
SSDU-1600	1600	1
SSDU-2000	2000	1



SSM

AXE HAMMER WITH WOODEN HANDLE

Wooden handle impregnated with natural substances on a based on linseed oil and wax. Such a method of impregnation provides comfortable work with tools for a long time, while protecting wood against the action of water and excessive drying. The chuck forged from high-quality carbon steel.

- ergonomic wooden handle made of selected ash wood resistant to breakage.
- handle covered with a unique impregnation that ensures comfort and safety of work
- forged tool designed for gardeners, foresters, construction workers, farmers

INDEX	Length (mm)	Weight (g)	Packaging (pcs)
SSM-2500	800	2500	1
SSM-4000	800	4000	1



SQOD-M14-5

DIAMOND 6-8-10-35-68MM+ M14 HOLE SAW SET (ALUM)

Set of five diamond holesaws with M14 holder and adapter HEX for dry drilling. The set includes: holesaws sizes: 6, 8, 10, 35, 68 mm, HEX adapter. Everything packed in a convenient aluminum carrying case. Diamond holesaws with handle M14 for dry use. The M14 thread used allows to work with the use of an angle grinder. Diamond-coated holesaws allow drilling in: stoneware, glazed stoneware, glaze, concrete, stone, granite, marble, brick, asphalt, ceramic glass, laminate, PVC, non-ferrous metals.

INDEX	Elements (pcs)	Packaging (pcs)
SQOD-M14-5	5	1



SQWM-011

SET OF METAL DRILL BITS HSS 19 PCS.

Drill bits for metal made of high-speed steel (HSS). They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical chuck
- drills designed for steel, non-ferrous metals, plastics
- durable, ground cutting edges resistant to impact with a tip angle of 118°
- increased content of tungsten carbon and vanadium
- thanks to which the drills retain
- maximum sharpness and consistency of shape even after
- repeated use
- unique thermal treatment process allows to work drill bits in extreme temperatures up to even 600°C
- types of drill bits in set: 1 / 1,5 / 2 / 2,5 / 3 / 3,5 / 4 / 4,5 / 5 / 5,5 / 6 / 6,5 / 7 / 7,5 / 8 / 8,5 / 9 / 9,5 / 10



INDEX	Elements (pcs)	Packaging (pcs)
SQWM-011	19	1

SQWM-022

SET OF METAL DRILL BITS HSS 25 PCS

Drill bits for metal made of high-speed steel (HSS). They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical chuck
- drills designed for steel, non-ferrous metals, plastics
- durable, ground cutting edges resistant to impact with a tip angle of 118°
- increased content of tungsten carbon and vanadium
- thanks to which the drills retain
- maximum sharpness and consistency of shape even after
- repeated use
- unique thermal treatment process allows to work drill bits in extreme temperatures up to even 600°C
- types of drill bits in set: 1 / 1,5 / 2 / 2,5 / 3 / 3,5 / 4 / 4,5 / 5 / 5,5 / 6 / 6,5 / 7 / 7,5 / 8 / 8,5 / 9 / 9,5 / 10 / 10,5 / 11 / 11,5 / 12 / 12,5 / 13



INDEX	Elements (pcs)	Packaging (pcs)
SQWM-022	25	1

SQWMP-011

SET OF METAL DRILL BITS HSS PRO 19 PCS.

Specialized drill bits for long-lasting work thanks to a reinforced core. The design of the drill bits makes them resistant to kinetic forces occurring when drilling holes in lightly hardened alloys.

- cylindrical chuck
- designed for steel, non-ferrous metals, plastics
- durable, ground cutting edges with a cutting angle of
- tip angle of 135°
- ground spiral for maximum accuracy and quick removal of spoil
- type of drill bits in set: 1 / 1.5 / 2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 8.5 / 9 / 9.5 / 10



INDEX	Elements (pcs)	Packaging (pcs)
SQWMP-011	19	1

SQWMP-022

SET OF METAL DRILL BITS HSS PRO 25 SZT

Specialized drill bits for long-lasting work thanks to a reinforced core. The design of the drill bits makes them resistant to kinetic forces occurring when drilling holes in lightly hardened alloys.

- cylindrical chuck
- designed for steel, non-ferrous metals, plastics
- durable, ground cutting edges with a cutting angle of tip angle of 135°
- ground spiral for maximum accuracy and quick removal of spoil
- type of drill bits in set: 1 / 1.5 / 2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 8.5 / 9 / 9.5 / 10 / 10.5 / 11 / 11.5 / 12 / 12.5 / 13



INDEX	Elements (pcs)	Packaging (pcs)
SQWMP-022	25	1

SQWCO-022

SET OF METAL DRILL BITS COBALT 25 PCS.

Specialized drill bits made from a steel alloy enriched with cobalt, making them extremely tough when cutting hardened steel surfaces.

- an optimized tempering process ensures maximum drill bit strength
- additional oxide coating on the surface of the grooves
- chip grooves guarantees excellent removal of excavated material
- cylindrical handle
- made of high-quality steel alloy with 6% content of cobalt
- designed for drilling acid-resistant steel, stainless and heat-resistant steel and cast iron with strength
- >900N / mm²
- high performance
- resistance to high temperature
- type of drill bits in the set: 1 / 1.5 / 2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 8.5 / 9 / 10 / 10.5 / 11 / 11.5 / 12 / 12.5 / 13



INDEX	Elements (pcs)	Packaging (pcs)
SQWCO-022	25	1

SQDP

SET OF CHISELS AND PUNCHES 12 PCS.

High quality chrome vanadium steel. Packaged in a practical plastic box, for easy storage.

The set includes:

- punches: 2 mm, 6 mm, 8 mm
- chisels: 10 mm, 12 mm, 16 mm
- drift punches: 1.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8mm

The set is designed for precision work in metal.



INDEX	Elements (pcs)	Packaging (pcs)
SQDP	12	1

SVN

ADJUSTABLE PIPE PLIERS

Pliers made of high quality chrome vanadium steel ensuring long tool life. Ergonomic handles covered with non-slip material provide comfort and safety while working.

- narrow shape of the head allows work in hard-to-reach places
- precisely adjustable joint allows optimal adjustment the captured object
- high stability of the suction joint thanks to the double guide
- pin lock to prevent accidental adjustment
- dual-material, ergonomic handle increases user comfort
- used for gripping, holding pipes and angular profiles



INDEX	Length (mm)	Packaging (pcs)
SVN-250	250	6
SVN-300	300	6

SMDF-1800

DOUBLE-BARREL HAMMER 16" FIBERGLASS 1800G

Powder-coated head with precision-ground surface striking surface. Fiberglass-based plastic handle cushions the recoil after impact. Handle with high grip that resists is resistant to dirt of various types. The rubber coating prevents slipping in the hand and provides a comfortable and reliable grip.



INDEX	Weight (g)	Packaging (pcs)
SMDF-1800	1800	1

SMSM-450

MONOBLOCK CARPENTRY HAMMER 450G

The hammer is definitely an essential tool for every do-it-yourselfer necessary in every workshop, garage, as well as garden and home is perfectly balanced and very durable. Rubberized handle with an ergonomic shape which is made of the highest quality materials will ensure high comfort of work. Magnetic holder for holding nails will definitely make the work easier. The curved "paws" used for levering up will significantly improve the extraction of nails. The shank and the hammer head are made of a single steel piece, which guarantees greater durability of the hammer steel element, which guarantees greater strength of the hammer - carbon steel C45.



INDEX	Weight (g)	Packaging (pcs)
SMSM-450	450	1

SMSZF-450**SHOEMAKER'S HAMMER 13" FIBERGLASS 450G**

A shoemaker's hammer with a handle made of FIBERGLASS fiberglass. The shank has a diameter of 30 mm and weighing 450 g. Equipped with two claws for undermining and quick extraction of nails. The solid combination of steel shank and fiberglass guarantees a long time of use. The handle covered with non-slip rubber provides a secure grip even with wet and slippery hands. The working part polished and protected against corrosion.

INDEX	Weight (g)	Packaging (pcs)
SMSZF-450	450	1

**SNR****HAND KNIFE WITH BLACK BREAKAWAY BLADE**

Knife with a broken blade designed to work with blades with a width of 18mm.

- ergonomic handle
- equipped with quick-cut function
- locking sliders, making the work easier
- blade made of SK2H steel
- metal guides ensure long product life
- two-material handle provides safety and comfort while working

INDEX	Size (mm)	Packaging (pcs)
SNR-12	18	1
SNR-13	25	1

**SOR-26/42****PVC PIPE CUTTER 0-42 MM**

Used for cutting PVC, PVC, PP plastic pipes and fittings, etc. Durable blade made of stainless steel. Equal and smooth cutting surface. Ergonomic, contoured handle.

Blade adjustment instructions:

1. adjust the cutting range according to the size of the pipe to be cut.
2. Depending on the size of the pipe to be cut, select the hole (26 mm or 42 mm) and push in the pin.
3. Insert the pipe to be cut and press the handle until the pipe is cut off.

Range of cut material:

- 0-26mm
- 0-42mm

Blade: V-shaped, body: HD aluminum/nylon

INDEX	Packaging (pcs)
SOR-26/42	1



SUDNR1

DISC WITH VELCRO M14 125MM

Allows you to attach abrasive and polishing discs with a Velcro. Designed for use with angle grinders. Velcro for quick secure fastening of abrasive discs with a diameter of 125 mm. Sponge pad equipped with a socket with M-14 thread for mounting on angle grinders. Shank diameter fi 6 mm

INDEX	Size (mm)	Mounting bracket	Packaging (pcs)
SUDNR1	125	M14	100



SUDNR2

DISC WITH VELCRO MULTI M14 125MM

Allows you to attach abrasive and polishing discs with a Velcro. Designed for use with angle grinders. Velcro for quick secure fastening of abrasive discs with a diameter of 125 mm. Sponge pad equipped with a socket with M-14 thread for mounting on angle grinders. Shank diameter fi 6 mm.

INDEX	Size (mm)	Mounting bracket	Packaging (pcs)
SUDNR2	125	M14	100



STFNR-01

POLISHING FELT 125X6MM

Velcro attachment. For polishing painted surfaces using pastes.

INDEX	Size (mm)	Packaging (pcs)
STFNR-01	125x6	100



STFNR-02

POLISHING FELT 125X10MM

Velcro attachment. For polishing painted surfaces using pastes.

INDEX	Size (mm)	Packaging (pcs)
STFNR-02	125x10	100



SDGP-01

FINE POLISHING SPONGE 150X50MM

M14 thread, for polishing painted surfaces.
Size 150 mm. Used for applying polishing paste with a polisher.

INDEX	Granulation	Size (mm)	Mounting bracket	Packaging (pcs)
SDGP-01	drobnoziarnista	150x50	M14	5



SDGP-02

COARSE POLISHING SPONGE 150X50MM

M14 thread, for polishing painted surfaces.
Size 150 mm. Used for applying polishing paste with a polisher.

INDEX	Granulation	Size (mm)	Mounting bracket	Packaging (pcs)
SDGP-02	gruboziarnista	150x50	M14	5



SKS

ABRASIVE BLOCK 70X100X25

For sanding, polishing and matting of various materials, gypsum surfaces, wood, metal, paints, varnishes, plastics the effectiveness of the cube can be increased by wetting it.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SKS-40	P40	70x100x25	1
SKS-60	P60	70x100x25	1
SKS-80	P80	70x100x25	1
SKS-100	P100	70x100x25	1
SKS-120	P120	70x100x25	1
SKS-150	P150	70x100x25	1
SKS-180	P180	70x100x25	1
SKS-220	P220	70x100x25	1



SKST1

TRAPEZOIDAL ABRASIVE BLOCK 70X100X25

For sanding, polishing and matting of various materials, gypsum surfaces, wood, metal, paints, varnishes, plastics the effectiveness of the cube can be increased by wetting it.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SKST1-40	P40	70x100x25	1
SKST1-60	P60	70x100x25	1
SKST1-80	P80	70x100x25	1
SKST1-100	P100	70x100x25	1
SKST1-120	P120	70x100x25	1
SKST1-150	P150	70x100x25	1
SKST1-180	P180	70x100x25	1
SKST1-220	P220	70x100x25	1



SKSBO

125MM ABRASIVE DISC

Specialized disc for sanding with power tools, used for sanding wood, paint, varnish, putty, metals.

Application:

- for sanding - steel, cast iron, paints varnishes putties, wood,
- leather, plastics, parquet, aluminum, non-ferrous metals
- embossing: electro-corundum
- attachment: velcro for easy replacement
- for attachment to a Velcro disc
- diameter: 125 mm



INDEX	Granulation	Size (mm)	Packaging (pcs)
SKSBO-40	P40	125	50
SKSBO-60	P60	125	50
SKSBO-80	P80	125	50
SKSBO-100	P100	125	50
SKSBO-120	P120	125	50
SKSBO-150	P150	125	50
SKSBO-180	P180	125	50
SKSBO-220	P220	125	50
SKSBO-240	P240	125	50

SKSR

125MM VELCRO ABRASIVE DISC WITH HOLES

Specialized disc for sanding with power tools, used for sanding wood, paint, varnish, putty, metals. With dust extraction holes for better dust extraction of the urobe.

Application:

- for sanding - steel, cast iron, paints varnishes putties, wood,
- leather, plastics, parquet, aluminum, non-ferrous metals.
- embossing: electro-corundum
- attachment: velcro for easy replacement
- for attachment to a Velcro fastener disc
- diameter: 125 mm

INDEX	Granulation	Size (mm)	Packaging (pcs)
SKSR-40	P40	125	5
SKSR-60	P60	125	5
SKSR-80	P80	125	5
SKSR-100	P100	125	5
SKSR-120	P120	125	5
SKSR-150	P150	125	5
SKSR-180	P180	125	5
SKSR-220	P220	125	5
SKSR-240	P240	125	5



SKNR


VELCRO DISC 225MM

Specialized disc for sanding with power tools, used for sanding wood, paint, varnish, putty, metals. With dust extraction holes for better dust extraction of the urobe.

Application:

- for sanding - steel, cast iron, paints, varnishes, putty, wood,
- leather, plastics, parquet, aluminum, non-ferrous metals
- embossing: electro-corundum
- attachment: velcro for easy replacement
- for attachment to a Velcro fastener disc
- diameter: 225 mm

INDEX	Granulation	Size (mm)	Packaging (pcs)
SKNR-80	P40	125	5
SKNR-100	P60	125	5
SKNR-120	P80	125	5
SKNR-150	P100	125	5
SKNR-180	P120	125	5
SKNR-240	P150	125	5



SPS1

SANDPAPER 2.5MX115MM

Multi-purpose sandpaper: for woodworking, paints, putties and varnishes, with a diameter of 115 mm.

For use with sanders.

- use: for sanding gypsum surfaces
- attachment: velcro for easy replacement

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPS1-40	P40	2500x115	5
SPS1-60	P60	2500x115	5
SPS1-80	P80	2500x115	5
SPS1-100	P100	2500x115	5
SPS1-120	P120	2500x115	5
SPS1-150	P150	2500x115	5
SPS1-180	P180	2500x115	5
SPS1-220	P220	2500x115	5
SPS1-240	P240	2500x115	5




SPP1

PERFORATED SANDPAPER 225MM

Sandpaper in disks with a diameter of 225 mm.
For use with grinders.

- use: for grinding gypsum surfaces
- attachment: velcro for easy replacement

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPP1-60	P60	225	5
SPP1-80	P80	225	5
SPP1-100	P100	225	5
SPP1-120	P120	225	5
SPP1-150	P150	225	5
SPP1-180	P180	225	5
SPP1-220	P200	225	5



SPB1

ENDLESS BELT 75X457MM

Linen backing, electro-corundum grain, solid grain. Endless belts for use with power tools for machining wood, paint, varnish and metals.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPB1-40	P40	75x457	5
SPB1-60	P60	75x457	5
SPB1-80	P80	75x457	5
SPB1-100	P100	75x457	5
SPB1-120	P120	75x457	5
SPB1-150	P150	75x457	5



SPB2

ENDLESS BELT 75X533MM

Linen backing, electro-corundum grain, solid grain. Endless belts for use with power tools for machining wood, paint, varnish and metals.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPB2-40	P40	75x533	5
SPB2-60	P60	75x533	5
SPB2-80	P80	75x533	5
SPB2-100	P100	75x533	5
SPB2-120	P120	75x533	5
SPB2-150	P150	75x533	5



SPB3**ENDLESS BELT 100X610MM**

Linen backing, electro-corundum grain, solid grain. Endless belts for use with power tools for machining wood, paint, varnish and metals.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPB3-40	P40	100x610	5
SPB3-60	P60	100x610	5
SPB3-80	P80	100x610	5
SPB3-100	P100	100x610	5
SPB3-120	P120	100x610	5
SPB3-150	P150	100x610	5

**SPSA****ABRASIVE CLOTH SHEET 230X280MM**

Universal product for manual sanding and using power tools.
Application: wood, plastics, metals, varnishes, stain, paint, verniks, etc.
Solid grain - electro-corundum.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPSA-40	P40	230x280	5
SPSA-60	P60	230x280	5
SPSA-80	P80	230x280	5
SPSA-100	P100	230x280	5
SPSA-120	P120	230x280	5
SPSA-150	P150	230x280	5
SPSA-180	P180	230x280	5
SPSA-220	P220	230x280	5

**SPSR****ABRASIVE CLOTH ROLL 2.5MX115MM**

Purpose: for sanding metal, wood, varnishes, paints, stains, verniks
Embedment: solid
Bond: glue-resin
Grain: electrocorundum
Substrate: canvas.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SPSR-40	P40	2500x115	1
SPSR-60	P60	2500x115	1
SPSR-80	P80	2500x115	1
SPSR-100	P100	2500x115	1
SPSR-120	P120	2500x115	1
SPSR-150	P150	2500x115	1
SPSR-180	P180	2500x115	1
SPSR-220	P220	2500x115	1
SPSR-240	P240	2500x115	1



SSS

ABRASIVE MESH 115X280MM

Abrasive mesh for sanding gypsum drywall, putty, sanding plaster and painted surfaces non-clogging clogs, double-sided grain, long service life.

Used for sanding with with power tools and manual grinding with grinding trowels.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SSS-40	P40	115x280	2
SSS-60	P60	115x280	2
SSS-80	P80	115x280	2
SSS-100	P100	115x280	2
SSS-120	P120	115x280	2
SSS-150	P150	115x280	2
SSS-180	P180	115x280	2
SSS-220	P220	115x280	2
SSS-240	P240	115x280	2



SSK1

NOTCHED GRINDING WHEEL 125MM

Made on a special fiber backing on which are applied multiple layers of silicon carbide bonded with synthetic resin making it resistant to mechanical loads. Carbide is characterized by high abrasive power and high working efficiency.

It is used in pretreatment for cleaning and grinding of steel, cast iron, granite, sandstone, stone, ceramic materials also for beveling edges.

INDEX	Granulation	Size (mm)	Packaging (pcs)
SSK1-40	P40	125	10
SSK1-60	P60	125	10
SSK1-80	P80	125	10
SSK1-100	P100	125	10
SSK1-120	P120	125	10



SSZT1

GRINDING WHEEL WITH SHANK 40X20MM

For machining profiled parts, surfaces interior, narrow and hard-to-reach places. For radial sanding. For machining wood, metals, plastic.

Application: for grinding - steel, cast iron, paints putty varnishes, wood, leather, plastics.

Embedding: electrocorundum.

Mounting: shank

INDEX	Granulation	Size (mm)	Packaging (pcs)
SSZT1-40	P40	40x20	10
SSZT1-60	P60	40x20	10
SSZT1-80	P80	40x20	10
SSZT1-100	P100	40x20	10



SSZT2

GRINDING WHEEL WITH SHANK 60X30MM

For machining profiled parts, surfaces interior, narrow and hard-to-reach places. For radial sanding. For machining wood, metals, plastic.

Application: for grinding - steel, cast iron, paints putty varnishes, wood, leather, plastics.

Embedding: electrocorundum.

Mounting: shank

INDEX	Granulation	Size (mm)	Packaging (pcs)
SSZT2-40	P40	60x30	10
SSZT2-60	P60	60x30	10
SSZT2-80	P80	60x30	10
SSZT2-100	P100	60x30	10



SSZT3

GRINDING WHEEL WITH SHANK 80X30MM

For machining profiled parts, surfaces interior, narrow and hard-to-reach places. For radial sanding. For machining wood, metals, plastic.

Application: for grinding - steel, cast iron, paints putty varnishes, wood, leather, plastics.

Embedding: electrocorundum.

Mounting: shank

INDEX	Granulation	Size (mm)	Packaging (pcs)
SSZT3-40	P40	80x30	10
SSZT3-60	P60	80x30	10
SSZT3-80	P80	80x30	10
SSZT3-100	P100	80x30	10



STPLW

NON-WOVEN FLAP DISC 125MM FINE

High-quality non-woven flap wheel for finishing of various types of metals, including steel stainless steel depending on the degree of hardness, it is suitable for cleaning, light deburring and machining of welds TIG in the processing of stainless steel.

For use with an angle grinder with a diameter of 125 mm.

INDEX	Granulation	Size (mm)	Packaging (pcs)
STPLW-01	P40	125	1
STPLW-02	P60	125	1
STPLW-03	P80	125	1



S0604-290

"PAN SCHMITH" ASSEMBLY ADHESIVE 290ML

Typical applications:

- general purpose bonding in construction
- strong bonding in vibrating structures
- sealing of floor joints
- flexible bonding of panels, profiles and most other substrates
- bonding of objects, including small ornaments, panels and profiles
- bonding for industrial applications, including car bodies
- cars, caravans and metal containers

Features:

- high initial adhesion and fast curing.
- high shear strength after curing.
- adhesion - even without primer - on most common surfaces such as metal, glass, aluminum and many others, even when slightly damp
- friendly - neutral odor
- very low emissions, EC1+ certified
- contains no silicone, alkali, acids or isocyanates



INDEX	Capacity (ml)	Packaging (pcs)
S0604-290	290	12

S0609-300.

CHEMICAL ANCHOR 2 MIXER 300ML

NON-FLAMMABLE - POLYESTER - STYRENE FREE
 EXPRESS INSTALLATION - FOR INTERIORS AND EXTERIORS
 Chemical anchor is a two-component, chemically curable, fast-hardening hardening liquid anchor based on styrene-free polyester resin, for permanent fixing of elements in building materials.

Application:

- performance of fastenings of elements of building structures in uncracked concrete and ceramic brick masonry, solid brick masonry, in hollow brick masonry, in silicate brick masonry
- anchoring of fastened elements both horizontally and vertically; also recommended as a construction filler and repair mortar
- anchoring of threaded steel rods



INDEX	Capacity (ml)	Packaging (pcs)
S0609-300.	300	15

SODR-500

RD-40 MULTIFUNCTIONAL PREPARATION 500ML

RD-40 is a silicone-free spray that effectively removes rust. Through its properties, it loosens rusted parts and provides a protective layer between metal surfaces, lowers friction, reduces noise and prevents corrosion due to friction. It repels water and protects against moisture, cleans dust / grease and parts binders on metal surfaces. Creates an oily surface, inhibits squeaking and protects against corrosion in vehicles, household appliances household appliances, hinges, springs. Prevents oxidation In rusty bolts and nuts. Helps remove moisture from metal surfaces, electrical switches and ignitions automobiles.



INDEX	Capacity (ml)	Packaging (pcs)
SODR-500	500	12

S0401-005

LIQUID SOAP 5L

Soap with excellent cleansing and caring properties.

- contains lanolin and coconut oil
- prevents skin drying out
- lime fragrance

INDEX	Capacity (L)	Packaging (pcs)
S0401-005	5	1



SAN-0084

WINDSHIELD WASHER FLUID SUMMER 2L

SANDERMAN's excellent summer windshield washer fluid contains the NANO technology! Modern formula, thanks to which the fluid SANDERMAN reduces scratches, improves visibility, creates a layer of protective layer and facilitates removal of dirt and insects. Safe for lacquer, wiper blades, gaskets and plastics! Liquid SANDERMAN with a pleasant smell is used in a simple and easy way.

ECOLOGY - the manufacture of the packaging uses 78% less plastic to produce this volume in traditional bottles and in addition you can roll up the used bag, which takes up little space in the garbage can for plastic waste.

INDEX	Capacity (L)	Packaging (pcs)
SAN-0084	2	1



SAN-0015

WINTER WINDSHIELD WASHER FLUID 2L (ETA)

SANDERMAN's excellent winter windshield washer fluid contains the NANO technology! Modern formula, thanks to which the fluid SANDERMAN reduces scratches, improves visibility, creates a layer of protective layer and facilitates removal of dirt and insects. Safe for lacquer, wiper blades, gaskets and plastics! Liquid SANDERMAN with a pleasant smell is used in a simple and easy way.

ECOLOGY - the manufacture of the packaging uses 78% less plastic to produce this volume in traditional bottles and in addition you can roll up the used bag, which takes up little space in the garbage can for plastic waste.

INDEX	Capacity (L)	Packaging (pcs)
SAN-0015	2	1



SAN-0008

DEMINERALIZED WATER 2L

SANDERMAN's excellent winter windshield washer fluid contains the NANO technology! Modern formula, thanks to which the fluid SANDERMAN reduces scratches, improves visibility, creates a layer of protective layer and facilitates removal of dirt and insects. Safe for lacquer, wiper blades, gaskets and plastics! Liquid SANDERMAN with a pleasant smell is used in a simple and easy way.

ECOLOGY - the manufacture of the packaging uses 78% less plastic to produce this volume in traditional bottles and in addition you can roll up the used bag, which takes up little space in the garbage can for plastic waste.



INDEX	Capacity (L)	Packaging (pcs)
SAN-0008	2	1

SCM-06

MASS EXTRUDER MM 230MM

The compound squeezer, popularly known as a gun, is an indispensable tool in many types of work construction, installation and more. Its task is to push dense masses such as silicones, adhesives, sealants, lubricants, acrylic or other material from the tube and enable their application in the right place. It also works well when working at low temperatures.

Ratio 12:1, pushing force > 1800N, aluminum handle and iron trigger, diameter 75 mm.

INDEX	Size (mm)	Packaging (pcs)
SCM-06	230	12



SCM-07

MASS EXTRUDER MM 230MM

A sealant gun, commonly known as a caulk gun, is an essential tool in many types of construction, installation, and not only. Its task is to extrude dense materials such as silicones, adhesives, sealants, greases, acrylic or other material from a tube and allow their application in the appropriate place. It also performs well during work in low temperatures. The gear ratio is 12:1, with a force of > 1800N, an aluminum handle, and an iron trigger, with a diameter of 75 mm.

INDEX	Size (mm)	Packaging (pcs)
SCM-07	230	12



SCM-08

MASS EXTRUDER MM 230MM

A sealant gun, commonly referred to as a caulk gun, is an indispensable tool for various types of construction and installation works, among others. Its purpose is to extrude thick masses such as silicones, glues, sealants, greases, acrylic, or other materials from a tube, enabling their application in the appropriate place. It is also effective when working in low temperatures. Features a 12:1 leverage ratio, > 1800N thrust force, aluminum handle, and iron trigger, with a 75 mm diameter.

INDEX	Size (mm)	Packaging (pcs)
SCM-08	230	12



SCM-09**MASS EXTRUDER MM 230MM**

The sealant gun, commonly known as a caulking gun, is an essential tool in many types of construction, installation, and other works. Its function is to extrude dense materials such as silicones, adhesives, sealants, greases, acrylics, or other substances from a tube, allowing for their application in the correct place. It also performs well in low-temperature conditions. With a 12:1 leverage ratio, a force of > 1800N, an aluminum handle, an iron trigger, and a 75 mm diameter.

INDEX	Size (mm)	Packaging (pcs)
SCM-09	230	12

**SPK08****STAINLESS STEEL GROUTING TROWEL**

For grouting clinker or stone. The handle is made of durable and lightweight beech wood, optimally shaped for use.

INDEX	Size (mm)	Packaging (pcs)
SPK08-08	8	50
SPK08-10	10	50

**SXWM****GALVANIZED METAL BUCKET**

The bucket is made from galvanized steel. Indispensable on any construction site and in agriculture. Features a wooden grip metal handle for easy carrying. Resistant to mechanical damage. The bottom is set low for stability.

INDEX	Capacity (L)	Packaging (pcs)
SXWM-5C	5	1
SXWM-7C	7	1
SXWM-10C	10	1
SXWM-12C	12	1
SXWM-15C	15	1



SMZ-08

TAPE MEASURE

Housing made of ABS + TPE- impact resistant material. It has practical belt clip and a strap ending in a carabiner.
 Double-sided CE MID II standard measuring tape with clear, large graduation, ending with a magnetic hook, resistant to abrasion.
 Graduation into cm and mm on both sides of the tape. Automatic tape retraction. Stopwatch to stop and lock the reversing tape.



INDEX	Length (m)	Tape width (mm)	Packaging (pcs)
SMZ-08-3/16	3	16	1
SMZ-08-5/19	5	19	1
SMZ-08-5/25	5	25	1
SMZ-08-7,5/25	7,5	25	1
SMZ-08-10/30	10	30	1

SKAL

ALUMINIUM ANGLE

Aluminum angles are dedicated for professional use wherever there is a need to determine a right angle. It is especially useful in construction, finishing works, carpentry, but also in other industries and crafts.
 Made of durable aluminum alloy.

INDEX	Size (mm)	Packaging (pcs)
SKAL-250A	250	1
SKAL-300A	300	1
SKAL-350A	350	1
SKAL-400A	400	1
SKAL-500A	500	1
SKAL-600A	600	1




SKAL

ALUMINUM PROTRACTOR WITH PROTRACTOR GAUGE

Aluminum angles are dedicated for professional use wherever there is a need to determine a right angle. It is especially useful in construction, finishing works, carpentry, but also in other industries and crafts.
 Made of durable aluminum alloy.

INDEX	Size (mm)	Packaging (pcs)
SKAL-250B	250	1
SKAL-300B	300	1
SKAL-350B	350	1
SKAL-400B	400	1
SKAL-500B	500	1
SKAL-600B	600	1



SSN-N

TOOL CARRIER

Durable and ergonomic tool carrier.

INDEX	Packaging (pcs)
SSN-N	1



SGNO-14

WORKSHOP SCISSORS 20 CM

Exceptional heavy-duty scissors for special tasks. Perfect for cutting thick and heavy materials such as leather, canvas, carpet, jute, tarpaulin, upholstery accessories and others. Very thick blades of scissors are made of stainless steel, thanks to which they remain sharp for a long time. In addition, the serrated edges of the blades perfectly grip slippery materials what translates into better control during cutting.

- aluminum handle
- blades with microserrated teeth
- features a nutcracker function
- weight 126 g
- stainless steel dishwasher safe

INDEX	Packaging (pcs)
SGNO-14	1



SOS-01

CARPENTER'S PENCIL

A carpenter's pencil with a length of 250 mm is used most often for carpentry work. Stylus HB hardness. Packed in 50 pieces

INDEX	Length (mm)	Packaging (pcs)
SOS-01	250	72



SNIM-BLACKGRIP

NITRILE BLACKGRIP GLOVES

Grip, precision and protection against chemicals. Easy glove donning and secure grip due to special diamond texture - even in greasy and wet environments. Thick, barrier material that protects against dirt and damage. Quality confirmed by tests conducted in accordance with stringent European EN and global ISO standards.

Particularly recommended for:

- construction and assembly work - automotive industries, industrial, mechanical and construction
- electrical, plumbing, maintenance, locksmith and carpentry shops, utilities, technical and operational section and sanitary section
- food industry
- cleaning
- DIY



INDEX	Size	Packaging (kpl.)
SNIM-BLACKGRIP-M	M	10
SNIM-BLACKGRIP-L	L	10
SNIM-BLACKGRIP-XL	XL	10
SNIM-BLACKGRIP-XXL	XXL	10

SRRR

PROTECTIVE GLOVES

Finished with an elastic welt, seamless, resistant to abrasion and tearing. They do not shrink in contact with water and moisture. They meet the occupational safety and health standard: EN21420:2020+A1:2009 and EN 388:2016+A1:2020. exclusively for work with minimal risk such as getting wet, dirty or abrading the skin. Color of yarn - red, rubber - black.

- abrasion protection grade (1-4): 2
- degree of protection against cutting (1-5): 1
- degree of protection against tearing (1-4) 3
- degree of protection against puncture (1-4) 1



INDEX	Size	Packaging (kpl.)
SRRR-7	7	20
SRRR-8	8	20
SRRR-9	9	20
SRRR-10	10	20
SRRR-11	11	20

SROD

LADIES' GARDEN GLOVES

Protective gloves made of net polyester coated with polyurethane. Ideal for work in the garden. Complies with the requirements of standards: EN21420:2020, CE cat I.

Application:

- warehouses, gardening work



INDEX	Size	Packaging (kpl.)
SROD-6	6	1
SROD-7	7	1
SROD-8	8	1

SRSK-R

WORK GLOVES LEATHER WITH VELCRO (12 PAIRS)

Work gloves are designed for work in dry environments. They are characterized by extraordinary mechanical resistance to tears, injuries and abrasions, as they have been reinforced with light cowhide split leather. Denim gloves have a stiffened cuff that protects the forearm. Made of natural, breathable materials. They meet the EN-420 standard

INDEX	Size	Packaging (kpl.)
SRSK-8R	8	1
SRSK-9R	9	1
SRSK-10R	10	1
SRSK-11R	11	1



SFOREST

TREKKING BOOTS

They are made of the highest quality materials "ATF" technology inside the shoes guarantees long-lasting freshness. Applied Te-por membrane lining in the footwear removes moisture from inside the shoes in case of contact with unfavorable weather conditions. The TPU/PU sole is resistant to abrasion and cutting, while remaining at the same time lightweight and flexible, while thanks to the applied coating the footwear is waterproof and breathable.

INDEX	Size	Packaging (pairs)
SFOREST-40	40	1
SFOREST-41	41	1
SFOREST-42	42	1
SFOREST-43	43	1
SFOREST-44	44	1
SFOREST-45	45	1
SFOREST-46	46	1



S1236

SAFETY HALF-SHOE S1 WITH A TOECAP

The shoe meets the requirements of the standard:
 PN-EN ISO 20347: 2012 O1 FO SRC
 PN-EN ISO 20345: 2012 S1 SRC
 PN-EN ISO 20345: 2012 S1 P SRC
 Upper: velour leather + textile + 3M. Bottom: PU/TPU C
 Techwork black/gel. Chin-lift: composite. Insole: kevlar anti-piercing. Lining: 3D Air Space fabric. Lining: replaceable molded. Shoe height: 13 cm. Weight of the pair: about 0.9 kg.

INDEX	Size	Packaging (pairs)
S1236-40	40	1
S1236-41	41	1
S1236-42	42	1
S1236-43	43	1
S1236-44	44	1
S1236-45	45	1
S1236-46	46	1



S1199

SHORTS

Fastened with a button and a zipper. Rubber sewn into the waistband over the entire width of the circumference. Two patch pockets on the front and two pockets back pockets covered with Velcro fasteners. On the left leg a pocket covered with a Velcro-fastened patch, on the right leg a pocket made of fabric reinforced with a Velcro-fastened patch. On the front and side pockets additional pockets of reinforced fabric fastened with Velcro. Triple inner and seat seam - extremely resistant to tearing. Legs finished with a hem.



INDEX	Size	Packaging (pcs)
S1199-SPODENKI S	S	1
S1199-SPODENKI M	M	1
S1199-SPODENKI L	L	1
S1199-SPODENKI XL	XL	1
S1199-SPODENKI XXL	XXL	1
S1199-SPODENKI XXXL	XXXL	1

S1106

WORK OVERALLS

Standard shorts with a material composition of 65% polyester and 35% cotton. CANVAS fabric weave, weight 250g/m², 2% shrinkage.

- 4 pockets
- hammer holder
- belt width adjustment
- available sizes S, M, L, L Slim, XL, XL Slim, XXL

INDEX	Size	Packaging (pcs)
S1106-L	S	20
S1106-M	M	20
S1106-S	L	20
S1106-XL	XL	20
S1106-XXL	XXL	20
S1106-XXXL	XXXL	20



S1108

WAIST PANTS

Waist pants with reinforcing fabric at the knees. The fabric reinforcing fabric is characterized by high strength, resistance to abrasion and all weather conditions, coated with polyurethane on one side with water resistance finish.

- 5 pockets + hammer pocket
- triple stitching for increased durability
- possibility to insert protective pads
- belt width adjustment
- expandable with two additional zippered pockets
- available sizes S, M, L, L Slim, XL, XL Slim, XXL

INDEX	Size	Packaging (pcs)
S1108-L	S	20
S1108-M	M	20
S1108-S	L	20
S1108-XXL	XL	20
S1108-XXXL	XXL	20
S1106-XXXL	XXXL	20



SGWO401

GARDEN HOSE 4 LAYERS

Possibility of long-term use due to high durability. Designed for medium use in garden with a structure such as lawn, stone slab, gravel, PREMIUM class.

- enhanced quality and durability
- temperature range of use: -10°C - +50°C
- 4-layer
- resistant to UV rays
- resistant to algae buildup
- resistant to bursting pressure up to 20 BAR
- top quality yarn reinforcement

INDEX	Length (m)	Diameter (inches)	Packaging (pcs)
SGWO412-20	20	1/2	1
SGWO412-25	25	1/2	1
SGWO412-30	30	1/2	1
SGWO412-50	50	1/2	1
SGWO434-20	20	3/4	1
SGWO434-25	25	3/4	1
SGWO434-30	30	3/4	1
SGWO434-50	50	3/4	1
SGWO401-20	20	1	1
SGWO401-30	30	1	1
SGWO401-50	50	1	1



SGWO512

GARDEN HOSE 5 LAYERS

Possibility of long-term use due to high durability. PREMIUM Class

- increased quality and durability
- super Flexi - increased flexibility
- anti Twist - the hose does not twist, is resistant to the formation of knots blocking the water flow
- combination of tricot fence and cross fence
- temperature range of use: -20°C - +60°C
- 5-layer
- resistant to UV rays
- resistant to algae deposition
- free of cadmium and barium
- resistant to burst pressure up to 30 BAR
- top quality yarn reinforcement

INDEX	Length (m)	Diameter (inches)	Packaging (pcs)
SGWO512-20	20	1/2	1
SGWO512-30	30	1/2	1
SGWO512-50	50	1/2	1
SGWO534-20	20	3/4	1
SGWO534-30	30	3/4	1
SGWO534-50	50	3/4	1



SGZR-10

ROTARY SPRINKLER 4-FUNCTIONS

Plastic sprinkler, driven on a through spike, creating 4 different types of streams. The spike has a nipple for quick couplings and the ability to connect in series connection with other sprinklers.

- operating pressure: max. 6 Bar
- burst pressure: max. 12 Bar
- temperature resistance: 0-60°C
- irrigation area: max. 300 Mkw
- range diameter: 20 m
- adjustable area from 30-360°



INDEX	Packaging (pcs)
SGZR-10	1

SGZR-11

THREE-ARMED ROTARY SPRINKLER

Plastic three-arm rotary sprinkler, driven on a through spike, uniformly spraying. The spike has a nipple for quick couplings and the ability to connect in series connection with other sprinklers.

- ABS manufacturing material
- 4 nozzles on each arm
- can be connected in series
- spike length: 150 mm



INDEX	Packaging (pcs)
SGZR-11	1

SGZW-03

OSCILLATING PENDULUM SPRINKLER PREMIUM

Oscillating pendulum sprinkler with 16 irrigation holes. Provides even and gentle irrigation. The rest of the design is made of shock-resistant plastic.

- 16 outlet nozzles
- fully adjustable in length, width and water flow
- spray range: diameter 3-17m
- operating pressure: 4 bars
- materials: ABS and polypropylene
- weight: 425g



INDEX	Packaging (pcs)
SGZW-03	1

SGPI-08**SPRAY GUN 8 FUNCTIONS WITH DOSER**

Spray gun with dispenser for the preparation, made of durable and shock-resistant shock-resistant material - ABS. Adjustable flow rate and foaming level with knobs. The gun has the ability to smoothly adjust the type of spray with a rotating nozzle.

- water flow control
- ABS body with TPR coating
- 8 spray functions
- foam level control
- preparation container capacity: 100 ml



INDEX	Packaging (pcs)
SGPI-08	1

SGWO-04**PORTABLE CART FOR HOSE**

High-quality garden hose reel cart with a lightweight and durable construction. The hose has a connection with a diameter of 1/2 inch. The ergonomic crank makes it easy to wind the hose and the handy handle gives an easy grip of the entire structure. Additional reinforcement and stabilization is provided by a metal tube at the base.

- dimensions: 46 x 32 x 33 cm
- weight: 1.3 kg,
- capacity: up to 35 m of 1/2 inch diameter hose



INDEX	Packaging (pcs)
SGWO-04	1

SGO-K-16,0**SPRAYER ON WHEELS 16L**

The Schmith sprayer makes a great addition to any home or garden. Adjusting the spray nozzle will allow you to match the type of water pumped out - from strong stream to a mist.

- tank capacity 16l
- hose length 2.5 m
- working pressure 3 bar
- flow pressure 0.32~0.36L/ min (2 bar)



INDEX	Tank capacity (L)	Packaging (pcs)
SGO-K-16,0	16	1

KTSJ-50-SCH

ASH AXE HANDLE 50CM SSD-1000, SSK-1000

The handle is made of high-quality ash wood resistant to breakage. Lacquering provides resistance to moisture, sun and other adverse conditions.

- impregnated with linseed oil to ensure durability and comfort of work
- properly shaped fits well in hand
- designed for small assembly and construction works

INDEX	Length (cm)	Packaging (pcs)
KTSJ-50-SCH	50	1



KTT-115

HANDLE TYPE T 115 CM

The handle is made of high quality wood resistant to breakage. Lacquering provides resistance to moisture, sun and other adverse conditions.

- optimal moisture content
- impregnated with linseed oil for durability and comfortable to work with
- knotless, waxed

INDEX	Length (cm)	Packaging (pcs)
KTT-115	115	1



SG-HD160

TWO-ARMED HOOK WITH WOODEN 160MM SHANK

Made of high quality steel. Designed for gardening work. The handle is made of hard ash wood.

- hoe with trapezoidal design
- head made of NCV steel
- shaft made of selected ash wood, 160 cm long

INDEX	Length (cm)	Packaging (pcs)
SG-HD160	160	1



SG-LG**UTILITY SHOVEL
WOODEN HANDLE PP**

Large capacious shovel is used for scooping, transferring materials loose materials, grain, sand, gravel, etc. Manufactured from very durable plastic with a wooden handle and ergonomic handle. It also works very well in clearing snow.

INDEX	Packaging (pcs)
SG-LG	1

**SG-LT-115****SAND SHOVEL
WOODEN HANDLE TYPE T 115CM**

Sand shovel with wooden handle impregnated with natural substances based on linseed oil. Such a method of impregnation ensures comfortable work with the tool for a long time, thus protecting the wood from water and excessive drying.

- the head is made of durable railroad steel preserving optimal plastic properties during work
- handle impregnated with natural substances based on linseed oil
- solid fusion of the wooden handle with the blade
- wooden, profiled T-shaped handle facilitating work
- can be used in many construction works and in the household

INDEX	Length (cm)	Packaging (pcs)
SG-LT-115	115	1

**KRZZ****SPARE HANDLE FI 32 RED
FOR METAL PIPE**

- ergonomic handle
- profiled handle
- especially recommended for Schmith brand tools

INDEX	Packaging (pcs)
KRZZ	50



WNG

LDPE RUBBLE BAGS

Bags for debris, construction waste, household waste. Bags for debris made of LDPE film, very flexible and resistant to tearing. The super-strong bags are widely used for construction and cleanup work. 100% LDPE recycling



INDEX	Capacity (L)	Packaging (pcs)
WNG120-20	120	8
WNG240-10	240	8

WNO

LDPE WASTE BAGS

100% LDPE. The number of pieces per roll is 10 pieces



INDEX	Capacity (L)	Bag dimensions (cm)	Thickness (mikrony)	Packaging (pcs)
WNO160-10	160	90x100	29	20
WNO240-10	240	95x140	45	20
WNO300-10	300	120x150	45	20

WNO120-25

WASTE SACKS STRONG LDPE 120L

100% LDPE. The number of pieces per roll is 25 pieces. The dimension of the bag is 70x110 cm. Thickness: 35 microns.



INDEX	Capacity (L)	Packaging (pcs)
WNO120-25	120	15

WNOT60-15

WASTE SACKS WITH TAPE LDPE 60L

100% LDPE. The number of pieces per roll is 15 pieces. The dimension of the bag is 60x70 cm. Thickness: 25 microns.



INDEX	Capacity (L)	Packaging (pcs)
WNOT60-15	60	30

SPHN-2

HYDRAULIC JACK LOW PROFILE 2T

Schmith car jack, made of rolled sheet. The sheet is joined in special profiles that increase the rigidity of the structure. The lift is recommended for handling motor vehicles with lowered suspension (cars subjected to lowering tuning passenger cars subjected to suspension lowering tuning). The lift is equipped with steel wheels of the front axle and torsion wheels of the rear axle, as well as a safety bypass valve. CE certification guarantees compliance with European standards safety. Lifting range: 85-330 mm. Dimensions: 534 x 216 x 135 mm. Weight: 10.8 kg



INDEX	Lift range (mm)	Packaging (pcs)
SPHN-2	85-330	1

SPHS-2

HYDRAULIC BOTTLE JACK 2T

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust design provides durability and safety small size and light weight make it easy to move and store indispensable in garages and vehicle service CE certificate guarantees compliance with European safety standards. Lifting range: 168-316 mm. Dimensions: 94.5 x 78 x 168 mm. Weight: 2 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-2	168-316	1

SPHS-4

HYDRAULIC BOTTLE JACK 4T

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust design provides durability and safety small size and light weight make it easy to move and store indispensable in garages and vehicle service stations vehicle service CE certificate guarantees compliance with European safety standards. Lifting range: 188-363 mm. Dimensions 108.5 x 87 x 188 mm. Weight: 2.8 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-4	188-363	1

SPHS-6

HYDRAULIC BOTTLE JACK 6T

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and service stations vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 207-402 mm. Dimensions: 117 x 97 x 207 mm. Weight: 3.7 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-6	207-402	1

SPHS-8

HYDRAULIC BOTTLE JACK 8T

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 222-447 mm. Dimensions 124 x 106 x 222 mm. Weight: 4.8 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-8	222-447	1

SPHS-12

HYDRAULIC BOTTLE JACK 12T

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and service stations vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 227-457 mm. Dimensions 141 x 118 x 227 mm. Weight: 6 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-12	227-457	1

SPHS-15**HYDRAULIC BOTTLE JACK 15T**

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 227-457 mm. Dimensions 141 x 118 x 227 mm. Weight: 7 kg



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-15	227-457	1

SPHS-20**HYDRAULIC BOTTLE JACK 20T**

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 235-445 mm. Dimensions: 152 x 124 x 235 mm. Weight: 8.6 kg



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-20	235-445	1

SPHS-32**HYDRAULIC BOTTLE JACK 32T**

A professional hydraulic pole lift with a system of valves that precisely dose the oil stream, which, despite the small piston stroke, ensures its high efficiency under maximum load. The unscrewed foot in the jack's piston having a strong, fine-twist, trapezoidal thread, resistant to overloading. The piston is coated with nickel, which makes the surface smoothed. Robust construction ensures durability and safety. Small size and lightweight make it easy to move and store. Indispensable in automotive workshops and vehicle service stations CE certificate guarantees compliance with European safety standards.

Lifting range: 160-260 mm. Dimensions: 185 x 165 x 260 mm. Weight: 17,8 kg.



INDEX	Lift range (mm)	Packaging (pcs)
SPHS-32	160-260	1

SNG-01

GAS HEATER 10 KW

Fuel consumption: 0.73 kg/hr, air capacity: 320 m³/hour, heating power: 10 kW. Power supply: 220 V/50 Hz, motor power: 30 W, heating area: 101 m², fuel: LPG, ignition type: automatic, digital display, material: stainless steel and steel. Includes regulator and 1.5 m hose. Dimensions: 350 x 210 x 320 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNG-01	30	10	1



SNG-02

GAS HEATER 20 KW

Fuel consumption: 1.45 kg/hour, heating power: 20 kW. Power supply: 220 V/50 Hz. Air capacity: 320 m³/hour, motor power: 30 W, heating area: 121 m², fuel: LPG, ignition type: automatic, digital display. Material: stainless steel and steel. Included regulator and hose 1.5 m. Dimensions: 400 x 210 x 320 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNG-02	30	20	1



SNG-03

GAS HEATER 30 KW

Fuel consumption: 1.45 kg/hr, air capacity: 320 m³/hour, heating power: 30 kW. Power supply: 220 V/50 Hz. Motor power: 30 W, heating area: 121 m², fuel: LPG, ignition type: automatic, digital display. Material: stainless steel and steel, regulator and hose included. Dimensions: 400 x 210 x 320 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNG-03	30	30	1



SNG-04

GAS HEATER 50 KW

Fuel consumption: 3.63 kg/hour, heating power: 50 kW. power supply: 220 V/50 Hz, air capacity: 650 m³/hour, motor power: 70 W, heating area: 385 m², fuel: LPG, ignition type: automatic, digital display. Material: stainless steel and steel. Included regulator and hose 1.5 m. Dimensions: 585 x 220 x 340 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNG-04	70	50	1



SNO-03

OIL HEATER ON CART 20 KW

Power supply: 220 V/50 Hz, Heating power: 20 kW, Fuel tank: 19 liters, Fuel consumption: 1.7 liters/hour, Air flow capacity: 550 m³/hour, Engine power: 160 W, Heating area: 150 m², Fuel: diesel, Ignition type: continuous spark ignition, Thermostat control, Digital display, Material: stainless steel and steel, Transport wheels, Dimensions: 790 x 390 x 530 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNO-03	160	20	1



SNO-04

OIL HEATER ON CART 30 KW

Power supply: 220 V/50 Hz, Heating power: 30 kW, Fuel tank: 36 liters, Fuel consumption: 2.5 liters/hour, Air flow capacity: 720 m³/hour, Engine power: 180 W, Heating area: 290 m², Fuel: diesel, Ignition type: continuous spark ignition, Thermostat control, Digital display, Material: stainless steel and steel, Transport wheels, Dimensions: 840 x 440 x 560 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNO-04	180	30	1



SNO-05

OIL HEATER ON CART 50 KW

Power supply: 220 V/50 Hz, Heating power: 50 kW, Fuel tank: 56 liters, Fuel consumption: 4.0 liters/hour, Air flow capacity: 1000 m³/hour, Engine power: 250 W, Heating area: 380 m², Fuel: diesel, Ignition type: continuous spark ignition, Thermostat control, Digital display, Material: stainless steel and steel, Transport wheels, Dimensions: 1065 x 480 x 695 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNO-05	250	50	1



SNO-01

PORTABLE OIL HEATER 15 KW

Power supply: 220 V/50 Hz, Heating power: 15 kW, Fuel tank: 12 liters, Fuel consumption: 0.8 liters/hour, Air flow capacity: 500 m³/hour, Engine power: 160 W, Heating area: 101 m², Fuel: diesel, Ignition type: continuous spark ignition, with thermostat control, digital display, shutdown memory function, Material: stainless steel and steel, Dimensions: 660 x 260 x 380 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNO-01	160	15	1



SNO-02

PORTABLE OIL HEATER 20 KW

Power supply: 220 V/50 Hz, Heating power: 20 kW, Fuel tank: 19 liters, Fuel consumption: 1.7 liters/hour, Air flow capacity: 550 m³/hour, Engine power: 160 W, Heating area: 150 m², Fuel: diesel, Ignition type: continuous spark ignition, Thermostat control, Digital display, Material: stainless steel and steel, Dimensions: 740 x 300 x 450 mm.

INDEX	Power (W)	Heating power (kW)	Packaging (pcs)
SNO-02	160	20	1



SNEL-02

ELECTRIC HEATER 3000 W

Three operating modes: 1000/2000/3000 W, heating efficiency 25 m³/hour, heating area 30 m², handle, dimensions: 240 x 235 x 255 mm.

INDEX	Power (W)	Packaging (pcs)
SNEL-02	3000	1



SNEL-03

ELECTRIC HEATER 5000 W

Three operating modes: 40/2500/5000 W, 400V, 50Hz, heating efficiency 451 m³/hour, heating area 60 m², handle, adjustable air flow angle, dimensions: 280 x 230 x 340 mm.

INDEX	Power (W)	Packaging (pcs)
SNEL-03	5000	1



SNPE-01

INDUSTRIAL ELECTRIC HEATER 2 KW

Three operating modes: 25/1000/2000 W, 220-240V, 50Hz, heating efficiency 360 m³/hour, heating area 20 m², handle, dimensions: 230 x 195 x 315 mm.

INDEX	Power (W)	Packaging (pcs)
SNPE-01	2000	1



SNPE-02

INDUSTRIAL ELECTRIC HEATER 5 KW

Three operating modes: 30/2500/5000 W, 400V, 50Hz, heating efficiency 613 m³/hour, heating area 60 m², handle, dimensions: 265 x 260 x 400 mm.

INDEX	Power (W)	Packaging (pcs)
SNPE-02	5000	1



SNPE-03

INDUSTRIAL ELECTRIC HEATER 9 KW

Three operating modes: 52/4500/9000 W, 400V, 50Hz, heating efficiency 1051 m³/hour, heating area 80 m², handle, dimensions: 320 x 310 x 460 mm.

INDEX	Power (W)	Packaging (pcs)
SNPE-03	9000	1



SNPE-04

INDUSTRIAL ELECTRIC HEATER 15 KW

Four operating modes: 95/5000/10000/15000 W, 400V, 50Hz, heating efficiency 1853 m³/hour, heating area 120 m², handle, dimensions: 405 x 360 x 540 mm.

INDEX	Power (W)	Packaging (pcs)
SNPE-04	15000	1



IESCH 032

BATTERY-POWERED WORK LAMP 5W + POWER BANK

MAGNETIC MOUNT
POWER BANK FUNCTION
HANGING CAPABILITY

Technical Data:

- battery-powered lamp: 5W - main light, 10W COB - side light
- material: PC + TRP + ABS + Aluminum
- dimensions (width x height x depth) [mm]: 98 x 63 x 29
- charging base dimensions (width x height x depth) [mm]: 112 x 78 x 81
- battery: 2000 mAh
- battery type: 18650
- charging time: 2.5 hours
- charging port: USB Type-C

INDEX	Power (W)	Packaging (pcs)
IESCH 032	5	1



IESCH 043

FLOOR FAN 100W CHROME

3 FAN SPEEDS
ADJUSTABLE TILT ANGLE

Technical Data:

- 220-240V~, 50/60Hz
- color: chrome
- power: 100W
- tilt angle adjustment
- number of fan speeds: 3
- thermal motor protection

INDEX	Power (W)	Packaging (pcs)
IESCH 043	100	1



STERM

FAN HEATER 2000 W

Fan Heater with two airflow functions, winter and warm modes in two ranges 1000-2000 W.

- overheating protection,
- thermal safety switch,
- power indicator light,
- color: white.

INDEX	Power (W)	Packaging (pcs)
STERM	2000	1



IESCH 038

DESK FAN 30W CHROME

3 FAN SPEEDS
OSCILLATION FUNCTION

Technical Data:

- 220-240V~, 50/60Hz
- color: chrome
- power: 30W
- number of fan speeds: 3
- additional function: oscillation

INDEX	Power (W)	Packaging (pcs)
IESCH 038	30	1



IESCH 037**DESK FAN 50W BLACK AND WHITE**

Compact Desk Fan with High Power.

Technical Data:

- 220-240V~, 50/60Hz
- color: black and white
- power: 50W
- speed: 5.6 m/s
- mechanical switch

INDEX	Power (W)	Packaging (pcs)
IESCH 037	50	1

**IESCH 042****TOWER FAN 45W WHITE 110 CM WITH REMOTE CONTROL**

In the set: Remote control, 3 fan speeds, Oscillation function, Room temperature measurement function, 15-hour timer.

Technical Data:

- 220-240V~, 50/60Hz
- color: white
- power: 45W
- remote control included
- number of fan speeds: 3
- additional functions: oscillation
- LED display with room temperature measurement
- 15-hour timer

INDEX	Power (W)	Packaging (pcs)
IESCH 042	45	1



IESCH 040

FLOOR FAN 50W WITH REMOTE CONTROL

In the set: Remote control, 3 fan speeds, Oscillation function, Aromatherapy diffuser - essential oil container, Tilt angle adjustment.

Technical Data:

- 220-240V~, 50/60Hz
- color: blue
- power: 50W
- remote control included
- number of fan speeds: 3
- aromatherapy diffuser
- tilt angle adjustment

INDEX	Power (W)	Packaging (pcs)
IESCH 040	50	1



IESCH 041

FLOOR FAN 50W WITH REMOTE CONTROL AND TOUCH PANEL

In the set: Remote control, 3 fan speeds, Oscillation function, Touch panel.

Technical Data:

- 220-240V~, 50/60Hz
- color: white
- power: 50W
- remote control included
- number of fan speeds: 3
- additional functions: oscillation
- touch panel

INDEX	Power (W)	Packaging (pcs)
IESCH 041	50	1



IESCH 039**FLOOR FAN 40W WITH REMOTE CONTROL,
BLACK**

In the set: Remote control, 3 fan speeds, Oscillation function, 7.5-hour timer.

Technical Data:

- 220-240V~, 50/60Hz
- color: black
- power: 40W
- remote control included
- number of fan speeds: 3
- additional functions: oscillation
- 7.5-hour timer



INDEX	Power (W)	Packaging (pcs)
IESCH 039	40	1

SGEK-PTC-03**COLUMN ELECTRIC HEATER PTC CERAMIC
1 KW / 2 KW**

Technical specifications:

- PTC overheating protection
- LED display
- timer function 0-12 hours
- oscillation function
- two heating modes 1000/2000 W
- touchscreen
- dimensions: 223 x 212 x 625 mm

INDEX	Power (W)	Packaging (pcs)
SGEK-PTC-03	2000	1

**SGEK-PTC-01****COLUMN ELECTRIC HEATER PTC CERAMIC
2 KW**

Technical specifications:

- PTC overheating protection
- oscillation function
- LED display
- remote control
- timer function 8 hours
- safety switch
- handle
- dimensions: 176 x 137 x 500 mm

INDEX	Power (W)	Packaging (pcs)
SGEK-PTC-03	2000	1



SGEK-PTC-02

COLUMN ELECTRIC HEATER PTC CERAMIC 2 KW WITH REMOTE CONTROL

Technical specifications:

- PTC overheating protection
- LED control panel
- 220-240V, 50Hz
- temperature sensor
- timer function 0-24 hours
- elegant leather handle
- 45-degree oscillation function
- remote control included
- tip-over safety switch
- dimensions: 220 x 220 x 620 mm



INDEX	Power (W)	Packaging (pcs)
SGEK-PTC-02	2000	1

SGEK-05

ELECTRIC CONVECTOR HEATER 2000W WITH WI-FI FUNCTION

Technical specifications:

- glass panel
- digital display
- remote control
- 220-240V, 50Hz
- dimensions: 675 x 130 x 435 mm
- Wi-Fi
- timer function 0-24 hours
- electronic thermostat with anti-freeze sensor [5-7°]
- room temperature sensor [4-40°]
- freestanding or wall-mounted
- mounting elements included
- color: black



INDEX	Power (W)	Packaging (pcs)
SGEK-05	2000	1

SGEK-04

ELECTRIC CONVECTOR HEATER 2000W WITH REMOTE CONTROL

Technical specifications:

- glass panel
- digital display
- 24-hour timer function
- electronic thermostat with anti-freeze sensor [5-7°]
- room temperature sensor [5-50°]
- freestanding or wall-mounted
- mounting elements included
- color: white



INDEX	Power (W)	Packaging (pcs)
SGEK-04	2000	1

SGEK-02**ELECTRIC CONVECTOR HEATER
750/1250/2000W****Dane techniczne:**

- trzy poziomy grzewcze: 750/1250/2000 W
- regulowany termostat
- bezpieczne uchwyty do przenoszenia
- wolnostojący
- wymiary: 535 x 196 x 385 mm

INDEX	Power (W)	Packaging (pcs)
SGEK-02	2000	1

**SGEK-03****ELECTRIC CONVECTOR HEATER
750/1250/2000W TURBO****Technical specifications:**

- three heating levels: 750/1250/2000 W
- adjustable thermostat
- safe carrying handles
- freestanding
- turbo airflow function
- dimensions: 535 x 196 x 385 mm

INDEX	Power (W)	Packaging (pcs)
SGEK-03	2000	1

**SGEK-01****ELECTRIC CONVECTOR HEATER
750/1000/1500W****Technical specifications:**

- three heating levels: 750/1000/1500 W
- adjustable thermostat
- safe carrying handles
- freestanding
- dimensions: 510 x 170 x 320 mm

INDEX	Power (W)	Packaging (pcs)
SGEK-01	1500	1



SGE-PTC-02

ELECTRIC PTC CERAMIC HEATER 900/1500 W

Technical specifications:

- two power levels: 900/1500 W
- PTC fuse for overheating protection
- tilt sensor
- LED display
- oscillation function
- dimensions: 150 x 150 x 280 mm
- color: black

INDEX	Power (W)	Packaging (pcs)
SGE-PTC-02	1500	1



SGE-PTC-01

ELECTRIC PTC CERAMIC HEATER, 1500 W

Technical specifications:

- power adjustment
- safety switch
- PTC overheating protection
- dimensions: 150 x 150 x 280 mm
- color: black

INDEX	Power (W)	Packaging (pcs)
SGE-PTC-01	1500	1



SLS-01

LED LAMP WITH 100W SOLAR PANEL

Technical specifications:

- battery capacity: 3.7V 5.4Ah
- power: 100W
- beam angle: 120°
- luminous flux: 800 lm
- light color: 6000K
- monocrystalline solar panel: 6W
- LED lamp lifespan: 30000 h
- charging time: 8-10 h
- working time: 8-12 h
- material: ABS
- protection level: IP65
- charging cable length: 2 m

INDEX	Lumens (lm)	Power (W)
SLS-01	800	100



SLS-02

LED LAMP WITH 200W SOLAR PANEL

Technical specifications:

- battery capacity: 3.7V 10Ah
- power: 200W
- beam angle: 120°
- luminous flux: 1300 lm
- light color: 6000K
- color Rendering Index (Ra): >70
- monocrystalline solar panel: 15W
- LED lamp lifespan: 30000 h
- charging time: 8-10 h
- working time: 8-12 h
- material: ABS
- protection level: IP65
- charging cable length: 2 m



INDEX	Lumens (lm)	Power (W)
SLS-01	1300	200

SLS-03

LED LAMP WITH 300W SOLAR PANEL

Technical specifications:

- battery capacity: 3.7V 15Ah
- power: 200W
- beam angle: 120°
- luminous flux: 1800 lm
- light color: 6000K
- color Rendering Index (Ra): >70
- monocrystalline solar panel: 20W
- LED lamp lifespan: 30000 h
- charging time: 8-10 h
- working time: 8-12 h
- material: ABS
- protection level: IP65
- charging cable length: 2 m



INDEX	Lumens (lm)	Power (W)
SLS-03	1800	300

SLU

LED STREET LAMP

Technical specifications:

- power supply voltage: AC220-240V
- light color: 4000 K
- color Rendering Index (CRI): Ra>65
- luminous flux: 100 lm/w
- tilt adjustment range: 90°-180°
- beam angle: 70x140°
- protection level: IP65
- lifespan: 30,000 h
- cable length: 0.3 m, 3G 0.75 mm² cable



INDEX	Lumens (lm)	Power (W)
SLU-01	5000	50
SLU-02	10000	100
SLU-03	15000	150
SLU-04	20000	200

SL-LC2

RECHARGEABLE HEADLAMP

The rechargeable headlamp by Schmith is characterized by appropriate parameters. The product's advantages include a suitable weight-to-size ratio, low self-discharge, high durability of materials, and a long product lifespan.

Charging the device is done via the included USB Type C cable. A red LED indicates discharge, while a green LED indicates a fully charged device. The headlamp features a flexible strap for comfortable wearing, providing stable positioning on the head. The adjustable head of the headlamp allows you to tailor its tilt to your needs during use, ensuring precise direction of the light beam in a specific direction.

Specifications:

- magnetic power attachment
- USB Type C cable included
- material: ABS
- 3W LED COB
- light output: 150lm
- battery: 1200mAh
- motion sensor



INDEX	Lumens (lm)	Power (W)
SL-LC2	150	3

SL-LM

MINI FLASHLIGHT WITH OPENER/MAGNET/STAND

The mini flashlight with an opener from Schmith is characterized by appropriate parameters. The product's advantages include a suitable weight-to-size ratio, low self-discharge, high durability of materials, and a long product lifespan. Additionally, the flashlight has a carabiner, designed to facilitate attaching the flashlight to keys or other items, making it very useful during various activities. The flashlight also features a bottle opener. Charging the device is done via the included USB Type C cable. A red LED indicates discharge, while a green LED indicates a fully charged device. Another advantage is the adjustable 180° handle, allowing you to set the light source at different angles, while the carabiner enables hanging in certain places.

Four lighting modes:

- 100% brightness (to activate, press and hold the mode change button for a few seconds)
- 60% brightness
- 30% brightness
- Strobe

Specifications:

- practical carabiner
- magnetic power attachment
- USB Type C cable included
- material: COB + aluminum
- 5W LED COB
- light output: 500 lm
- battery: 500mAh



INDEX	Lumens (lm)	Power (W)
SL-LM	500	5

IESCH 031**BATTERY-POWERED WORK LAMP 10W**

POWERBANK FUNCTION
TWO USB PORTS
CHARGE INDICATOR

Technical specifications:

- power: 10 W
- colors: gray and black
- material: nylon + TPR
- dimensions (width x height x depth) 172 x 127 x 46 mm
- light output: 900 lm
- on/off switch
- battery: 4400 mAh, lithium battery
- working time: 5h
- charging time: 4h
- waterproof rating: IP44
- light adjustment functions: 100% - 30% - flash
- included: USB cable



INDEX	Lumens (lm)	Power (W)
IESCH 031	900	10

IESCH 033**WORKSHOP FLASHLIGHT WITH BLUETOOTH**

Magnetic Mount
POWERBANK FUNCTION
HANGING POSSIBILITY

Technical specifications:

- material: aluminum + plastic
- brightness: 170 LM - 550 LM - 200 LM
- working time: 10h - 3h - 5h
- charging time: 4-5h
- power: 5W
- 3.7V 3000mAh lithium-polymer battery
- 1 pc. COB bulb + 1 pc. SMD 1W bulb
- hook for hanging + strong magnet
- included: USB cable
- bluetooth capability for music playback

INDEX	Lumens (lm)	Power (W)
IESCH 033	550	5



IESCH 034

LED FLOODLIGHT 20 W GRAY-BLACK

ADJUSTABLE LIGHTING ANGLE
ADDITIONAL SWITCH
CONVENIENT HANDLE

Technical specifications:

- dimensions (W x H x D) 150 x 216 x 57.5 mm
- power: 20 W
- light temperature: 6500K
- protection class: IP54
- cable: H05RNF 3 x 1.0 mm, 1.5 m
- rated voltage: 220-240V AC 50/60Hz

INDEX	Lumens (lm)	Power (W)
IESCH 034	2000	20



IESCH 035

LED FLOODLIGHT 30 W GRAY-BLACK

ADJUSTABLE BASE
MAINS POWER SUPPLY
CONVENIENT HANDLE

Technical specifications:

- dimensions (W x H x D) 165 x 160 x 40 mm
- power: 30W
- brightness: 3000 lm
- light temperature: 6500K
- lifetime: 30000h
- angle: 120°
- protection class: IP65
- cable: H05RNF 3 x 1.0 mm, 1.5 m
- rated voltage: 220-240V AC 50/60Hz

INDEX	Lumens (lm)	Power (W)
IESCH 035	3000	30



IESCH 036

LED FLOODLIGHT 50 W GRAY-BLACK

ADJUSTABLE BASE
MAINS POWER SUPPLY
CONVENIENT HANDLE

Technical specifications:

- dimensions (W x H x D) 210 x 180 x 45 mm
- power: 50 W
- brightness: 5000 lm
- light temperature: 3000-6500K
- lifetime: 30000h
- angle: 120°
- sealing class: IP65
- cable: H05RNF 3 x 1.0 mm, 1.5 m, VDE Plug
- rated voltage: 220-240V AC 50/60Hz

INDEX	Lumens (lm)	Power (W)
IESCH 035	5000	30



IESCH

LED FLOODLIGHT RED, 2X1F 230V

ADJUSTABLE LIGHTING ANGLE
ADDITIONAL SWITCH
CONVENIENT HANDLE
TWO POWER SOCKETS IN THE REAR HOUSING - EXTENSION FUNCTION

Technical data:

- light temperature: 6500K
- light angle: 120 degrees
- waterproof class: IP54
- cable: H05RNF 3 x 1.0 mm, 2 m
- 2 x 220-240 V power sockets
- rated voltage: 220-240V AC 50/60Hz
- dimensions (W x H x D) 237 x 206 x 100 mm
- weight 1.5 kg

INDEX	Lumens (lm)	Power (W)
IESCH 044	2700	30
IESCH 045	4500	50



SL-S08.

LED FLOODLIGHT 2X100 W SLIM WITH BLACK TRIPOD

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Powery 100W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in black color. Waterproof class IP65 - the product is dustproof, waterproof so that no working conditions are terrible for it. Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 100 W
- light color: 6400K
- number of lumens: 2 x 7200 LM
- protection class: IP65
- tripod height: 150 cm
- power supply: mains
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S08.	2x7200	2x100



SL-S07.

LED FLOODLIGHT 2X100 W SLIM WITH YELLOW TRIPOD

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Powery 100W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x7200 lm. The product has a stable tripod in yellow color. Waterproof class IP65 - the product is dustproof, waterproof so that no working conditions are terrible for it. Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 100 W
- light color: 6400K
- number of lumens: 2 x 7200 lm
- protection class: IP65
- tripod height: 150 cm
- power supply: mains
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S08.	2x7200	2x100



SL-S02**LED FLOODLIGHT 2X30 W SLIM WITH BLACK TRIPOD**

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Power 30 W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in black color.

Waterproof class IP65 - the product is dustproof, waterproof so that no working conditions are terrible for it.

Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 30 W
- light color: 6400K
- number of lumens: 2 x 2350 LM
- protection class: IP65
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S02	2x2350	2x30

**SL-S01.****LED FLOODLIGHT 2X30W SLIM WITH YELLOW TRIPOD**

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Power 30W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x2350 lm. The product has a stable tripod in yellow color.

Waterproof class IP65 - the product is dustproof, waterproof, so no working conditions are terrible for it.

Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 30 W
- light color: 6400K
- number of lumens: 2 x 2350 LM
- protection class: IP65
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S01.	2x2350	2x30



SL-S05.

LED FLOODLIGHT 2X50 W SLIM WITH BLACK TRIPOD

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Powery 50 W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in black color. IP65 protection class - the product is dustproof, waterproof, so no working conditions are terrible for it. Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding,smoothing walls.

Technical data:

- product power: 2 x 50 W
- light color: 6400K
- number of lumens: 2 x 4000 LM
- protection class: IP65
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S05.	2x4000	2x50



SL-S06.

LED FLOODLIGHT 2X50 W SLIM WITH RED TRIPOD

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Powery 50W each provide high quality work. The product has an IP65degree of protection, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in red color. Waterproof class IP65 - the product is dustproof, waterproof so that no working conditions are terrible for it. Light color 6400K - the so-called cold best for work where our eyesight for a long time is focused on the work of type grinding,smoothing walls.

Technical data:

- product power: 2 x 50 Watt
- light color: 6400K
- lumen output: 2 x 4000 LM
- tightness class: IP65
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S06.	2x4000	2x50



SL-S22.**LED FLOODLIGHT 2X50 W SLIM
WITH GREEN TRIPOD**

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Power 50 W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in green color.

IP65 protection class - the product is dustproof, waterproof, so no working conditions are terrible for it.

Light color 6400K - the so-called cold light is best for work where our eyesight is focused for a long time on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 50 W
- light color: 6400K
- number of lumens: 2 x 4000 LM
- protection class: IP65
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S22.	2x4000	2x50

**SL-S04.****LED FLOODLIGHT 2X50 W SLIM
WITH YELLOW TRIPOD**

The led floodlight on a tripod is an ideal product for work on finishing works and renovations. Two led floodlights with Power 50W each provide high quality work in cold color. The product is IP65 rated, making it waterproof and dustproof. The number of lumens is 2x4000 lm. The product has a stable tripod in yellow color.

Waterproof class IP65 - the product is dustproof, waterproof so that no working conditions are terrible for it.

Light color 6400K - the so-called cold light is best for work where our eyesight for a long time is focused on a particular work such as grinding, smoothing walls.

Technical data:

- product power: 2 x 50 W
- light color: 6400K
- number of lumens: 2 x 4000 lm
- protection class: IP65
- tripod height: 150 cm
- power supply: mains
- for outdoor and indoor use

INDEX	Lumens (lm)	Power (W)
SL-S04.	2x4000	2x50



SPPLJ-41

RUBBER EXTENSION CABLE HI-TEK 3X2.5MM 10M IP54 BLACK

- single-socket extension cable
- rubber-wrapped cable H05RR-F black 3 x 2.5 mm
- IP 54

INDEX	Length (m)	Packaging (pcs)
SPPLJ-41-10	10	10
SPPLJ-41-20	20	10



SPPLJ-43

RUBBER EXTENSION CABLE HI-TEK 3 SOCKETS 3X2.5MM 10M IP54

- three-socket extension cable,
- rubber-wrapped cable H05RR-F black 3 x 2.5 mm
- IP 54

INDEX	Length (m)	Packaging (pcs)
SPPLJ-43-10	10	10
SPPLJ-43-20	20	10



SWP-11**PORTABLE PLUG
2P+Z 16A 250V IP54 BLACK**

Grounded receptacle, portable with flap hermetic demountable. IP 54.



INDEX	Packaging (pcs)
SWP-11	10

SR-12**SPLITTER 3 SOCKETS
2P+Z 16A 250V IP54 FOR CABLE**

Triple socket with hermetic flap and grounding, splash-proof demountable, adapted for cable mounting. IP 54.



INDEX	Packaging (pcs)
SR-12	10

SGP-11**PORTABLE SOCKET
2P+Z 16A 250V IP54 BLACK**

Grounded receptacle, portable with flap hermetic demountable. IP 54.



INDEX	Packaging (pcs)
SGP-11	10

SQGW-01**SET OF SOCKET + PLUG
2P+Z 16A 250V IP54 BLACK**

Connection set plug + socket, grounded, hermetic. IP 54.



INDEX	Packaging (pcs)
SQGW-01	10

SCH03P01001

IMPACT DRILL 710W

Functions:

drilling with impact,
drilling without impact,
SOFT handle

Specifications:

- voltage: 220-240V
- rated power: 710W
- no-load speed: 0-3100r/min
- key holder: 1.5-13mm
- max. Diameter in concrete: 14mm
- max. Diameter in steel: 13mm
- max. Diameter in wood: 25mm
- accessories: Handle, drilling depth stop
- certifications: CE GS EMC ROHS
- cable/Plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug
- weight: 1.5KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P01001	710	1

SCH03P01002

IMPACT DRILL 850W

Functions:

drilling with impact,
drilling without impact,
metal keyless chuck

Specifications:

- voltage: 220-240V
- rated power: 850W
- no-load speed: 0-2800r/min
- key holder: 1.5-13mm
- max. Diameter in concrete: 14mm
- max. Diameter in steel: 13mm
- max. Diameter in wood: 25mm
- accessories: Handle, drilling depth stop
- certifications: CE GS EMC ROHS
- cable/Plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 2.0KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P01002	900	1

SCH03P02002**HAMMER DRILL SDS+ 3J 800W****Functions:**

4 functions adjustable by 1 knob,
quick interchangeable handle up to 13mm,
speed adjustment

Specifications:

- voltage: 220-240V
- rated power: 800W
- no-load speed: 0-1300 rpm
- number of strokes: 0-5500 bpm
- impact energy: 3.0 J
- accessories: handle, 3 SDS+ drill bits (8/10/12x150mm), 2 chisels (14x250mm, pointed), 1pc dust cover, 1pc drilling depth stop
- functions: drilling, hammer drilling, shoring, chisel setting
- max. Diameter of drilling in concrete: 26mm
- max. Diameter in metal: 13mm
- max. Diameter in wood: 40mm
- certifications: GS/CE/EMC
- wire/plug: 3m rubber H07RN-F 2x1.0mm² VDE, VDE plug
- weight: 2.7KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P02002	800	1

SCH03P02001**HAMMER DRILL SDS+ 6J 1500W****Functions:**

4 functions adjustable by 1 knob,
chisel setting, anti-vibration handle,
increased impact energy,
speed adjustment

Specifications:

- voltage: 220-240V
- rated power: 1500W
- no-load speed: 0-850 rpm
- number of strokes: 0-4500 bpm
- stroke energy: 6.0 J
- accessories: handle, 3 SDS+ drill bits (8/10/12x150mm), 2 chisels (14x250mm, pointed), 1pc dust cover, 1pc drilling depth stop
- functions: drilling, hammer drilling, shoring, chisel setting
- max. Diameter of drilling in concrete: 32mm
- max. Diameter in metal: 13mm
- max. Diameter in wood: 40mm
- certifications: GS/CE/EMC
- cable/plug: 3m rubber H07RN-F 2x1.0mm² VDE, VDE plug
- weight: 5.4KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P02001	1500	1

SCH03P03001

ANGLE GRINDER 125MM 720W

Features:

Compact handle design with a circumference of only 186 mm;
 Patented air inlet,
 Prevents dust from entering the motor;
 Increased service life, RS bearings

Specifications:

- voltage: 220-240V
- rated power: 720W
- no-load RPM: 11000 rpm
- disc Diameter: 125mm
- accessories: blade guard, blade replacement key, handle
- functions: cutting, grinding
- switch: power-off protection switch
- certifications: GS, CE, EMC, ROHS,CB
- cable/plug: 3m rubber H07RN-F 2x1.0mm² VDE, VDE plug
- weight: 1.54KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P03001	720	1

SCH03P03002

ANGLE GRINDER 125MM 850W

Features:

motor dust protection,
 increased service life,
 RS bearings

Specifications:

- voltage: 220-240V
- rated power: 850W
- no-load RPM: 11500 rpm
- disc Diameter: 125mm
- accessories: blade guard, blade replacement key, handle
- functions: cutting, grinding
- switch: power-off protection switch
- certifications: GS, CE, EMC, ROHS,CB
- cable/plug: 3m rubber H07RN-F 2x1.0mm² VDE , VDE plug
- weight: 1.7KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P03002	850	1

SCH03P03003**ANGLE GRINDER 125MM 1100W**

Features:

Patented air intake,
Prevents dust from entering the engine,
Increased service life,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 1100W
- no-load rotation: 3000-12000 rpm
- disc Diameter: 125mm
- accessories: blade guard, blade replacement key, handle
- functions: cutting, grinding
- switch: power-off protection switch
- certifications: GS, CE, EMC, ROHS,CB
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 2.2KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P03003	1100	1

SCH03P03004**ANGLE GRINDER 125MM 1400W**

Features:

motor dust protection,
increased service life,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 1400W
- no-load RPM: 3500-9500 rpm
- disc Diameter: 125mm
- accessories: blade guard, blade replacement key, handle
- functions: cutting, grinding
- switch: power-off protection switch
- certifications: GS, CE, EMC, ROHS,CB
- cable/plug: 3m rubber H07RN-F 2x1.0mm² VDE , VDE plug
- weight: 2.1KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P03004	1400	1

SCH03P03005

ANGLE GRINDER 230MM 2100W

Features:
 motor dust protection,
 increased service life,
 RS bearings

- Specifications:
- voltage: 220-240V
 - rated power: 2100W
 - no-load speed: 6500 rpm
 - disc Diameter: 230mm
 - accessories: blade guard, blade replacement key, handle
 - functions: cutting, grinding
 - switch: power-off protection switch
 - certifications: CCC,GS, CE, EMC, ROHS,CB
 - cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
 - weight: 5.5 KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P03005	2100	1

SCH03P04001

POLISHER 180MM 1200W

Features:
 compact size,
 D handle,
 RS bearings

- Specifications:
- voltage: 220-240V
 - rated power: 1200W
 - no-load rotation: 600-3000 rpm
 - disc Diameter: 180mm
 - accessories: polishing wheel, handle, wheel wrench
 - functions: grinding/polishing
 - certifications: GS, CE, EMC
 - cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
 - weight: 3.2KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P04001	1200	1

SCH03P05001**CHAINSAW 185MM 1300W**

Features:
chip extraction,
SOFT handle,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 1300W
- no-load rotation: 4500min
- disc Diameter: 185mm
- max. 90° cutting depth: 63mm
- max. 45° cutting depth: 42mm
- accessories: blade, parallel guide, wrench
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 4.3KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P05001	1300	1

SCH03P06001**ECCENTRIC SANDER 125MM 350W**

Features:
dustproof switch,
SOFT handle,
Velcro powering,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 350W
- no-load RPM: 8000-12000rpm
- disc Diameter: 125mm
- accessories: 80# paper
- functions: grinding
- oscillation: Diameter of oscillation 2.5mm
- certifications: GS/CE/EMC
- cable/Plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug
- weight: 1.45KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P06001	350	1

SCH03P06002

ORBITAL SANDER 90X180MM 320W

Features:

Switch lock,
SOFT handle,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 320W
- no-load RPM: 14000rpm
- foot dimension: 90x187mm
- oscillation: 2.4mm
- equipment: 80# paper
- functions: Sanding
- certifications: GS/CE/EMC
- cable/Plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 1.6 KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P06002	320	1

SCH03P07001

JIGSAW 650W

Features:

blade pivot adjustment,
laser pointer,
dust extraction,
quick blade change system,
RS bearings

Technical specifications:

- voltage: 220-240V
- rated power: 650W
- blade stroke frequency without load: 800-3000/min
- foot adjustment: -45° / 45°
- max. blade stroke: 19mm
- max. depth of cutting wood: 80mm
- max. cutting depth of steel: 6mm
- accessories: wood blade, foot wrench
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 2.3KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P07001	650	1

SCH03P07002**JIGSAW 750W****Features:**

blade pivot adjustment,
laser pointer,
dust extraction,
quick blade change system,
RS bearings

Technical specifications:

- voltage: 220-240V
- rated power: 750W
- no-load blade stroke frequency: 0-3000/min.
- foot adjustment: -45° / 45°
- max. blade stroke: 21mm
- max. depth of cutting wood: 90mm
- max. cutting depth of steel: 8mm
- accessories: wood blade, foot wrench
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 2.3KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P07002	750	1

SCH03P08001**SABRE SAW 1050W****Features:**

Powerful 1050-watt motor for the toughest applications,
Large trigger switch with adjustable cutting speed,
Quick blade change system;
SOFT handle,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 1050W
- max. cutting depth of wood: 150mm
- max depth of cutting steel: 20mm
- no-load blade stroke frequency: 0-3000/min
- accessories: wood cutting blade
- functions: grinding
- max. blade stroke: 28mm
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE , VDE plug
- weight: 3.5KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P08001	1050	1

SCH03P09001

MULTIFUNCTION MACHINE 300W

Features:

Switch lock,
SOFT handle,
quick blade change,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 300W
- no-load speed: 10000-22000rpm
- oscillation angle: 3o
- accessories: triangular foot, saw blades, sandpaper.
- functions: Grinding, cutting
- certifications: GS/CE/EMC
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug
- weight: 1.4 KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P09001	300	1

SCH03P10001

TANNER 2000W

Features:

2-speed, infinitely variable temperature and windage control

Specifications:

- voltage: 220-240V
- rated power: 2000W
- temperature : I 50°, II 50-300°, III 50-600°C
- supply: I 300, II 300°, III 500 l/min
- equipment: 4 nozzles
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug



INDEX	Rated power (W)	Packaging (pcs)
SCH03P10001	2000	1

SCH03P11001**PLANER 900W 82MM**

Features:
aluminum base,
switch lock,
SOFT handle,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 900W
- no-load RPM: 16000rpm
- blade width: 82mm
- planing depth: 0-3mm
- deburring depth: 0-12mm
- accessories: parallel guide, rebate depth stop
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug
- weight: 3.5KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P11001	900	1

SCH03P12001**BELT SANDER 1050W 76X533MM**

Features:
compact size,
SOFT handle,
RS bearings

Specifications:

- voltage: 220-240V
- rated power: 1050W
- no-load RPM: 120-400rpm
- belt Size: 533*76mm
- accessories: chip bag
- certifications: CE GS EMC ROHS
- cable/plug: 3m PVC H05RN-F 2x0.75mm² VDE, VDE plug
- weight: 2.6KG



INDEX	Rated power (W)	Packaging (pcs)
SCH03P12001	1050	1

SG-NWZ

ECOLOGICAL FERTILIZER FOR CONIFERS

Features: granule

Color: gray

The fertilizer develops the root system, contributes to a more efficient uptake of nutrients from the soil stratum. A well-stocked conifer is more resistant to needle browning. Sulfur supports nitrogen utilization, it is an essential ingredient for plant growth.

INDEX	Weight (kg)	Packaging (pcs)
SG-NWZ-11	1	1
SG-NWZ-07	3	1
SG-NWZ-10	10	1



SG-NWZ-12

ORGANIC FERTILIZER FOR VEGETABLES AND FRUIT BUSHES

Features: granule

Color: gray

Contributes to more efficient uptake of nutrients from the soil stratum. Vegetables use water better, are healthier, have better vigor, better condition. Sulfur supports nitrogen utilization, is an essential ingredient for plant growth.

INDEX	Weight (kg)	Packaging (pcs)
SG-NWZ-12	1	1



SG-NWZ

ORGANIC ALL-PURPOSE FERTILIZER

Features: granule

Color: gray

Ensures proper and rapid development of plants, more intense flowering and fruiting, healthier plants.

INDEX	Weight (kg)	Packaging (pcs)
SG-NWZ-13	1	1
SG-NWZ-06	3	1
SG-NWZ-09	10	1



SG-NWZ

ORGANIC LAWN FERTILIZER

Features: granule

Color: gray

Stimulates the root system, free from metals and other impurities, strengthens the turf before winter, increases frost resistance.

INDEX	Weight (kg)	Packaging (pcs)
SG-NWZ-05	3	1
SG-NWZ-08	10	1



SG-WAPG

GRANULATED LIME BUCKET

Features: granule
Color: white

For all types of soils, has an immediate effect by raising the pH of the soil, has a beneficial effect on the physical properties of the soil, stimulates the root system, prevents moss growth.

INDEX	Weight (kg)	Packaging (pcs)
SG-WAPG-01	3	1
SG-WAPG-03	10	1



SG-POPG-01

MUSTARD SEED A' 2 KG

Feed material
Usage features: grain
Color: yellow-gray

Fast green growth September, October prevents the growth of weeds, and after digging in early spring is a natural fertilizer that enriches the land with essential nutrients.

INDEX	Weight (kg)	Packaging (pcs)
SG-POPG-01	2	1



SG-POPŁ-01

LUPINE CATCH CROPA' 2 KG

Feed material
Usage features: grain
Color: gray

Rapid green growth September, October prevents the growth of weeds, and after digging in early spring is a natural fertilizer that enriches the land with essential nutrients.

INDEX	Weight (kg)	Packaging (pcs)
SG-POPŁ-01	2	1



SG-NWZ-06-J

ORGANIC UNIVERSAL AUTUMN FERTILIZER 3KG

Features: granule
Color: gray

Universal multicomponent mineral fertilizer designed to feed all kinds of garden plants. Macronutrients used in the fertilizer ensure optimal development in autumn. It is suitable for all types of soils. All components of the fertilizer are perfectly soluble and assimilable by plants, which guarantees an attractive appearance in the autumn period.

INDEX	Weight (kg)	Packaging (pcs)
SG-NWZ-06-J	3	1





OFFER OF FERTILIZERS FROM THE LINE **agriSchmith**

*High-grade fertilizers
Selected ingredients
Excellent purity of fertilizers*



Schmith Agriculture is a renowned company specializing in the production of liquid and crystalline macro and micronutrient fertilizers. Our company has its roots in Poland, where we proudly operate our production facility. Our goal is to provide farmers and gardeners with the highest quality fertilizers that promote plant growth and yields, while taking care of the environment.

Schmith Agriculture brand fertilizers are distinguished by several important features:

High Grade Fertilizers: Our company always focuses on quality. Therefore, our fertilizers are carefully formulated and inspected to meet the highest standards. We guarantee that our products are effective and efficient, resulting in healthy and abundant crops.

Selected Ingredients: We use only carefully selected ingredients in the Schmith Agriculture fertilizer manufacturing process. This ensures that our products provide plants with the nutrients they need, resulting in healthy growth and development.

Excellent Fertilizer Purity: The safety and effectiveness of our fertilizers is our top priority. That's why we go to great lengths to ensure the excellent purity of our products. Our fertilizers are free of contaminants, which means you can use them without worrying about negative effects on the environment and your plants.

Our company is proud of a tradition of fertilizer production that dates back years, and modern technologies that enable us to provide innovative solutions for farmers and gardeners. As **Schmith Agriculture**, we are committed to sustainable farming practices and ensure that our fertilizers help protect the environment.

With our fertilizers, plants can grow healthy and abundant, and crops are tasty and disease-resistant. If you are looking for fertilizers of the highest quality, selected ingredients and excellent purity, **Schmith Agriculture** is the brand you can rely on. We support farmers and gardeners in achieving the best results, providing them with products that give them the confidence to succeed.



Schmith[®]
AGRICULTURE

NAWOZY KRYSTALICZNE

10 kg

CRYSTALLINE FERTILIZER agriSchmith NPK 20-20-20 plus micro

- foliar fertilizer completely soluble in water
- comprehensive nutrition of macro- and microelements
- improves the overall condition of plants
- indispensable with limited availability of components from / in the soil (optional)

10 kg

CRYSTALLINE FERTILIZER agriSchmith NPK 5-15-40 plus micro

- foliar fertilizer completely soluble in water
- quickly provides plants with potassium, effectively eliminates potassium deficiencies
- increases the content of sugars
- accelerates ripening and increases color intensity of vegetables and fruits

10 kg

CRYSTALLINE FERTILIZER agriSchmith NPK 10-40-10 plus micro

- optimal and efficient combination of macro and micro nutrients
- high product quality allowing quick and complete solubility in the working liquid
- possibility of preventive and interventional application in various types of crops

5 kg

CRYSTAL FERTILIZER agriSchmith micro complete crystal

- balanced supply of micronutrients to support plant health
- possibility of effective preventive application or elimination of micronutrient deficiencies
- quality ensuring high efficiency of fertilization and possibility of application in various types of crops

5 kg

CRYSTAL FERTILIZER agriSchmith Cereals crystal

- optimal ratio of nutrients adapted to the needs of the crop plant
- positively influences the yield and quality of the crop
- supports the health and general condition of the plantation
- adapted for use at appropriate developmental stages of the plant



Schmith®
AGRICULTURE

LIQUID FERTILIZERS

5 l

20 l

1000 l

LIQUID FERTILIZER agriSchmith Bor

- positively influences flowering and seed setting
- influences the proper growth of generative organs
- regulates carbohydrate metabolism in plants,
- influences the uptake of nutrients by increasing their efficiency, especially nitrogen, potassium, phosphorus, magnesium and calcium

5 l

20 l

1000 l

LIQUID FERTILIZER agriSchmith Zinc

- in combination with the EDC, improves plant resistance to diseases
- increases efficiency of nitrogen fertilization
- positively influences the height and quality of the obtained yield
- increases the efficiency of photosynthesis, improves plant health
- positively influences the production of chlorophyll and vitamins B and C

5 l

20 l

1000 l

LIQUID FERTILIZER agriSchmith Manganese

- helps to develop a strong root system
- reduces the occurrence of stress in plants,
- necessary for various physiological processes (photosynthesis, fatty acid formation, regulation of plant growth)

5 l

20 l

1000 l

LIQUID FERTILIZER agriSchmith Copper

- supports the formation of more grain
- has a positive effect on plant health
- increases resistance to lodging

5 l

20 l

1000 l

LIQUID FERTILIZER NitroSchmith plus S

- supports proper growth and development of plants
- positively influences vigor and condition of crops
- effectively eliminates nitrogen and sulfur deficiencies
- recommended for use in intensive crops, improving yield and yield quality

5 l

20 l

1000 l

LIQUID FERTILIZER agriSchmith SMg (liquid magnesium sulfate)

- universal macronutrient fertilizer for preventive and intervention use in various types of crops
- quickly and effectively provides plants with magnesium and sulfur during periods of intensive growth and increased demand throughout the growing season
- improves the efficiency of photosynthesis, increasing the yield potential of crops
- Increased efficiency of fertilization with other nutrients

5 l

20 l

1000 l

LIQUID FERTILIZER**agriSchmith micro complete liquid**

- balanced supply of micronutrients to support plant health
- possibility of effective preventive application or elimination of micro-nutrient deficiencies
- quality ensuring high efficiency of fertilization

5 l

20 l

1000 l

LIQUID FERTILIZER**agriSchmith Grain liquid**

- optimal ratio of nutrients adapted to the needs of the crop plant
- positively influences the yield and quality of the crop
- supports the health and general condition of the plantation
- adapted for use at appropriate developmental stages of the plant

5 l

20 l

1000 l

LIQUID FERTILIZER**agriSchmith Colza liquid**

- optimal ratio of nutrients adapted to the needs of the crop plant
- positively influences the yield and quality of the crop
- supports the health and general condition of the plantation
- adapted for use at appropriate developmental stages of the plant

5 l

20 l

1000 l

LIQUID FERTILIZER**agriSchmith Maize liquid**

- optimal ratio of nutrients adapted to the needs of the crop plant
- positively influences the yield and quality of the crop
- supports the health and general condition of the plantation
- adapted for use at appropriate developmental stages of the plant

1 l

5 l

20 l

LIQUID FERTILIZER**agriSchmith Universal**

- optimal and efficient combination of macro and micro nutrients
- high product quality allowing quick and complete solubility in the working liquid
- possibility of preventive and interventional application in various types of crops

**WE INVITE
TO CONTACT:**

Tomasz : 722 271 155

Michał : 887 070 173

nawozy@schmithpolska.pl

www.schmithpolska.pl

2



DRILLS AND CHISELS



DRILLS FOR METAL 84

DRILLS FOR CONCRETE 87

CHISELS 89

DRILLS FOR WOOD 90

HOLESAWS 91

DRILL BIT SETS 92

TAPS AND DIES 97

SWM

METAL DRILL BIT HSS

Metal drills made of high-speed steel (HSS), in accordance with DIN338. They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical shank turned up above \varnothing 13mm
- designed for steel, non-ferrous metals, plastics, soft materials or materials that give long chips
- durable, ground friction-resistant cutting edges with a tip angle of 118°

INDEX	Size (mm)	Packaging (pcs)	Packaging box (pcs)	INDEX	Size (mm)	Packaging (pcs)	Packaging box (pcs)
SWM-0,4	0,4	10	1000	SWM-6,0	6,0	10	1000
SWM-0,6	0,6	10	1000	SWM-6,1	6,1	10	1000
SWM-0,8	0,8	10	1000	SWM-6,2	6,2	10	1000
SWM-1,0	1,0	10	1000	SWM-6,3	6,3	10	500
SWM-1,1	1,1	10	1000	SWM-6,4	6,4	10	500
SWM-1,2	1,2	10	1000	SWM-6,5	6,5	10	500
SWM-1,4	1,4	10	1000	SWM-6,8	6,8	10	500
SWM-1,5	1,5	10	1000	SWM-7,0	7,0	10	500
SWM-1,6	1,6	10	1000	SWM-7,5	7,5	10	500
SWM-1,7	1,7	10	1000	SWM-8,0	8,0	10	500
SWM-1,8	1,8	10	1000	SWM-8,1	8,1	10	500
SWM-1,9	1,9	10	1000	SWM-8,2	8,2	10	500
SWM-2,0	2,0	10	1000	SWM-8,5	8,5	10	500
SWM-2,1	2,1	10	1000	SWM-9,0	9,0	5	250
SWM-2,2	2,2	10	1000	SWM-9,5	9,5	5	250
SWM-2,3	2,3	10	1000	SWM-10,0	10,0	5	250
SWM-2,4	2,4	10	1000	SWM-10,1	10,1	5	250
SWM-2,5	2,5	10	1000	SWM-10,2	10,2	5	250
SWM-2,6	2,6	10	1000	SWM-10,3	10,3	5	250
SWM-2,7	2,7	10	1000	SWM-10,5	10,5	5	250
SWM-2,8	2,8	10	1000	SWM-10,7	10,7	5	250
SWM-2,9	2,9	10	1000	SWM-10,9	10,9	5	250
SWM-3,0	3,0	10	1000	SWM-11,0	11,0	5	250
SWM-3,1	3,1	10	1000	SWM-11,3	11,3	5	250
SWM-3,2	3,2	10	1000	SWM-11,5	11,5	5	250
SWM-3,3	3,3	10	1000	SWM-11,6	11,6	5	150
SWM-3,4	3,4	10	1000	SWM-12,0	12,0	5	250
SWM-3,5	3,5	10	1000	SWM-12,1	12,1	5	150
SWM-3,6	3,6	10	1000	SWM-12,2	12,2	5	150
SWM-3,7	3,7	10	1000	SWM-12,5	12,5	5	250
SWM-3,8	3,8	10	1000	SWM-12,8	12,8	5	150
SWM-3,9	3,9	10	1000	SWM-13,0	13,0	5	100
SWM-4,0	4,0	10	1000	SWM-13,5	13,5	1	100
SWM-4,1	4,1	10	1000	SWM-14,0	14,0	1	100
SWM-4,2	4,2	10	1000	SWM-14,5	14,5	1	100
SWM-4,3	4,3	10	1000	SWM-15,0	15,0	1	100
SWM-4,4	4,4	10	1000	SWM-15,5	15,5	1	100
SWM-4,5	4,5	10	1000	SWM-16,0	16,0	1	100
SWM-4,6	4,6	10	1000	SWM-16,5	16,5	1	50
SWM-4,7	4,7	10	1000	SWM-17,0	17,0	1	50
SWM-4,8	4,8	10	1000	SWM-17,5	17,5	1	50
SWM-4,9	4,9	10	1000	SWM-18,0	18,0	1	50
SWM-5,0	5,0	10	1000	SWM-18,5	18,5	1	50
SWM-5,1	5,1	10	1000	SWM-19,0	19,0	1	50
SWM-5,2	5,2	10	1000	SWM-19,5	19,5	1	50
SWM-5,3	5,3	10	1000	SWM-20,0	20,0	1	50
SWM-5,5	5,5	10	1000	SWM-22,0	22,0	1	50
SWM-5,8	5,8	10	1000	SWM-24,0	24,0	1	50



SWCH

STEP DRILL BIT

Drill with 2 ground edges. Made of high speed steel. Provides precise and accurate work without deforming the drilled parts.

- diameter range 4-30mm, 4-39mm
- cylindrical chuck
- scale indicated on the drill
- designed for drilling in steel, steel sheets and plastics
- conical blades of successive drill stages can be used for removing irregularities such as burrs and notches, as well as for chamfering already drilled holes



INDEX	Size (mm)	Packaging (pcs)
SWCH-01	4 - 30	10
SWCH-02	4 - 39	10

SWMP

METAL DRILL BIT HSS PRO

A specialized drill bit that provides long-lasting performance thanks to its reinforced core. The drill's design makes it resistant to kinetic forces that occur when drilling holes in lightly hardened alloys.

- cylindrical shank undercut above $\varnothing 13\text{mm}$
- DIN 338 standard
- designed for steel, non-ferrous metals, plastics
- durable ground cutting edges with a tip angle of 135°
- ground spiral for maximum accuracy and fast chip removal
- increased content of carbon tungsten and vanadium, thanks to which the drill bit retains maximum sharpness and invariability of shape, even after repeated use
- additional molybdenum + vanadium



INDEX	Size (mm)	Packaging (pcs)
SWMP-1,0	1,0	10
SWMP-1,5	1,5	10
SWMP-2,0	2,0	10
SWMP-2,5	2,5	10
SWMP-3,0	3,0	10
SWMP-3,1	3,1	10
SWMP-3,2	3,2	10
SWMP-3,5	3,5	10
SWMP-3,8	3,8	10
SWMP-4,0	4,0	10
SWMP-4,1	4,1	10
SWMP-4,2	4,2	10
SWMP-4,5	4,5	10
SWMP-4,8	4,8	10
SWMP-5,0	5,0	10
SWMP-5,1	5,1	10
SWMP-5,2	5,2	10
SWMP-5,5	5,5	10
SWMP-5,8	5,8	10
SWMP-6,0	6,0	10
SWMP-6,1	6,1	10
SWMP-6,2	6,2	10
SWMP-6,5	6,5	10
SWMP-6,8	6,8	10
SWMP-7,0	7,0	10
SWMP-7,5	7,5	10
SWMP-8,0	8,0	10
SWMP-8,1	8,1	10
SWMP-8,2	8,2	10
SWMP-8,5	8,5	10
SWMP-9,0	9,0	5
SWMP-9,5	9,5	5
SWMP-10,0	10,0	5
SWMP-10,5	10,5	5
SWMP-11,0	11,0	5
SWMP-12,0	12,0	5
SWMP-12,5	12,5	5
SWMP-13,0	13,0	5
SWMP-13,5	13,5	1
SWMP-14,0	14,0	1
SWMP-14,5	14,5	1
SWMP-15,0	15,0	1
SWMP-15,5	15,5	1
SWMP-16,0	16,0	1
SWMP-16,5	16,5	1
SWMP-17,0	17,0	1
SWMP-18,0	18,0	1
SWMP-19,0	19,0	1
SWMP-20,0	20,0	1

SWCO

COBALT METAL DRILL BIT

A specialized cutting tool made of an alloy of additional steel with cobalt, which makes it extremely useful when cutting hardened steel surfaces.

- heat treatment process ensuring durability of the drill
- DIN 338 standard
- turning off the output process allows the drill to operate at extreme temperatures up to 600°C
- oxide coating applied on the surface of the chip grooves, which removes the waste material
- made of high-quality steel alloy with 6% cobalt content.
- intended for drilling acid-resistant, user- and heat-resistant steel and cast iron with strength $>900\text{N}/\text{mm}^2$
- cylindrical handle rolled above $\varnothing 13\text{ mm}$



INDEX	Size (mm)	Packaging (pcs)
SWCO-1,0	1,0	2
SWCO-1,5	1,5	2
SWCO-2,0	2,0	2
SWCO-2,5	2,5	2
SWCO-3,0	3,0	2
SWCO-3,1	3,1	2
SWCO-3,2	3,2	2
SWCO-3,5	3,5	2
SWCO-3,8	3,8	2
SWCO-4,0	4,0	2
SWCO-4,1	4,1	1
SWCO-4,2	4,2	1
SWCO-4,5	4,5	1
SWCO-4,8	4,8	1
SWCO-5,0	5,0	1
SWCO-5,1	5,1	1
SWCO-5,2	5,2	1
SWCO-5,5	5,5	1
SWCO-5,8	5,8	1
SWCO-6,0	6,0	1
SWCO-6,1	6,1	1
SWCO-6,2	6,2	1
SWCO-6,5	6,5	1
SWCO-6,8	6,8	1
SWCO-7,0	7,0	1
SWCO-7,5	7,5	1
SWCO-8,0	8,0	1
SWCO-8,5	8,5	1
SWCO-9,0	9,0	1
SWCO-9,5	9,5	1
SWCO-10,0	10,0	1
SWCO-10,2	10,2	1
SWCO-10,5	10,5	1
SWCO-11,0	11,0	1
SWCO-11,5	11,5	1
SWCO-12,0	12,0	1
SWCO-12,5	12,5	1
SWCO-13,0	13,0	1
SWCO-14,0	14,0	1
SWCO-15,0	15,0	1
SWCO-16,0	16,0	1
SWCO-17,0	17,0	1
SWCO-18,0	18,0	1
SWCO-20,0	20,0	1

SWCOHIT

COBALT PILOT DRILL FOR METAL HI-TEK

The drill ensures accurate drilling without changing the drilling path. Specially ground side blades allow you to cut a round hole of a specific diameter with even edges. The conical shape of the drill core reduces the risk of its breakage. Construction: Alloy of cobalt and high-performance high-speed steel (6% cobalt). Drill material resistant to temperature and wear. Application: for drilling in easily splittable materials, carbon steel, alloy steel and cast iron with strength up to 1100 N/mm², stainless and acid-resistant steels (V2a, V4A, Nir), heat-resistant steels (containing chromium, cobalt, molybdenum, nickel, tungsten) .



INDEX	Size (mm)	Packaging (pcs)
SWCOHIT-4,0	4,0	1
SWCOHIT-4,2	4,2	1
SWCOHIT-4,5	4,5	1
SWCOHIT-4,8	4,8	1
SWCOHIT-5,0	5,0	1
SWCOHIT-5,2	5,2	1
SWCOHIT-5,5	5,5	1
SWCOHIT-6,0	6,0	1
SWCOHIT-6,5	6,5	1
SWCOHIT-7,0	7,0	1
SWCOHIT-7,5	7,5	1
SWCOHIT-8,0	8,0	1
SWCOHIT-8,5	8,5	1
SWCOHIT-9,0	9,0	1
SWCOHIT-9,5	9,5	1
SWCOHIT-10,0	10,0	1
SWCOHIT-10,5	10,5	1
SWCOHIT-11,0	11,0	1
SWCOHIT-11,5	11,5	1
SWCOHIT-12,0	12,0	1
SWCOHIT-12,5	12,5	1
SWCOHIT-13,0	13,0	1

SWKB

METAL DRILL, EXTENDED HSS DIN 340

Precise twist drill made of high-quality high-speed steel in accordance with DIN 340. Designed for drilling deep holes.

- dihedral blade with a point angle of 118°
- intended for alloy and carbon steels with tensile strength >900N/mm² cast steel, sintered iron, malleable cast iron and hard plastics
- conical grinding with minimal chamfer
- improved drill core
- repair oxide coating significantly increasing durability
- cylindrical handle rolled above ø 13mm



INDEX	Size (mm)	Packaging (pcs)
SWKB-2,0/85	2,0/85	1/25
SWKB-2,5/95	2,5/95	1/25
SWKB-3,0/100	3,0/100	1/25
SWKB-3,2/106	3,2/106	1/25
SWKB-3,5/112	3,5/112	1/25
SWKB-4,0/119	4,0/119	1/25
SWKB-4,2/118	4,2/118	1/25
SWKB-4,5/126	4,5/126	1/25
SWKB-4,8/128	4,8/128	1/25
SWKB-5,0/130	5,0/130	1/25
SWKB-5,2/132	5,2/132	1/25
SWKB-5,5/139	5,5/139	1/25
SWKB-6,0/139	6,0/139	1/25
SWKB-6,5/148	6,5/148	1/25
SWKB-7,0/156	7,0/156	1/25
SWKB-8,0/165	8,0/165	1/20
SWKB-8,5/165	8,5/165	1/20
SWKB-9,0/175	9,0/175	1/20
SWKB-10,0/184	10,0/184	1/20
SWKB-11,0/195	11,0/195	1/10
SWKB-12,0/205	12,0/205	1/10
SWKB-13,0/205	13,0/205	1/10
SWKB-14,0/215	14,0/215	1/10
SWKB-16,0/225	16,0/225	1/10

SWKD

LONG METAL DRILL BIT HSS DIN 1869

Precise twist drill made of high-quality high-speed steel in accordance with DIN 1869. Designed for drilling deep holes.

- conical cut with an optimal tip with a point angle of 118°
- intended for alloy and carbon steels with tensile strength <900N/mm², cast steel, sintered iron, malleable cast iron and hard plastics
- cylindrical handle



INDEX	Size (mm)	Packaging (pcs)
SWKD-3,0/150	3,0/150	1/20
SWKD-3,5/210	3,5/210	1/20
SWKD-4,0/200	4,0/200	1/20
SWKD-4,0/280	4,0/280	1/20
SWKD-4,5/235	4,5/235	1/20
SWKD-5,0/195	5,0/195	1/20
SWKD-5,0/245	5,0/245	1/20
SWKD-5,5/230	5,5/230	1/20
SWKD-6,0/205	6,0/205	1/20
SWKD-6,0/260	6,0/260	1/20
SWKD-6,0/330	6,0/330	1/20
SWKD-6,5/275	6,5/275	1/20
SWKD-7,0/290	7,0/290	1/20
SWKD-8,0/240	8,0/240	1/20
SWKD-8,0/305	8,0/305	1/20
SWKD-8,0/390	8,0/390	1/20
SWKD-8,5/305	8,5/305	1/20
SWKD-10,0/265	10,0/265	1/20
SWKD-10,0/340	10,0/340	1/20
SWKD-10,0/430	10,0/430	1/20
SWKD-12,0/295	12,0/295	1/20
SWKD-12,0/375	12,0/375	1/20

SWW

MASONRY DRILL

Designed for drilling holes in high-density materials. Thanks to the use of sintered carbide, it retains its cutting properties for a long time. Additionally, with a tungsten-coated core, protects the tool against cracks caused by kinetic overloads occurring during impact drilling.

- cylindrical handle turned over ø13mm
- DIN 8039 standard
- durable YG8 carbide tip
- intended for drilling in walls, concrete, brick, granite, stone



INDEX	Size (mm)	Packaging (pcs)
SWW-3/60	3/60	1/50
SWW-4/120	4/20	1/50
SWW-5/85	5/85	1/50
SWW-5/120	5/120	1/25
SWW-6/100	6/100	1/25
SWW-6/120	6/120	1/40
SWW-6/150	6/150	1/25
SWW-6/200	6/200	1/25
SWW-6/300	6/300	1/25
SWW-8/120	8/120	1/25
SWW-8/150	8/150	1/25
SWW-8/200	8/200	1/25
SWW-8/300	8/300	1/25
SWW-10/120	10/120	1/20
SWW-10/150	10/150	1/20
SWW-10/200	10/200	1/20
SWW-10/300	10/300	1/20
SWW-10/400	10/400	1/20
SWW-12/150	12/150	1/15
SWW-12/200	12/200	1/10
SWW-12/300	12/300	1/10
SWW-12/400	12/400	1/10
SWW-14/200	14/200	1/10
SWW-14/300	14/300	1/10
SWW-16/200	16/200	1/10
SWW-16/300	16/300	1/10
SWW-18/200	18/200	1/5
SWW-18/300	18/300	1/5

SWSDS

SDS DRILL

Heat-treated drill intended for drilling holes in high-density materials. Thanks to the use of sintered carbide at the end of the blade, the cutting properties are maintained for a long time.

- SDS PLUS holder
- DIN 8035 standard
- intended for drilling in walls, concrete, granite, stone
- long service life
- YG8 sintered carbide tip with very high hardness to maintain a constant diameter of the drilled hole
- single, symmetrical spiral for quick removal of excavated material
- SAPowerentrating blade tip facilitates the drilling process



INDEX	Size (mm)	Packaging (pcs)
SWSDS-6/110	6/110	1/5
SWSDS-6/160	6/160	1/5
SWSDS-6/210	6/210	1/5
SWSDS-6/260	6/260	1/5
SWSDS-8/110	8/110	1/5
SWSDS-8/160	8/160	1/5
SWSDS-8/210	8/210	1/5
SWSDS-8/260	8/260	1/5
SWSDS-8/310	8/310	1/5
SWSDS-8/410	8/410	1/5
SWSDS-10/160	10/160	1/5
SWSDS-10/210	10/210	1/5
SWSDS-10/260	10/260	1/5
SWSDS-10/310	10/310	1/5
SWSDS-10/410	10/410	1/5
SWSDS-10/610	10/610	1/5
SWSDS-12/160	12/160	1/5
SWSDS-12/210	12/210	1/5
SWSDS-12/310	12/310	1/5
SWSDS-12/410	12/410	1/5
SWSDS-12/610	12/610	1/5
SWSDS-14/210	14/210	1/5
SWSDS-14/260	14/260	1/5
SWSDS-14/410	14/410	1/5
SWSDS-14/610	14/610	1/5
SWSDS-16/210	16/210	1/5
SWSDS-16/260	16/260	1/5
SWSDS-16/310	16/310	1/5
SWSDS-16/410	16/410	1/5
SWSDS-16/610	16/610	1/5
SWSDS-18/210	18/210	1/5
SWSDS-18/260	18/260	1/5
SWSDS-18/310	18/310	1/5
SWSDS-18/410	18/410	1/5
SWSDS-18/610	18/610	1/5

SWSDS-M

MESSERSCHMITH SDS DRILL

A heat-treated drill designed for drilling holes in high-density materials. Thanks to the use of sintered carbide at the end of the blade, the cutting properties are maintained for a long time. In accordance with DIN 8035.

- made of special steel with DIN specification - A322/G5140, resistant to bending, abrasion and torsion
- YG8 sintered carbide
- manganese in the composition increases impact strength and hardness
- chrome provides greater abrasion resistance
- silicon has a positive effect on the elasticity, hardness and strength of steel
- sintered carbide tip
- operation with low vibrations
- four cutting edges prevent the drill from jamming in the reinforcement
- quadruple spiral effectively and quickly removing spoil from the hole
- long service life
- each carbide discharges the material into its own channel spiral



INDEX	Size (mm)	Packaging (pcs)
SWSDS-M-4/110	4/110	1/5
SWSDS-M-4/160	4/160	1/5
SWSDS-M-5/110	5/110	1/5
SWSDS-M-5/160	5/160	1/5
SWSDS-M-6/110	6/110	1/5
SWSDS-M-6/160	6/160	1/5
SWSDS-M-6/210	6/210	1/5
SWSDS-M-6/260	6/260	1/5
SWSDS-M-7/160	7/160	1/5
SWSDS-M-8/110	8/110	1/5
SWSDS-M-8/160	8/160	1/5
SWSDS-M-8/210	8/210	1/5
SWSDS-M-8/260	8/260	1/5
SWSDS-M-8/310	8/310	1/5
SWSDS-M-8/360	8/360	1/5
SWSDS-M-10/110	10/110	1/5
SWSDS-M-10/160	10/160	1/5
SWSDS-M-10/210	10/210	1/5
SWSDS-M-10/260	10/260	1/5
SWSDS-M-10/310	10/310	1/5
SWSDS-M-10/360	10/360	1/5
SWSDS-M-10/460	10/460	1/5
SWSDS-M-10/600	10/600	1/5
SWSDS-M-10/800	10/800	1/5
SWSDS-M-12/160	12/160	1/5
SWSDS-M-12/210	12/210	1/5
SWSDS-M-12/260	12/260	1/5
SWSDS-M-12/310	12/310	1/5
SWSDS-M-12/460	12/460	1/5
SWSDS-M-12/600	12/600	1/5
SWSDS-M-12/800	12/800	1/5
SWSDS-M-12/1000	12/1000	1/5
SWSDS-M-14/260	14/260	1/5
SWSDS-M-14/310	14/310	1/5
SWSDS-M-14/360	14/360	1/5
SWSDS-M-14/460	14/460	1/5
SWSDS-M-14/600	14/600	1/5
SWSDS-M-14/800	14/800	1/5
SWSDS-M-14/1000	14/1000	1/5
SWSDS-M-16/210	16/210	1/5
SWSDS-M-16/310	16/310	1/5
SWSDS-M-16/360	16/360	1/5
SWSDS-M-16/460	16/460	1/5
SWSDS-M-16/600	16/600	1/5
SWSDS-M-16/800	16/800	1/5
SWSDS-M-16/1000	16/1000	1/5
SWSDS-M-18/210	18/210	1/5
SWSDS-M-18/260	18/260	1/5
SWSDS-M-18/310	18/310	1/5
SWSDS-M-18/360	18/360	1/5
SWSDS-M-18/460	18/460	1/5
SWSDS-M-18/600	18/600	1/5
SWSDS-M-18/800	18/800	1/5
SWSDS-M-18/1000	18/1000	1/5
SWSDS-M-20/260	20/260	1/5
SWSDS-M-20/310	20/310	1/5
SWSDS-M-20/460	20/460	1/5
SWSDS-M-20/600	20/600	1/5
SWSDS-M-20/800	20/800	1/5
SWSDS-M-20/1000	20/1000	1/5
SWSDS-M-22/310	22/310	1/5
SWSDS-M-22/350	22/350	1/5
SWSDS-M-22/460	22/460	1/5
SWSDS-M-22/600	22/600	1/5
SWSDS-M-22/800	22/800	1/5
SWSDS-M-22/1000	22/1000	1/5

SWSDS-MS

SDS MS-4PRO DRILL, HI-TEK LINE

A heat-treated drill designed for drilling holes in high-density materials. Thanks to the use of sintered carbide at the end of the blade, the cutting properties are improved preserved for a long time. Made of special steel with AISI (American Iron Steel Institute) specification - A322/G5140, resistant to bending, abrasion and torsion.

- manganese in the composition increases impact strength and hardness
- chrome provides greater abrasion resistance
- silicon has a positive effect on the elasticity, hardness and strength of steel
- SDS PLUS handle - sintered carbide tip
- operation with low vibrations
- double spiral, effectively and quickly removing spoil from the hole
- long service life



INDEX	Size (mm)	Packaging (pcs)
SWSDS-MS-5/110	5/110	1/50
SWSDS-MS-5/160	5/160	1/50
SWSDS-MS-6/110	6/110	1/50
SWSDS-MS-6/160	6/160	1/50
SWSDS-MS-6/210	6/210	1/50
SWSDS-MS-6/260	6/260	1/50
SWSDS-MS-8/110	8/110	1/50
SWSDS-MS-8/160	8/160	1/50
SWSDS-MS-8/210	8/210	1/50
SWSDS-MS-8/260	8/260	1/50
SWSDS-MS-10/160	10/160	1/50
SWSDS-MS-10/210	10/210	1/50
SWSDS-MS-10/260	10/260	1/50
SWSDS-MS-10/310	10/310	1/50
SWSDS-MS-10/460	10/460	1/40
SWSDS-MS-10/600	10/600	1/50
SWSDS-MS-12/160	12/160	1/50
SWSDS-MS-12/210	12/210	1/50
SWSDS-MS-12/260	12/260	1/50
SWSDS-MS-12/310	12/310	1/50
SWSDS-MS-12/460	12/460	1/40
SWSDS-MS-12/600	12/600	1/50

SWKH-65

CORE DRILL BIT HEX HOLDER 65 MM

Drill with spirally milled external surface, which enables better removal of material from the drilled hole.

- HEX hexagonal handle
- YG8 sintered carbide
- Hole diameter 65 mm
- sintered carbide tip
- high-quality abrasion-resistant steel
- centrally placed pilot drill included
- used for drilling holes in concrete and brick
- eight sintered carbides guarantee optimal hole making speed.



INDEX	Size (mm)	Packaging (pcs)
SWKH-65	65	5

SDK1-PLUS

SDS PLUS CHANNEL CHISEL 22X250

Made of high-quality, durable, wear-resistant steel, which allows for efficient and longer impact work.

- Hardened steel shank designed for optimal durability in heavy duty applications
- intended for impact hammers with an SDS PLUS handle
- used for all types of construction, renovation, assembly and arrangement works
- impact forging in materials such as: concrete, reinforced concrete (reinforced concrete), granite, artificial stone and natural, brick, wall, plaster, etc.
- forged from high-quality carbon steel with the addition of chrome.



INDEX	Size (mm)	Packaging (pcs)
SDK1-PLUS	22x250	25

SDP-PLUS

SDS PLUS FLAT CHISEL

Effectiveness of transferring the impact to the processed material. They are intended for processing concrete (of various hardness), stone, brick (all types), plaster, etc.

- forged from high-quality carbon steel with the addition of chrome.



INDEX	Size (mm)	Packaging (pcs)
SDP1-PLUS	20x250	25
SDP2-PLUS	40x250	25

SDP-MAX

FLAT CHISEL SDS MAX

Designed for chiseling and chipping in masonry, concrete and stone (specific chipping direction) or for chipping away materials with a small surface.

- intended for particularly heavy and long-lasting work
- made of special alloy steel
- subjected to four cycles in the production process: forging - hardening - tempering - final processing
- evenly hard surface and adequate elasticity
- resistant to cracks, impacts and abrasion
- forged from high-quality carbon steel with the addition of chrome.



INDEX	Size (mm)	Packaging (pcs)
SDP1-MAX	22x280	10
SDP2-MAX	25x400	10
SDP3-MAX	25x600	10
SDPZ4-MAX	50x360	10
SDPZ5-MAX	80x300	10

SDSZ-PLUS

SDS PLUS POINTED CHISEL

Effectiveness of transferring the impact to the processed material. They are intended for concrete processing (various hardness), stone, brick (all types), plaster, etc.

- made of special alloy steel
- subjected to four cycles in the production process: forging - hardening - tempering - final processing
- evenly hard surface and adequate elasticity
- resistant to cracks, impacts and abrasion
- forged from high-quality carbon steel with the addition of chrome.



INDEX	Size (mm)	Packaging (pcs)
SDSZ1-PLUS	12x250	25
SDSZ2-PLUS	14x250	25

SDSZ-MAX

SDS POINTED CHISEL MAX

Made of high-quality, durable, wear-resistant steel, which allows for efficient and longer impact work.

- hardened steel shank designed for optimal durability in heavy duty applications
- intended for impact hammers with an SDS MAX handle
- used for all types of construction, renovation, assembly and arrangement works
- impact forging in materials such as: concrete, reinforced concrete (reinforced concrete), granite, artificial and natural stone, brick, wall, plaster, etc.
- forged from high-quality carbon steel with the addition of chrome.



INDEX	Size (mm)	Packaging (pcs)
SDSZ1-MAX	18x280	50
SDSZ2-MAX	18x400	25

SWDS

WOOD DRILL

Designed for drilling holes in soft and hard, damp and glued wood. Particularly recommended for carpentry work.

- 6-sided chuck guarantees a secure hold in the drill chuck
- good chip removal
- one self-guiding threaded blade and one spine cutter



INDEX	Size (mm)	Packaging (pcs)
SWDS-6/230	6/230	1/20
SWDS-6/460	6/460	1/20
SWDS-8/230	8/230	1/20
SWDS-8/460	8/460	1/10
SWDS-10/230	10/230	1/10
SWDS-10/460	10/460	1/25
SWDS-12/230	12/230	1/25
SWDS-12/460	12/460	1/25
SWDS-14/230	14/230	1/25
SWDS-14/460	14/460	1/25
SWDS-16/230	16/230	1/25
SWDS-16/460	16/460	1/5
SWDS-18/230	18/230	1/5
SWDS-18/460	18/460	1/5

SWLD

SPADE DRILL BIT FOR WOOD

Designed for drilling in wood, furniture boards, plastics, plasterboard and aerated concrete.

- made of high-quality carbon steel
- hardened tip and ground blade
- precise centering
- working part flattened
- two straight cutting edges
- hexagonal handle
- drill tip and side blade ensure precise cutting and reduce vibration
- increased service life thanks to additional titanium nitride coating



INDEX	Size (mm)	Packaging (pcs)
SWLD-6	6	125
SWLD-8	8	125
SWLD-10	10	125
SWLD-12	12	125
SWLD-13	13	125
SWLD-14	14	125
SWLD-15	15	125
SWLD-16	16	125
SWLD-18	18	125
SWLD-19	19	125
SWLD-20	20	125
SWLD-22	22	125
SWLD-24	24	125
SWLD-25	25	125
SWLD-26	26	125
SWLD-28	28	125
SWLD-30	30	125
SWLD-32	32	125
SWLD-34	34	125
SWLD-35	35	125
SWLD-36	36	125
SWLD-38	38	125
SWLD-40	40	125

SOB

BIMETAL HOLE SAW

Bi-metal hole saw with the addition of cobalt for steel, stainless steel, non-ferrous metals, aluminum, wood, plastic.



INDEX	Diameter (mm)	Packaging (pcs)
SOB-14	14	10
SOB-16	16	10
SOB-17	17	10
SOB-19	19	10
SOB-20	20	10
SOB-22	22	10
SOB-24	24	10
SOB-25	25	10
SOB-27	27	10
SOB-28	28	10
SOB-30	30	10
SOB-32	32	10
SOB-35	35	10
SOB-38	38	10
SOB-40	40	10
SOB-44	44	10
SOB-48	48	10
SOB-51	51	10
SOB-54	54	10
SOB-57	57	10
SOB-60	60	10
SOB-64	64	10
SOB-65	65	10
SOB-67	67	10
SOB-68	68	10
SOB-70	70	10
SOB-73	73	10
SOB-83	83	10
SOB-86	86	10
SOB-92	92	10
SOB-95	95	10
SOB-102	102	10
SOB-105	105	10
SOB-114	114	10
SOB-121	121	10
SOB-127	127	10
SOB-140	140	10
SOB-152	152	10

SUO-BI

BI-METAL HOLE SAW HOLDER

The hole saw holder is made of hardened steel, which increases its durability. Includes a centering drill. Thanks to its use, the hole saw works stably and drills into the material without wobbling from side to side, which allows for precise drilling.

- fastening screw enables quick drill replacement



INDEX	Size (inches)	Packaging (pcs)
SUO-BI-3/8	3/8	10
SUO-BI-7/16	7/16	10

SOD

DIAMOND HOLE SAW

Diamond hole saw with cylindrical handle for wet use only.

Hole saws with diamond coating allow drilling in materials such as:

- stoneware
- glazed stoneware
- glaze
- concrete
- stone
- granite
- marble
- brick
- asphalt
- ceramic glass
- laminate
- PVC



INDEX	Diameter (mm)	Packaging (pcs)
SOD-35/5	5	25
SOD-35/6	6	25
SOD-35/8	8	250
SOD-35/10	10	25
SOD-35/12	12	25
SOD-35/14	14	25
SOD-35/16	16	10
SOD-35/18	18	10
SOD-35/22	22	10
SOD-35/25	25	10
SOD-35/35	35	10
SOD-35/45	45	5
SOD-35/53	53	5
SOD-35/60	60	5
SOD-35/65	65	5
SOD-35/68	68	50
SOD-35/74	74	50

SOD-M14

DIAMOND HOLE SAW

Diamond hole saw with M14 holder for dry and wet use. The M14 thread used allows work with an angle grinder. Hole saws with embankment diamond tools allow you to drill in materials such as:

- stoneware
- glazed stoneware
- glaze
- concrete
- stone
- granite
- marble
- brick
- asphalt
- ceramic glass
- laminate
- PVC



INDEX	Diameter (mm)	Packaging (pcs)
SOD-M14/5	5	150
SOD-M14/6	6	150
SOD-M14/8	8	150
SOD-M14/10	10	150
SOD-M14/12	12	100
SOD-M14/14	14	100
SOD-M14/16	16	100
SOD-M14/20	20	100
SOD-M14/25	25	100
SOD-M14/30	30	60
SOD-M14/35	35	75
SOD-M14/40	40	100
SOD-M14/45	45	50
SOD-M14/50	50	45
SOD-M14/55	55	30
SOD-M14/60	60	60
SOD-M14/65	65	24
SOD-M14/70	70	24
SOD-M14/85	85	24
SOD-M14/100	100	12
SOD-M14/115	115	12
SOD-M14/125	125	12

SQOD-01

SET OF HOLE SAWS FOR WOOD 5 PCS.

A set of hole saws with Widia blades for drilling in wood, chipboards, MDF, plasterboards and plastics.

- hole cut quickly, with little heat generated
- long carbide life
- re-sharpening possible
- cutting depth 30mm
- the set includes hole saws with dimensions of 64, 76, 89, 102, 127mm
- adapter and pilot drill included
- all enclosed in a handy suitcase



INDEX	Elements (pcs)	Packaging (pcs)
SQOD-01	5	20

SWWO-01

JIGSAW FOR HOLES WITH TUNGSTEN COATING

Jigsaw made of carbon steel with tungsten. It is characterized by resistance to abrasion and high temperatures. The drill shank is cast from a high-pressure aluminum alloy.

- dimensions of jigsaw drills: 33, 53, 67, 73, 83
- drilling depth: 57 mm +/- 2 mm
- pilot drill included



INDEX	Packaging (pcs)
SWWO-01	24

SQWM-01

SET OF HSS METAL DRILL BITS 19 PCS.

Metal drills made of high-speed steel (HSS). They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical handle
- drills intended for steel, non-ferrous metals and plastics
- durable, polished, impact-resistant cutting edges with a point angle of 118°
- a unique thermal treatment process allows the drills to operate at extreme temperatures up to 600°C
- types of drills included: 1 / 1.5 / 2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 8.5 / 9 / 9.5 / 10



INDEX	Packaging (pcs)
SQWM-01	20

SQWM-02

**SET OF HSS METAL DRILL BITS
25 PCS.**

Metal drills made of high-speed steel (HSS). They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical handle
- DIN 338 standard
- drills intended for steel, non-ferrous metals and plastics
- durable, polished, impact-resistant cutting edges with a point angle of 118°
- a unique thermal treatment process allows the drills to operate at extreme temperatures up to 600°C
- drill tip angle 180°
- types of drills included: 1 / 1.5 / 2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 8.5 / 9 / 9.5 / 10 / 10.5 / 11 / 11.5 / 12 / 12.5 / 13



INDEX	Packaging (pcs)
SQWM-02	10

SQWM-03

**SET OF HSS METAL DRILL BITS
13 PCS.**

A set of metal drill bits made of high-speed steel (HSS), compliant with the DIN338 standard. They are used for high-performance machining. Flexible and resistant to cracking during operation.

- cylindrical handle
- intended for steel, non-ferrous metals, plastics, soft or long-chipping materials
- durable, ground friction-resistant cutting edges with a point angle of 118°



INDEX	Packaging (pcs)
SQWM-03	13

SQWMP-01

**SET OF DRILL BITS FOR METAL
HSS PRO 19 PCS.**

Specialized drills ensuring long-lasting operation thanks to a reinforced core. The design of the drills makes them resistant to kinetic forces occurring when drilling holes in slightly hardened alloys.

- cylindrical handle
- DIN 338 standard
- intended for steel, non-ferrous metals, plastics
- durable, ground cutting edges with a point angle of 135°
- ground spiral ensures maximum accuracy and quick removal of spoil
- with the addition of vanadium, tungsten and molybdenum



INDEX	Packaging (pcs)
SQWMP-01	20

SQWMP-02

SET OF HSS PRO METAL DRILL BITS, 25 PCS.

Specialized drills ensuring long-lasting operation thanks to a reinforced core. The design of the drills makes them resistant to kinetic forces occurring when drilling holes in slightly hardened alloys.

- cylindrical handle
- DIN 338 standard
- intended for steel, non-ferrous metals, plastics
- durable, ground cutting edges with a point angle of 135°
- ground spiral ensures maximum accuracy and quick removal of spoil
- with the addition of vanadium, tungsten and molybdenum



INDEX	Packaging (pcs)
SQWMP-02	10

SQWCO-01

A SET OF DRILL BITS FOR METAL COBALT 19 PCS.

Specialized drills made of a steel alloy enriched with cobalt, which makes them extremely durable when cutting hardened steel surfaces.

- optimized heat treatment process ensures maximum durability of drills
- DIN 338 standard
- an additional oxide coating on the surface of the flutes guarantees excellent removal of cuttings
- cylindrical handle
- made of a high-quality steel alloy with 6% cobalt content
- intended for drilling acid-resistant, stainless and heat-resistant steel and cast iron with strength >900N/mm²
- high performance
- high temperature resistance
- drill tip angle 135°



INDEX	Packaging (pcs)
SQWCO-01	20

SQWCO-02

SET OF DRILL BITS FOR METAL COBALT 25 PCS.

A specialized cutting tool made of a steel alloy enriched with cobalt, which makes it extremely durable when cutting hardened steel surfaces.

- optimized heat treatment process ensures maximum durability of the drill
- DIN 338 standard
- a unique thermal treatment process allows the drill to operate at extreme temperatures up to 600°C
- additional oxide coating on the surface of the flutes guarantees excellent removal of cuttings
- cylindrical handle
- made of high-quality steel alloy with 6% cobalt content
- intended for drilling acid-resistant, stainless and heat-resistant steel and cast iron with strength >900N/mm²
- drill tip angle 135°



INDEX	Packaging (pcs)
SQWCO-02	10

SQWW-01

**SET OF CONCRETE DRILL BITS
4-5-6-8-10 MM**

Designed for drilling holes in high-density materials. Thanks to the use of sintered carbide, it retains its cutting properties for a long time.

- cylindrical handle
- DIN 8039 standard
- YG8 sintered carbide
- durable sintered carbide tip
- intended for drilling in walls, concrete, brick, granite, stone



INDEX	Packaging (pcs)
SQWW-01	100

SQWW-02

**SET OF CONCRETE DRILL BITS
3-4-5-6-7-8-9-10 MM**

Designed for drilling holes in high-density materials. Thanks to the use of sintered carbide, it retains its cutting properties for a long time.

- cylindrical handle
- DIN 8039 standard
- YG8 sintered carbide
- durable sintered carbide tip
- intended for drilling in walls, concrete, brick, granite, stone



INDEX	Packaging (pcs)
SQWW-02	100

SQWSDS-M-01

**SET OF SDS PLUS CONCRETE DRILL BITS
5-6*110 MM**

A heat-treated drill designed for drilling holes in high-density materials. Thanks to the use of sintered carbide at the end of the blade, the cutting properties are maintained for a long time. In accordance with DIN 8035.

- made of special steel with DIN specification – A322/G5140, resistant to bending, abrasion and torsion
- YG8 sintered carbide
- manganese in the composition increases impact strength and hardness
- chrome provides greater abrasion resistance
- silicon has a positive effect on the elasticity, hardness and strength of steel
- sintered carbide tip
- operation with low vibrations
- four cutting edges prevent the drill from jamming in the reinforcement
- quadruple spiral effectively and quickly removing spoil from the hole
- long service life



INDEX	Packaging (pcs)
SQWSDS-M-01	50

SQWLD-01

SET OF WOOD DRILLS 10-13-16-19-22-25 MM

Designed for drilling in wood, furniture boards, plastics, plasterboard and aerated concrete.

- made of high-quality carbon steel
- hardened tip and ground blade
- precise centering
- working part flattened
- two straight cutting edges
- hexagonal handle
- drill tip and side blade ensure precise cutting and reduce vibration



INDEX	Packaging (pcs)
SQWLD-01	50

SQWDS-01

SET OF WOOD DRILLS 3-4-5-6-7-8-9-10 MM

Designed for drilling holes in soft and hard, damp and glued wood. Particularly recommended for carpentry work.

- 6-sided chuck guarantees a secure hold in the drill chuck
- good chip removal
- one self-guiding threaded blade and one dorsal notcher
- cylindrical handle



INDEX	Packaging (pcs)
SQWDS-01	100

SUCHW-01

KEYLESS DRILL CHUCK

Self-clamping holder for drills with sizes 2-13 mm, with a 1/2" connection.

- anti-lock system prevents the handle from blocking
- double sleeve with snap-in function
- suitable for Powery 1050W drills
- input to output torque ratio



INDEX	Packaging (pcs)
SUCHW-01	1

SUCHW-02

DRILL CHUCK WITH KEY

Chuck with key for drills of sizes 2-13 mm, with 1/2" connection. The thread in the middle makes the tool sit very firmly. Precise chrome plating protects the bearings from rusting.



INDEX	Packaging (pcs)
SUCHW-02	1

SA-SDS

SDS-PLUS ADAPTER - 1/2"

Adapter for drill chucks, on one side a SDS-PLUS tip for attaching to hammer drills, on the other a 1/2 (20UNF) thread for screwing on a drill chuck. An additional locking screw is included.



INDEX	Packaging (pcs)
SA-SDS	1

SNG-NM

MANUAL DIE

Manual die

- made of HSS M2 high-speed steel
- DIN 233 standard
- accuracy class 6G
- metric plain thread
- intended for manual and machine cutting of precise external threads



INDEX	Size (mm)	Packaging (pcs)
SNG-NM3	3x0,5	10
SNG-NM4	4x0,7	10
SNG-NM5	5x0,8	10
SNG-NM6	6x1,0	10
SNG-NM8	8x1,25	10
SNG-NM10	10x1,50	10
SNG-NM12	12x1,75	10

SNG-GM

MANUAL TAP

Manual tap designed for manually cutting precise, metric internal threads.

- accuracy class 6H
- made of HSS M2 high-speed steel,
- DIN 352 standard
- metric plain thread
- 3 taps included




INDEX	Size (mm)	Packaging (pcs)
SNG-GM4	4x0,7	10
SNG-GM5	5x0,8	10
SNG-GM6	6x1,0	10
SNG-GM8	8x1,25	10
SNG-GM10	10x1,50	10
SNG-GM12	12x1,75	10

SNG-UGM

TAP HOLDER M1-M10

Tap holder designed for turning taps to create an internal thread. Special jaws
They can be adjusted and adjusted to the size of the tap mounting shank.

- DIN 1814 standard
- chrome-plated, detachable handles
- the tap mounting clamp is done made of hardened carbon steel



INDEX	Size	Packaging (pcs)
SNG-UGM1-10	M1-M10	10
SNG-UGM4-12	M4-M12	10

SNG-UNM

DIE HOLDER

Die holder intended for use in service centers and mechanical workshops. Used to hold the die while manually cutting precision metric external threads.

- DIN 225 standard
- die holder made of ZINK-DRG alloy
- chrome-plated, detachable handles
- designed to hold the die while manually cutting external threads



INDEX	Size	Packaging (pcs)
SNG-UNM3-4	M3-M4	100
SNG-UNM5-6	M5-M6	100
SNG-UNM7-9	M7-M9	100
SNG-UNM10-11	M10-M11	10
SNG-UNM12-14	M12-M14	100

SQNG-01

SET OF DIES AND TAPS 18500032

The set includes:

- taps: 3xM3x0.5 / 3xM4x0.7 / 3xM5x0.8 / 3xM6x1 / 3xM8x1.25 / 3xM10x1.5 / 3xM12x1.75
- dies: M3x0.5 / M4x0.4 / M5x0.8 / M6x1.0 / M8x1.25 / M10x1.5 / M12x1.75
- tap holder
- die holder
- screwdriver
- thread gauge
- metal case



INDEX	Packaging (pcs)
SQNG-01	10

SQNG-02

SET OF DIES AND TAPS 18500040

The set includes:

- taps: M3x0.5 / M3x0.6 / M4x0.7 / M4x0.75 / M5x0.8 / M5x0.9 / M6x0.75 / M6x1.0 / M7x0.75 / M7x1.0 / M8x1.0 / M8x1.25 / M10x1.25 / M10x1.5 / M12x1.5 / M12x1.75 / 1/8NPT27
- dies: M3x0.5 / M3x0.6 / M4x0.7 / M4x0.75 / M5x0.8 / M5x0.9 / M6x0.75 / M6x1.0 / M7x0.75 / M7x1.0 / M8x1.0 / M8x1.25 / M10x1.25 / M10x1.5 / M12x1.5 / M12x1.75 / 1/8NPT27
- tap holder
- die holder
- knob for T-type taps
- screwdriver
- thread gauge
- metal case
- additional taps and fine dies



INDEX	Packaging (pcs)
SQNG-02	10



3



ABRASIVE AND CUTTING TOOLS

METAL DISCS	102
DIAMOND DISCS	103
GRINDING WHEELS	105
BUTT BRUSHES	107
WHEEL BRUSHES	107
OTHER BRUSHES	109



S41A

METAL CUTTING DISC

Flat disc grinding wheel for cutting steel with long service life and high cutting properties made of high-performance corundum A.

- mechanically modified resin binder.
- application: cutting sheet metal, solid material, profiles, shapes
- burr-free cutting
- made in accordance with the EN12413 standard



INDEX	Size (mm)	Packaging (pcs)
S41A-01	115x1,0	25/400
S41A-02	125x1,0	25/400
S41A-03	125x1,5	25/400
S41A-08	125x2,5	25/200
S41A-09	125x3,0	25/200
S41A-04	230x2,0	10/100
S41A-10	230x3,2	20/20

SSQ-01

METAL CUTTING DISC 125X1.0 SQ

Flat disc grinding wheel for cutting steel with long service life and high cutting properties made of high-performance corundum A.

- mechanically modified resin binder.
- application: Cutting sheet metal, solid material, profiles, shapes.
- made in accordance with the EN12413 standard



INDEX	Size (mm)	Packaging (pcs)
SSQ-01	125 x 1,0	10/400

S41A-V2

METAL CUTTING DISC V2

Flat disc grinding wheel for cutting steel with long service life and the highest cutting properties made of high-performance corundum A.

- mechanically reinforced resin binder.
- application: Cutting sheet metal, solid material, profiles, shapes
- burr-free, high-performance cutting
- made in accordance with the EN12413 standard



INDEX	Size (mm)	Packaging (pcs)
S41A-08-V2	125x1,0x22,2	25/400
S41A-04-V2	230x2,0x22,2	10/100
S41A-10-V2	230x3,0x22,2	10/100

S41I

STAINLESS STEEL CUTTING DISC INOX

Flat disc grinding wheel for cutting steel, INOX stainless steel with long service life and the highest cutting properties.

- made of high-performance corundum A. (Fe, S, Cl<0.1%)
- mechanically reinforced resin binder.
- application: Cutting sheet metal, solid material, profiles, shapes
- burr-free, high-performance cutting
- made in accordance with the EN12413 standard



INDEX	Size (mm)	Packaging (pcs)
S41I-01	125 x 1,0	25/400
S41I-02	230 x 2,0	10/100

S27A

METAL GRINDING DISC

Disc for grinding, stripping and machining of steel and cast iron - bent.

- made of Corundum A
- mechanically reinforced resin binder
- application: surface grinding, weld selection, processing of fillet welds, deburring, chamfering
- made in accordance with the EN12413 standard



INDEX	Size (mm)	Packaging (pcs)
S27A-01	115 x 6,8	25/100
S27A-02	125 x 6,8	25/100
S27A-03	230 x 6,8	20/20

SDSS

PREMIUM SLIM DIAMOND DISC

Ultra-thin cutting disc with a diamond with an innovative cutting surface arrangement increasing the speed and efficiency of cutting without chipping.

- allows you to work with a wide range of materials
- high cutting quality
- intended for professional dry and wet cutting of concrete, stone, clinker, ceramics, tiles, stoneware and marble
- Hole diameter [mm]: from 22.2
- Thickness of disc rim [mm]: 1.4
- height of diamond embankment [mm]: 10
- maximum revolutions: 12000



INDEX	Size (mm)	Packaging (pcs)
SDSS-01	115x1,3x10	1/100
SDSS-02	125x1,4x10	1/100
SDSS-04	200x2,5,4	1/25
SDSS-03	230x2,0x10	1/25
SDSS-05	250x2,5,4	1/25

SDC

CONTINUOUS DIAMOND DISC

The reinforced structure of the disc core allows stable operation. The unique system of threading diamond particles onto the working surface of the tool ensures longer durability.

- stable body ensures optimal rotational movement
- high diamond concentration
- perfect match between optimal cutting speed and disc durability
- increased durability of the cutting edge
- intended for wet cutting of tiles, ceramics and marble
- lower energy consumption
- hole 22.2 mm



INDEX	Size (mm)	Packaging (pcs)
SDC-01	115	1/100
SDC-02	125	1/100
SDC-03	230	1/25

SDS

SEGMENTED DIAMOND DISC

Precise and high-performance tool. The reinforced core guarantees stable operation of the disc when cutting high-density and hard materials. The cutting surface is made of tempered, heavy-abrasive steel and coated with an additional layer of coarsely fractionated diamond particles.

- stable body ensuring optimal rotational movement, high diamond concentration
- perfect match between optimal cutting speed and disc durability
- increased durability of the cutting edge
- intended for dry cutting of brick, clinker, natural and artificial stone
- effective work at low costs
- hole 22.2 mm



INDEX	Size (mm)	Packaging (pcs)
SDS-01	115	1/100
SDS-02	125	1/100
SDS-03	230	1/25

SDT

TURBO DIAMOND DISC

High-quality disc with a diamond blade. The reinforced core allows you to perform work faster and more efficiently. Additional coatings of diamond particles applied to the cutting edges ensure above-average sharpness for a long time.

- stable body ensures optimal rotational movement
- intended for wet and dry cutting of concrete, stone, hard ceramics, stoneware and thin granite
- high diamond concentration
- perfect match between optimal cutting speed and disc durability
- increased durability of the cutting edge
- effective work at low costs
- hole 22.2 mm



INDEX	Size (mm)	Packaging (pcs)
SDT-01	115	1/100
SDT-02	125	1/100
SDT-03	230	1/25

SDST

SUPER TURBO DIAMOND DISC

High-quality cutting disc. The reinforced core structure allows for very stable operation. The unique system of threading diamond particles onto the working surface of the disc ensures its longer durability.

- stable body ensures optimal rotational movement
- high diamond concentration
- perfect match between optimal cutting speed and disc durability
- increased durability of the cutting edge
- intended for wet and dry cutting of tiles, marble, ceramics and reinforced concrete
- effective work at low costs
- hole 22.2 mm



INDEX	Size (mm)	Packaging (pcs)
SDST-01	115	1/100
SDST-02	125	1/100
SDST-03	230	1/25

STU-01

UNIVERSAL CUTTING DISC DIAMOND 125MM

High-quality, universal, segmented disc with vacuum-brazed diamond grit intended for dry cutting with an angle grinder. The method of fixing the diamond using vacuum brazing increases resistance to high temperatures and reduces the number of sparks produced. The disc is suitable for cutting all types of materials, including: stoneware, stones, bricks, asphalt, metals, wood, wood combined with metal (e.g. with embedded nails) and plastics.



INDEX	Size (mm)	Packaging (pcs)
STU-01	125	1/10

SPTA

CIRCULAR SAW

A circular saw designed for longitudinal and cross-cutting of solid wood, plywood, chipboards, laminated boards and MDF, wood-like and composite materials. Widia teeth with sintered carbide and mounted in HIGH FREQUENCY WELDING technology ensure long disc life during intensive use.



INDEX	Size (mm)	Packaging (pcs)
SPTA-09	160 x 20 x 16T	1/25
SPTA-10	160 x 20 x 24T	1/25
SPTA-11	160 x 20 x 30T	1/25
SPTA-12	165 x 30 x 18T	1/25
SPTA-13	180 x 30 x 20T	1/25
SPTA-14	180 x 30 x 30T	1/25
SPTA-15	184 x 30 x 24T	1/25
SPTA-16	190 x 20 x 24T	1/25
SPTA-17	190 x 30 x 30T	1/25
SPTA-18	190 x 30 x 40T	1/25
SPTA-19	200 x 30 x 24T	1/25
SPTA-21	210 x 30 x 20T	1/25
SPTA-22	210 x 30 x 60T	1/25
SPTA-24	250 x 30 x 24T	1/25
SPTA-25	250 x 30 x 30T	1/25
SPTA-26	250 x 30 x 40T	1/25
SPTA-27	250 x 30 x 60T	1/25
SPTA-28	300 x 30 x 40T	1/25
SPTA-29	300 x 30 x 60T	1/25
SPTA-30	350 x 30 x 28T	1/25
SPTA-31	350 x 30 x 40T	1/25
SPTA-32	350 x 30 x 54T	1/25
SPTA-33	400 x 30 x 32T	1/25
SPTA-34	400 x 30 x 60T	1/25

SSL

FLAP WHEEL

A flap disc grinding wheel is made of flaps (lamellas), abrasive cloth, grains or corundum placed evenly in a fan-like manner on a fiberglass body. This arrangement guarantees increased efficiency and flexibility of work.

- Application: for grinding - steel, cast iron, paints, varnishes, putties, wood, leather, plastics, parkiet, aluminum, non-ferrous metals
- Filling: electrocorundum
- Binder: resin
- intended for processing steel and non-ferrous metals with the front side
- abrasive cloth spacers guarantee intensive grinding
- for mounting on angle grinders
- hole 22.2mm



INDEX	Size (mm)	Granulation	Packaging (pcs)
SSL-06	115	40	10/20
SSL-07	115	60	10/20
SSL-08	115	80	10/20
SSL-01	125	40	10/20
SSL-02	125	60	10/20
SSL-03	125	80	10/20
SSL-04	125	100	10/20
SSL-05	125	120	10/20

SSL-P

STRAIGHT FLAP WHEEL

Flap disc grinding wheel for professional use in machining steel and non-stainless steel. Leaves (lamellas) with aggressive electrocorundum.

- application: for grinding - steel, cast iron, paints, varnishes, putties, wood, leather, plastics, parkiet, aluminum, non-ferrous metals
- filling: electrocorundum
- binder: resin
- provides a larger contact surface with the processed detail
- fiberglass disc base
- mainly used for grinding front surfaces and surfaces and machining welds
- angle adjustment 5-15°
- high quality of processing
- installation for angle grinders
- intended for removing welds and deburring



INDEX	Size (mm)	Granulation	Packaging (pcs)
SSL-P01	125	40	10/20
SSL-P02	125	60	10/20
SSL-P03	125	80	10/20
SSL-P04	125	100	10/20
SSL-P05	125	120	10/20

SSLC

ZIRCONIA CONVEX FLAP WHEEL 125MM

Flap wheel, zirconium grinding wheel, convex shape for grinding at an angle of up to 15°.

- designed for steel, stainless steel and non-ferrous metals
- suitable for processing - rough grinding and precise, weld grinding, rust removal, cleaning
- convex, Diameter 125 mm.



INDEX	Granulation	Packaging (pcs)
SSLC-01	40	10/20
SSLC-02	60	10/20
SSLC-03	80	10/20

SSLC-P

STRAIGHT ZIRCONIA FLAP WHEEL 125MM

Flap wheel, zirconium, straight shape.

- designed for steel, stainless steel and non-ferrous metals
- suitable for processing - rough grinding and precise, weld grinding, rust removal, cleaning
- straight, Diameter 125 mm.



INDEX	Granulation	Packaging (pcs)
SSLC-P01	40	10/20
SSLC-P02	60	10/20
SSLC-P03	80	10/20

STWM14-01

NON-WOVEN FABRIC ABRASIVE DISC 125MM

Non-woven abrasive wheel intended for aggressive cleaning of rust and welds, removal of old varnish and paint coatings, does not burn the abrasive material. The structure of this material does not change under the influence of work, enabling its repeated use and constant performance.

- zircon grains
- bent disc
- canvas backing



INDEX	Size (mm)	Packaging (pcs)
STWM14-01	125	5

STPM14-01

POLISHING DISC 125MM

A disc intended for polishing details and components of various products made of acid-resistant steel, aluminum, etc.



INDEX	Size (mm)	Packaging (pcs)
STPM14-01	125	10

STLM14-01

FLAP POLISHING DISC MADE OF NON-WOVEN FABRIC 125MM

Flap disc intended for polishing details and components of various products made of acid-resistant steel, aluminum, etc.



INDEX	Size (mm)	Packaging (pcs)
STLM14-01	125	5

SSZD

FRONT BRUSH WITH A 6-PIN SHANK, WAVED WIRE

A professional front brush with optimally hardened wavy wire ensures efficient work when performing rough machining.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZD-01	50	1/20
SSZD-02	60	1/100
SSZD-03	80	1/100
SSZD-04	100	1/5

SSZD

BUTT BRUSH WITH A 6-PIN SHANK, TWISTED WIRE

High-performance tool for machining hard surfaces. Durable, hardened wires ensure effective operation for a long time.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZD-05	60	1/100
SSZD-06	80	1/100

SSZD

FRONT BRUSH WITH M14 NUT, CORRUGATED WIRE

Professional front brush with optimally hardened wavy wire ensuring efficient work when performing rough machining. Power supply dedicated to commonly used angle grinders.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZD-07	60	1/4
SSZD-08	80	1/4
SSZD-09	100	1/10
SSZD-10	120	1/10

SSZD

BUTT BRUSH WITH M14 NUT, TWISTED WIRE

High-performance tool for machining hard surfaces. Durable, hardened wires ensure effective operation for a long time. Power supply dedicated to commonly used angle grinders.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZD-11	60	1/4
SSZD-12	80	1/4
SSZD-13	100	1/10
SSZD-14	120	1/10

SSZT

DISC BRUSH WITH A 6-PIN SHANK, WAVED WIRE

The brush design ensures maximum efficiency when working with heavily corroded or paint coated steel surfaces. The design of the tool guarantees operation at a maximum speed of 8,000 RPM.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZT-01	50	1/5
SSZT-02	60	1/25
SSZT-03	80	1/25
SSZT-04	100	1/20

SSZT

DISC BRUSH WITH M14 NUT, WAVED WIRE

The mounting allows the tool to be used with angle grinders. Thanks to its reinforced structure, the brush can operate at high speeds. The hardened corrugated wire used ensures high effectiveness when working with medium-hard surfaces.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZT-05	100	1/10
SSZT-06	115	1/10

SSZT

DISC BRUSH WITH M14 NUT, TWISTED WIRE

The mounting allows the tool to be used with angle grinders. Thanks to its reinforced structure, the brush can operate at high speeds. Hardened twisted wire ensures effective work when removing deep corrosion and thick layers of paint.

- made of high-quality hardened wire
- intended for removing rust, scale, cleaning surfaces, removing paint, cleaning welds



INDEX	Size (mm)	Packaging (pcs)
SSZT-07	100	1/10
SSZT-08	120	1/5

SSZT

DISC BRUSH WITH HOLE 32, WAVY WIRE

A disc brush used, among others, for: for deburring, removing paint and rust, abrading, roughening, cleaning surfaces and edges.

- made of high-quality corrugated wire
- intended for stationary grinders with a 32 mm hole
- outer diameter 250 mm



INDEX	Size (mm)	Packaging (pcs)
SSZT-09	200	1/5
SSZT-10	250	1/5

SSZT

DISC BRUSH WITH 22 HOLE, WAVY WIRE

A disc brush used, among others, for: for deburring, removing paint and rust, abrading, roughening, cleaning surfaces and edges.



INDEX	Size (mm)	Packaging (pcs)
SSZT-11	120	1/10
SSZT-12	150	1/10

SSZP

BRUSH WITH A FI 6 SHANK, WAVED WIRE

Universal shank enabling attachment to the holders of drills and straight grinders. The shape of the brush allows you to work in places with limited access.



INDEX	Size (mm)	Packaging (pcs)
SSZP-01	17	1/25
SSZP-02	25	1/25

SSRFMD

RUST BRUSH

The rust brush is used when cleaning metal surfaces. You can use it to remove stubborn dirt and rust.

- durable steel wires embedded in a strong wooden handle
- ergonomic handle ensures excellent working comfort
- helps to create a surface and surface layer with specific physico-mechanical properties
- does not distort during operation
- the brush remains durable for a long time



INDEX	Number of rows	Packaging (pcs)
SSRFMD-03	3	1/30
SSRFMD-04	4	1/30
SSRFMD-05	5	1/30
SSRFMD-06	6	1/30

SSRFCZ

FEST WIRE RUST BRUSH BLACK

Designed for cleaning, removing rust, varnish, scale, old paint coatings, deburring after mechanical processing.

- wire made of hardened, heat-treated steel
- ergonomic handle made of hardwood with rounded edges ensures excellent working comfort
- helps to create a surface layer with specific physico-mechanical properties
- does not distort you while working
- the brush remains durable for a long time



INDEX	Number of rows	Packaging (pcs)
SSRFCZ-03	3	1/30
SSRFCZ-04	4	1/30
SSRFCZ-05	5	1/30
SSRFCZ-06	6	1/30

SSZR-01

BENT HAND BRUSH METAL AND PLASTIC

It allows you to perform more difficult work than with a regular wooden brush.

- made of high-quality brass wire and PVC
- intended for removing rust, paint and cleaning welds



INDEX	Packaging (pcs)
SSZR-01	1/120

SSZB-F01

PAVING BRUSH WITH SCRAPER, UNMOUNTED

The brush is intended for cleaning dirt from paving stones and sidewalk cracks. Perfect for removing mud, dust, white efflorescence, green coatings and oil stains.

- made of beech wood with bristles made of hardened steel wire
- does not damage paving stones
- perfectly removes impurities
- metal blade enabling access to hard-to-reach dirt
- brush with knurl for Powering on the handle (diagonal depth 45-58 mm, Diameter approx. 23 mm)



INDEX	Packaging (pcs)
SSZB-F01	1/50

SSZU A10

STREET BRUSH

A brush used for sweeping streets, sidewalks and paving stones.

- brush frame, 55 mm or 65 mm wide, made of beech wood
- bristles made of synthetic PET or PP
- equipped with a metal handle diameter 22 mm



INDEX	Size (mm)	Packaging (pcs)
SSZU A10-112	55x300	1/10
SSZU A10-212	55x400	1/10
SSZU A10-312	55x500	1/10
SSZU A10-412	55x600	1/10
SSZU A10-612	55x800	1/10
SSZU A10-712	55x1000	1/10
SSZU A10-102	65x300	1/10
SSZU A10-202	65x400	1/10
SSZU A10-302	65x500	1/10
SSZU A10-402	65x600	1/10
SSZU A10-602	65x800	1/10

SSZU A06-902

STREET BRUSH 55 MM WITH SCRAPER L400

A brush used for sweeping streets, sidewalks and paving stones.

- brush frame, 55 mm wide, made of beech wood
- bristles made of synthetic PET or PP
- metal handle diameter 22 mm
- screwed-in metal scraper for removing e.g. frozen snow, mud or other difficult dirt



INDEX	Size (mm)	Packaging (pcs)
SSZU A06-902	55x400	1/10

SSZUD A10-327

WIRE STREET BRUSH 65MM L327

The brush is intended for cleaning dirt from paving stones and sidewalk cracks. Perfect for removing mud, dust, white efflorescence, green coatings and oil stains.

- made of wood with bristles made of hardened steel wire
- does not damage paving stones
- perfectly removes impurities
- strong brush on the handle



INDEX	Size (mm)	Packaging (pcs)
SSZUD A10-327	327	1/20

SSZUDC A10-370

WIRE STREET BRUSH 65MM L370

The brush is intended for cleaning dirt from paving stones and sidewalk cracks. Perfect for removing mud, dust, white efflorescence, green coatings and oil stains.

- made of wood with bristles made of hardened steel wire
- does not damage paving stones
- perfectly removes impurities
- strong brush on the handle.



INDEX	Size (mm)	Packaging (pcs)
SSZUDC A10-370	370	1/20

SZAM A 07

NYLON SWEEPER

Used for cleaning work.

- beech wood frame
- made of PET or PP plastic
- threaded pole mounting



INDEX	Size (mm)	Packaging (pcs)
SZAM A 07-102	300	1/20
SZAM A 07-202	350	1/20
SZAM A 07-302	400	1/20
SZAM A 07-402	500	1/20

SZAM A 07

NYLON SWEEPER WITH HANDLE

Used for cleaning work.

- beech wood frame
- made of PET or PP plastic
- has a steel handle angled at 45°



INDEX	Size (mm)	Packaging (pcs)
SZAM A 07-312	400	1/5
SZAM A 07-412	500	1/5
SZAM A 07-512	600	1/5
SZAM A 07-612	700	1/5
SZAM A 07-712	800	1/5

SZAMK L

NYLON SWEEPER WITH CLICK

Used for cleaning work.

- beech wood frame
- made of PET or PP plastic
- mounting the stick with a click



INDEX	Size (mm)	Packaging (pcs)
SZAMK L700	700	
SZAMK L800	800	1/6
		1/6

SMIO A09-202

BROOM - MAXI

A brush for working on various surfaces, around the house and in the garden.

- made entirely of PET or PP plastic
- frame with a hole for a threaded stick



INDEX	Packaging (pcs)
SMIO A09-202	1/10

SMIO A09-002

BROOM - MINI

A brush for working on various surfaces, around the house and in the garden.

- made entirely of PET or PP plastic
- frame with a hole for a threaded stick



INDEX	Packaging (pcs)
SMIO A09-002	1/10

SSMO A03-014

TAR BRUSH GREY

A brush intended for applying sealing and bituminous compounds.

- frame made of beech wood
- natural coconut fiber bristles
- the frame has a 22 mm hole for a non-threaded stick



INDEX	Packaging (pcs)
SSMO A03-014	1/10

SNAK A03-034

COCONUT MASONRY BRUSH

A brush used in renovation and construction works.

- beech wood frame
- mixed bristles (synthetic PET or PP and natural – coconut fiber)
- hanging handle



INDEX	Packaging (pcs)
SNAK A03-034	1/10

SNAK A03-039

MASONRY BRUSH COCONUT/NYLON

A brush used in renovation and construction works.

- beech wood frame
- mixed bristles (synthetic PET or PP and natural – coconut fiber)
- hanging handle



INDEX	Packaging (pcs)
SNAK A03-039	1/10

SNAK A03-032

NAKRAPACZ MURARSKI NYLON

A brush used in renovation and construction works.

- beech wood frame
- made entirely of PET or PP plastic
- hanging handle



INDEX	Packaging (pcs)
SNAK A03-032	1/10

SSZS A 06-011

CAR WASH BRUSH, L700 MIXTURE

Car washing brush.

- wooden binding
- mix of natural and artificial fibers
- long handle – 70 cm
- works great on large cars



INDEX	Packaging (pcs)
SSZS A 06-011	1/20

SSZS A 06-012**NYLON CAR WASH BRUSH L700**

Car washing brush.

- wooden binding
- mix of natural and artificial fibers
- long handle – 70 cm
- works great on large cars



INDEX	Packaging (pcs)
SSZS A 06-012	1/20

SZMI A08-114**COCONUT SWEEPER**

Wooden broom with plant fiber.

- made of natural hair – coconut fiber
- wooden frame
- fiber resistant to high temperatures, e.g. stoves, fireplaces



INDEX	Packaging (pcs)
SZMI A08-114	1/10

SZMIK-2**LONG COCONUT BROOM**

Wooden broom with plant fiber.

- made of natural hair – coconut fiber
- wooden frame
- fiber resistant to high temperatures, e.g. stoves, fireplaces



INDEX	Packaging (pcs)
SZMIK-2	1/10

SZMIM-2**LONG MIXED BROOM**

A brush for working on various surfaces, around the house and in the garden.



INDEX	Packaging (pcs)
SZMIM-2	1/10

SZMI A08-131**BROOM MIXED**

Wooden broom with a mixture of synthetic and natural fibers.



INDEX	Packaging (pcs)
SZMI A08-131	1/10

4





MANUAL TOOLS

WRENCHES	116
WRENCH SETS	117
TOOL CASES	120
SOCKET WRENCHES	124
ACCESSORIES TO WRENCHES	127
ADJUSTABLE WRENCHES	131
ALLEN AND TORX WRENCHES	132
PLIERS AND CUTTERS	135
SCREWDRIVERS	141
BITS	144
SAWS AND SAW BLADES	149
KNIVES AND CUTTERS	151
HAMMERS	156
SKIKERS	158
FILES AND VICES	159
ORGANIZERS & BOXES	161
OTHER	167

SKPO

COMBINATION WRENCH

Made of high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tool.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- designed for heavy-duty tasks, even in the most challenging conditions.



INDEX	Size (mm)	Packaging (pcs)
SKPO-6	6	20
SKPO-7	7	20
SKPO-8	8	20
SKPO-9	9	20
SKPO-10	10	5
SKPO-11	11	5
SKPO-12	12	5
SKPO-13	13	5
SKPO-14	14	5
SKPO-15	15	5
SKPO-16	16	5
SKPO-17	17	5
SKPO-18	18	5
SKPO-19	19	5
SKPO-20	20	5
SKPO-21	21	5
SKPO-22	22	5
SKPO-23	23	5
SKPO-24	24	5
SKPO-25	25	5
SKPO-26	26	5
SKPO-27	27	5
SKPO-28	28	5
SKPO-29	29	5
SKPO-30	30	5
SKPO-32	32	5
SKPO-34	34	5
SKPO-36	36	2
SKPO-38	38	2
SKPO-41	41	2
SKPO-46	46	2
SKPO-50	50	2

SKPO-G

RATCHET COMBINATION WRENCH

Made of high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tool. The box end is equipped with a ratchet mechanism, facilitating work.

- Crafted from high-quality chrome-vanadium alloy steel for corrosion resistance.
- 12-point offset box end.
- ratcheting mechanism with 72 teeth.
- flat end set at a 15° angle for optimal access to the power element. Durable matte finish.



INDEX	Size (mm)	Packaging (pcs)
SKPO-G08	8	5
SKPO-G10	10	5
SKPO-G11	11	5
SKPO-G12	12	5
SKPO-G13	13	5
SKPO-G14	14	5
SKPO-G15	15	5
SKPO-G16	16	5
SKPO-G17	17	5
SKPO-G18	18	5
SKPO-G19	19	5
SKPO-G22	22	5
SKPO-G24	24	5

SKGL

COMBINATION WRENCH WITH A RATCHET, FLEXIBLE

Made of high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tool. The box end is positioned on a joint, enabling access to hard-to-reach places.

- the ratchet eliminates the need to reposition the wrench.
- the flexible part of the wrench allows access to confined spaces.
- crafted from high-quality chrome-vanadium alloy steel for corrosion resistance.
- polished finish.
- the offset, flexible 12-point box end features a ratcheting mechanism with 72 teeth.
- the joint near the box end allows for optimal positioning of the wrench relative to the loosened screw.
- minimum working angle of 5°.



INDEX	Size (mm)	Packaging (pcs)
SKGL-08	8	5
SKGL-10	10	5
SKGL-11	11	5
SKGL-12	12	5
SKGL-13	13	5
SKGL-14	14	5
SKGL-15	15	5
SKGL-16	16	5
SKGL-17	17	5
SKGL-18	18	5
SKGL-19	19	5
SKGL-22	22	5
SKGL-24	24	5

SQKDP-01

SET OF DOUBLE-SIDED OPEN WRENCHES, 12 PCS.

A set of wrenches made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.
- set includes wrench sizes: 6 x 7 / 8 x 9 / 10 x 11 / 12 x 13 / 14 x 15 / 16 x 17 / 18 x 19 / 20 x 22 / 21 x 23 / 24 x 27 / 25 x 28 / 30 x 32.

INDEX	Elements (pcs)	Packaging (pcs)
SQKDP-01	12	1



SQKOO-01

SET OF COMBINATION WRENCHES, BENT 12 PCS.

A set of angled ring spanners made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point ring end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.
- set includes wrench sizes: 6 x 7 / 8 x 9 / 10 x 11 / 12 x 13 / 14 x 15 / 16 x 17 / 18 x 19 / 20 x 22 / 21 x 23 / 24 x 27 / 25 x 28 / 30 x 32.

INDEX	Elements (pcs)	Packaging (pcs)
SQKOO-01	12	1



SQKPO-01

SET OF COMBINATION WRENCHES, 12 PCS.

A set of wrenches made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.
- set includes wrench sizes: 7 / 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19.

INDEX	Elements (pcs)	Packaging (pcs)
SQKPO-01	12	1





SQKPO-02

SET OF COMBINATION WRENCHES, 17 PCS.

A set of wrenches made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.
- set includes wrench sizes: 6 / 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 22 / 24 / 27 / 30 / 32.

INDEX	Elements (pcs)	Packaging (pcs)
SQKPO-02	17	1



SQKPO-03

SET OF COMBINATION WRENCHES, 25 PCS.

A set of wrenches made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.
- set includes wrench sizes: 6 / 7 / 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 25 / 26 / 27 / 28 / 30 / 32.

INDEX	Elements (pcs)	Packaging (pcs)
SQKPO-03	25	1



SQKPO-04**SET OF COMBINATION WRENCHES,
47 PCS.**


A set of wrenches made from a high-tensile strength alloy steel, resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and allows for easy maintenance of the tools.

- crafted from chrome-vanadium steel for corrosion resistance.
- comfortable handle for improved work ergonomics.
- inclined working surface for easier maneuvering of the wrench.
- 12-point wrench end.
- forged matrix construction.
- resistant to deformations.
- practical retractable case for wall hanging.
- designed for heavy-duty tasks, even in the most challenging conditions.

Included wrench types and sizes:

- bent box-end wrenches: 14x15 / 16x17 / 18x19 / 20x22
- open-end wrenches: 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 25 / 26 / 27 / 28 / 30 / 32
- U-type box-end wrenches: 10x11 / 12x13 / 14x15 / 16x17 / 18x19
- TORX wrenches: 6x8 / 10x12 / 14x18 / 20x24
- hydraulic line wrenches: 8x10 / 9x11 / 10x12 / 13x14 / 15x17 / 16x18

INDEX	Elements (pcs)	Packaging (pcs)
SQKPO-04	47	1



SCASE-001

TOOL CASE 252 PCS.

INDEX	Elements (pcs)	Packaging (pcs)
SCASE-001	252	1

A suitcase made of ABS material, known for its high scratch resistance and stiffness. It includes wheels and a telescopic handle for easy maneuvering. The internal walls are crafted from black-red shock-absorbing foam.

- handle height when extended: 104 cm
- length: 47 cm, Height: 37 cm, Width: 19 cm
- weight with equipment: 15.4 kg

Contents:

- 1 x Telescopic Magnetic Grabber LED 81CM
- 1 x Flat Chisel SDS PLUS 20x250
- 1 x Aluminum Angle 250 MM
- 1 x Adjustable Swedish Wrench 250
- 1 x Non-slip Flat-Ring Wrench 7MM
- 1 x Non-slip Flat-Ring Wrench 8MM
- 1 x Non-slip Flat-Ring Wrench 10MM
- 1 x Non-slip Flat-Ring Wrench 11MM
- 1 x Non-slip Flat-Ring Wrench 12MM
- 1 x Non-slip Flat-Ring Wrench 13MM
- 1 x Non-slip Flat-Ring Wrench 14MM
- 1 x Non-slip Flat-Ring Wrench 15MM
- 1 x Non-slip Flat-Ring Wrench 16MM
- 1 x Non-slip Flat-Ring Wrench 17MM
- 1 x Non-slip Flat-Ring Wrench 18MM
- 1 x Non-slip Flat-Ring Wrench 19MM
- 1 x Workshop Flashlight 3W COB MINI
- 1 x Black Construction Marker
- 1 x White Oil Construction Marker
- 1 x Orange Oil Construction Marker
- 1 x Green Oil Construction Marker
- 1 x Red Construction Marker
- 1 x Locksmith Hammer with Fiberglass Handle 300 g
- 1 x Retractable Tape Measure 5 m
- 1 x Utility Knife with 18 MM Breakable Blade
- 1 x Breakable Blades 18 MM 10 pcs.
- 1 x Black Nylon Cable Ties 3.6x200 100 pcs.
- 1 x Bit Set 65 pcs.
- 1 x Extended Hex Key Set 9 pcs.
- 1 x Extended TORX Key Set 9 pcs.
- 1 x Fixed Screwdriver Set 6 pcs. S2
- 1 x Metal Drill Bit Set HSS 13 pcs.
- 1 x Concrete Drill Bit Set SDS PLUS 5-6*110 MM
- 1 x Concrete Drill Bit Set 4-5-6-8-10 MM
- 1 x Gloves Size 9 (1 Pair)
- 1 x Black Insulation Tape 20M
- 1 x Voltage Tester Probe 190MM
- 1 x Morse Cable Cutting Pliers 250 MM
- 1 x Adjustable Pipe Pliers 250
- 1 x Diagonal Cutting Pliers 160 mm
- 1 x Telephone Pliers 160MM 1000V
- 1 x 1/4 T-40 Bit Socket
- 1 x 1/4 Adjustable Extension 6"
- 1 x 1/4 T-Type Socket Handle
- 1 x 1/4 Socket Handle 6"
- 1 x 1/4 Bit Adapter
- 1 x 1/4 Hex Bit Socket 10 MM
- 1 x 1/4 Hex Bit Socket 11 MM
- 1 x 1/4 Hex Bit Socket 12 MM
- 1 x 1/4 Hex Bit Socket 13 MM
- 1 x 1/4 Hex Bit Socket 14 MM
- 1 x 1/4 Hex Bit Socket 4 MM
- 1 x 1/4 Hex Bit Socket 4.5 MM
- 1 x 1/4 Hex Bit Socket 5 MM
- 1 x 1/4 Hex Bit Socket 5.5 MM
- 1 x 1/4 Hex Bit Socket 6 MM
- 1 x 1/4 Hex Bit Socket 7 MM
- 1 x 1/4 Hex Bit Socket 8 MM
- 1 x 1/4 Hex Bit Socket 9 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 3 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 4 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 5 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 6 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 7 MM
- 1 x 1/4 Hex Bit Socket with T-Type Bit 37 MM 8 MM
- 1 x 1/4 Ratchet 72 Teeth



- 1 x 1/4 Torx Bit Socket 37 MM TP10
- 1 x 1/4 Torx Bit Socket 37 MM TP15
- 1 x 1/4 Torx Bit Socket 37 MM TP20
- 1 x 1/4 Torx Bit Socket 37 MM TP25
- 1 x 1/4 Torx Bit Socket 37 MM TP30
- 1 x Short Hex Key 1.5
- 1 x Short Hex Key 2.0
- 1 x Short Hex Key 2.5
- 1 x Universal Joint for Sockets 1/4"
- 1 x 1/4 Socket Extension 100 MM
- 1 x 1/4 Socket Extension 50 MM
- 1 x 1/2 Hex Socket 11 MM
- 1 x 1/2 Hex Socket 12 MM
- 1 x 1/2 Hex Socket 13 MM
- 1 x 1/2 Hex Socket 14 MM
- 1 x 1/2 Hex Socket 15 MM
- 1 x 1/2 Hex Socket 16 MM
- 1 x 1/2 Hex Socket 17 MM
- 1 x 1/2 Hex Socket 18 MM
- 1 x 1/2 Hex Socket 19 MM
- 1 x 1/2 Hex Socket 20 MM
- 1 x 1/2 Hex Socket 21 MM
- 1 x 1/2 Hex Socket 22 MM
- 1 x 1/2 Hex Socket 24 MM
- 1 x 1/2 Hex Socket 27 MM
- 1 x 1/2 Hex Socket 30 MM
- 1 x 1/2 Hex Socket 32 MM
- 1 x 1/2 Socket Extension 250 MM
- 1 x 1/2 Socket Extension 125 MM
- 1 x 1/2 Ratchet 72 Teeth
- 1 x 1/2 Hex Socket 10 MM
- 1 x 1/2 T-Type Handle 250MM
- 1 x Universal Joint for Sockets 1/2"
- 1 x Suitcase



SQN-108

INDEX	Elements (pcs)	Packaging (pcs)
SQN-108	108	1

**SET OF KEYS
SOCKETS 108 PCS.**

Set of keys made from a durable alloy steel resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and helps keep tools clean.

Features:

- comfortable handle for improved working comfort
- tilted working surface facilitates maneuvering with the key
- 12-point key end
- forged matrix-cut keys
- resistant to deformations
- practical retractable cover for wall hanging
- designed for heavy-duty work even in the toughest conditions
- socket wrench set 1/2: 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 24 / 27 / 30 / 32 mm
- socket wrench set 1/2: 14 / 15 / 17 / 19 / 22 mm
- TORX socket wrench set 1/2: E10 / E11 / E12 / E14 / E16 / E18 / E20 / E24
- spark plug socket wrench 1/2: 16 mm, 21 mm
- socket wrench set 1/4: 4 / 4.5 / 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm
- long socket wrench set 1/4: 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 mm
- TORX socket wrench set 1/4: E4 / E5 / E6 / E7 / E8
- socket extension 1/2: 125 mm, 200 mm
- socket extension 1/4: 50 mm, 75 mm
- socket wrench handle 1/4 with holder: included
- universal joint 1/2: included
- universal joint 1/4: included
- ratchet 1/2 72 teeth, RC Type: included
- ratchet 1/4 72 teeth, RC Type: included
- adapter 1/2 (F) x 3/8 (M): included
- hex keys: 1.5 / 2 / 2.5 mm: included
- socket wrench set 1/4 with SL bit: 4 / 5.5 / 6.5
- socket wrench set 1/4 with PH bit: 1 / 2
- socket wrench set 1/4 with PZ bit: 1 / 2
- socket wrench set 1/4 with HEX bit: 3 / 4 / 5 / 6
- socket wrench set 1/4 with TORX bit: T8 / T10 / T15 / T20 / T25 / T27 / T30
- SL bits: 8 / 10 / 12
- TORX bits: T40 / T45 / T50 / T55 / T60
- PH bits: 3 / 4
- PZ bits: 3 / 4
- HEX bits: 7 / 8 / 10 / 12 / 14
- bit holder 1/2: included



SQN-150**SET OF KEYS
SOCKETS 150 PCS.**

Set of keys made from a durable alloy steel resistant to static and kinetic stress. The unique coating on the surface significantly enhances working comfort and helps keep tools clean.

Features:

- comfortable handle for improved working comfort
- tilted working surface facilitates maneuvering with the key
- 12-point key end
- forged matrix-cut keys
- resistant to deformations
- practical retractable cover for wall hanging
- designed for heavy-duty work even in the toughest conditions
- socket wrench set 1/2: 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 24 / 27 / 30 / 32 mm
- long socket wrench set 1/2: 16 / 17 / 18 / 19 / 22 mm
- spark plug socket wrench 1/2: 16 mm, 21 mm
- internal TORX socket wrench set 1/2: E20 / E24
- socket wrench set 1/4: 4 / 4.5 / 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm
- long socket wrench set 1/4: 4 / 5 / 6 / 7 / 8 / 9 / 10 mm
- TORX socket wrench set 1/4: E4 / E5 / E6 / E7 / E8
- socket extension 1/2: 125 mm, 200 mm
- socket extension 1/4: 50 mm, 100 mm
- socket extension 3/8: 125 mm
- socket wrench handle 1/4 with holder: included
- socket wrench handle 1/4 type T: included
- universal joint 1/2: included
- universal joint 1/4: included
- universal joint 3/8: included
- ratchet 1/2 72 teeth, RC Type: included
- ratchet 1/4 72 teeth, RC Type: included
- ratchet 3/8 72 teeth, RC Type: included
- adapter 1/2 (F) x 3/8 (M): included
- hex keys: 1.27 / 1.5 / 2 / 2.5 / 3 / 4 / 5 mm
- socket wrench set 1/4 with PH bit: 0 / 1 / 2
- socket wrench set 1/4 with PZ bit: 0 / 1 / 2
- socket wrench set 1/4 with HEX bit: 3 / 4 / 5 / 6 with hole 4 / 5.5 / 6.5
- socket wrench set 1/4 with TORX bit: T8 / T9 / T10 / T15 / T20 / T25 / T27 / T30
- socket wrench with hole: 4 / 5.5 / 6.5 / 7
- socket wrench set 3/8: 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 mm
- long socket wrench set 3/8: 10 / 11 / 12 / 13 / 14 / 15 mm
- TORX socket wrench set 3/8: E10 / E11 / E12 / E14 / E16 / E18
- adapter for bits 3/8: included
- adapter 1/2 for 5/16 bits: included
- bits 1/2x 5/16: (HEX) 7 / 8 / 10 / 12 / 14, (with hole) 8 / 10 / 12
- bits 1/2x 5/16: (PH) 3 / 4, (PZ) 3 / 4
- bits 1/2x5/16: (TORX) T40 / T45 / T50 / T55 / T60 / T70
- bits 1/2x5/16: (TORX with hole) T40 / T45 / T50 / T55 / T60 / T70



INDEX	Elements (pcs)	Packaging (pcs)
SQN-150	150	1

NS-14

HEXAGON SOCKET WRENCH 1/4"

A tool crafted with precision and adhering to the highest quality standards. It is characterized by high mechanical strength and great resistance to wear.

- made from chrome-vanadium steel (CrV)
- high quality, durability, and reliability in any conditions
- rounded edges inside the socket eliminate direct contact with critical points of the screw, preventing rapid damage or wear
- conforms to DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-14-4	4	10
NS-14-4,5	4,5	10
NS-14-5	5	10
NS-14-5,5	5,5	10
NS-14-6	6	10
NS-14-7	7	10
NS-14-8	8	10
NS-14-9	9	10
NS-14-10	10	10
NS-14-11	11	10
NS-14-12	12	10
NS-14-13	13	10
NS-14-14	14	10

NS-14D

HEXAGON SOCKET WRENCH LONG 1/4"

A tool crafted with full precision and in accordance with the highest quality standards. It is characterized by high mechanical strength and excellent resistance to wear.

- made from chrome-vanadium steel (CrV)
- high quality, durability, and reliability in any conditions
- rounded edges inside the socket eliminate direct contact with critical points of the screw, preventing rapid damage or wear
- conforms to DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-14D-6	6	40
NS-14D-7	7	40
NS-14D-8	8	40
NS-14D-10	10	30
NS-14D-12	12	30
NS-14D-13	13	30
NS-14D-14	14	30

NS-12

HEXAGON SOCKET WRENCH 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by high mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- rounded walls inside the cap eliminate direct contact with the critical points of the screw, preventing its quick destruction - abrasion
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-12-8	8	10
NS-12-9	9	10
NS-12-10	10	10
NS-12-11	11	10
NS-12-12	13	10
NS-12-13	13	10
NS-12-14	14	10
NS-12-15	15	10
NS-12-16	16	10
NS-12-17	17	10
NS-12-18	18	10
NS-12-19	19	10
NS-12-20	20	10
NS-12-21	21	10
NS-12-22	22	10
NS-12-23	23	10
NS-12-24	24	10
NS-12-25	25	10
NS-12-26	26	10
NS-12-27	27	10
NS-12-28	28	10
NS-12-30	30	10
NS-12-32	32	10

NS-12-12

TWELVE-SIDED SOCKET WRENCH SHORT 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by high mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- rounded walls inside the cap eliminate direct contact with the critical points of the screw, preventing its quick destruction - abrasion
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-12-12-8	8	32
NS-12-12-9	9	32
NS-12-12-10	10	32
NS-12-12-11	11	32
NS-12-12-12	12	32
NS-12-12-13	13	32
NS-12-12-14	14	32
NS-12-12-15	15	32
NS-12-12-16	16	32
NS-12-12-17	17	26
NS-12-12-18	18	20
NS-12-12-19	19	20
NS-12-12-21	21	20
NS-12-12-22	22	18
NS-12-12-24	24	16
NS-12-12-27	27	12
NS-12-12-30	30	10
NS-12-12-32	32	8

NS-12D

TWELVE-SIDED SOCKET WRENCH LONG 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by high mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- rounded walls inside the cap eliminate direct contact with the critical points of the screw, preventing its quick destruction - abrasion
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-12D-8	8	10
NS-12D-9	9	10
NS-12D-10	10	10
NS-12D-11	11	10
NS-12D-12	12	10
NS-12D-13	13	10
NS-12D-14	14	10
NS-12D-15	15	10
NS-12D-16	16	10
NS-12D-17	17	10
NS-12D-18	18	10
NS-12D-19	19	10
NS-12D-20	20	10
NS-12D-21	21	10
NS-12D-22	22	10
NS-12D-24	24	10
NS-12D-27	27	10
NS-12D-30	30	10
NS-12D-32	32	10

NS-S12

CANDLE SOCKET WRENCH 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by high mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in difficult conditions
- DIN 3129 standard
- polisher with a rubber insert inside to protect against falling out and damaging the ceramic candle holder



INDEX	Size (mm)	Packaging (pcs)
NS-S12-16	16	10
NS-S12-21	21	10

NS-BT12-1

SOCKET WRENCH WITH 55 MM TORX BIT 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by excellent mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- DIN 3124 standard
- polished finish



INDEX	Size	Packaging (pcs)
NS-BT12-20-1	T20	10
NS-BT12-25-1	T25	10
NS-BT12-27-1	T27	10
NS-BT12-30-1	T30	10
NS-BT12-40-1	T40	10
NS-BT12-45-1	T45	10
NS-BT12-50-1	T50	10
NS-BT12-55-1	T55	10
NS-BT12-60-1	T60	10

NS-BT12-2

SOCKET WRENCH WITH 100 MM TORX BIT 1/2"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by excellent mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-BT12-20-2	T20	10
NS-BT12-25-2	T25	10
NS-BT12-27-2	T27	10
NS-BT12-30-2	T30	10
NS-BT12-40-2	T40	10
NS-BT12-45-2	T45	10
NS-BT12-50-2	T50	10
NS-BT12-55-2	T55	10
NS-BT12-60-2	T60	10

NS-BH12

SOCKET WRENCH WITH 55 MM ALLEN BIT 1/2"

Made of the highest quality materials. The tool is made with full precision and maintaining the highest quality standards.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability regardless of operating conditions
- abrasion resistance
- excellent mechanical strength
- DIN 3124 spigot
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-BH12-4-1	4	40
NS-BH12-5-1	5	40
NS-BH12-6-1	6	40
NS-BH12-7-1	7	40
NS-BH12-8-1	8	40
NS-BH12-10-1	10	40
NS-BH12-12-1	12	40

NS-BH12

SOCKET WRENCH WITH 100 MM ALLEN BIT 1/2"

Made of the highest quality materials. The tool is made with full precision and maintaining the highest quality standards.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability regardless of operating conditions
- abrasion resistance
- excellent mechanical strength
- DIN 3124 spigot
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-BH12-4-2	4	40
NS-BH12-5-2	5	40
NS-BH12-6-2	6	40
NS-BH12-7-2	7	40
NS-BH12-8-2	8	40
NS-BH12-10-2	10	10
NS-BH12-12-2	12	10

NS-U12

IMPACT SOCKET WRENCH 1/2"

The key withstands heavy loads thanks to heat treatment and appropriate forging technology. It is characterized by high impact resistance.

- made of chrome-molybdenum steel CrMo scm 440
- DIN 3129 standard
- oxidized forged tool
- heat-treated



INDEX	Size (mm)	Packaging (pcs)
NS-U12-8	8	10
NS-U12-10	10	10
NS-U12-13	13	10
NS-U12-17	17	10
NS-U12-18	18	10
NS-U12-19	19	10
NS-U12-22	22	10
NS-U12-24	24	10
NS-U12-27	27	10
NS-U12-30	30	10
NS-U12-32	32	10

NS-UD12

IMPACT SOCKET WRENCH LONG 1/2"

The key withstands heavy loads thanks to heat treatment and appropriate forging technology. It is characterized by high impact resistance.

- made of chrome-molybdenum steel CrMo scm 440
- DIN 3129 standard
- oxidized forged tool
- heat-treated



INDEX	Size (mm)	Packaging (pcs)
NS-UD12-8	8	10
NS-UD12-10	10	10
NS-UD12-13	13	10
NS-UD12-17	17	10
NS-UD12-18	18	10
NS-UD12-19	19	10
NS-UD12-21	21	10
NS-UD12-22	22	10
NS-UD12-24	24	10
NS-UD12-27	27	10
NS-UD12-30	30	10
NS-UD12-32	32	10

NS-34

HEX SOCKET WRENCH 3/4"

The tool is made with full precision and maintaining the highest quality standards. It is characterized by high mechanical strength and high abrasion resistance.

- made of chrome-vanadium CrV steel
- high quality, durability and reliability in all conditions
- rounded walls inside the cap eliminate direct contact with the critical points of the screw, preventing its quick destruction - abrasion
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-34-17	17	10
NS-34-19	19	10
NS-34-21	21	10
NS-34-22	22	10
NS-34-24	24	10
NS-34-27	27	10
NS-34-30	30	10
NS-34-32	32	10
NS-34-33	33	10
NS-34-34	34	10
NS-34-36	36	10
NS-34-38	38	10
NS-34-41	41	10
NS-34-46	46	10
NS-34-50	50	10
NS-34-55	55	10
NS-34-60	60	10

NS-U34

IMPACT SOCKET WRENCH 3/4"

The key withstands heavy loads thanks to heat treatment and appropriate forging technology. It is characterized by high impact resistance.

- made of chrome-molybdenum steel CrMo scm 440
- DIN 3129 standard
- oxidized forged tool
- heat-treated



INDEX	Size (mm)	Packaging (pcs)
NS-U34-17	17	10
NS-U34-19	19	10
NS-U34-22	22	10
NS-U34-24	24	10
NS-U34-27	27	10
NS-U34-30	30	10
NS-U34-32	32	10
NS-U34-33	33	10
NS-U34-34	34	10
NS-U34-36	36	10
NS-U34-38	38	10
NS-U34-41	41	10
NS-U34-46	46	10
NS-U34-50	50	10

NS-UD34

IMPACT SOCKET WRENCH LONG 3/4"

The key withstands heavy loads thanks to heat treatment and appropriate forging technology. It is characterized by high impact resistance.

- made of chrome-molybdenum steel CrMo scm 440
- DIN 3129 standard
- oxidized forged tool
- heat-treated



INDEX	Size (mm)	Packaging (pcs)
NS-UD34-17	17	10
NS-UD34-19	19	10
NS-UD34-22	22	10
NS-UD34-24	24	10
NS-UD34-27	27	10
NS-UD34-30	30	10
NS-UD34-32	32	10
NS-UD34-33	33	10
NS-UD34-34	34	10
NS-UD34-36	36	10
NS-UD34-38	38	10
NS-UD34-41	41	10
NS-UD34-46	46	10
NS-UD34-50	50	10

NS-G-72

RATCHET 1/4", 3/8", 1/2", 72 TEETH

Professional ratchet with a strong, precise mechanism of 72 teeth (5° rotation). Made of polished steel. Profiling makes it much easier to use the tool at work.

- very strong and durable monolithic structure
- profiled handle covered with anti-slip rubber
- made of the highest quality chrome-vanadium steel
- telescopically adjustable body enabling increased pressing force
- plastic handle with anti-slip insert ensuring proper shape and ergonomics and occupational safety
- precise ratchet mechanism
- cap locking and release button
- right/left rotation direction switch



INDEX	Size (inch)	Packaging (pcs)
NS-G12-72	1/2"	5
NS-G14-72	1/4"	15
NS-G38-72	3/8"	10

NS-GN

RATCHET 1/4", 1/2", 72 TEETH

Professional ratchet with a strong, precise mechanism of 72 teeth (5° rotation).

- very strong and durable monolithic structure
- profiled handle covered with anti-slip rubber
- made of the highest quality chrome-vanadium steel
- telescopically adjustable body enabling increased pressing force
- plastic handle with anti-slip insert ensuring proper shape and ergonomics and occupational safety
- precise ratchet mechanism
- cap locking and release button
- right/left rotation direction switch



INDEX	Size (inch)	Packaging (pcs)
NS-GN12-72	1/2"	15
NS-GN14-72	1/4"	50

NS-GT12-72

TELESCOPIC RATCHET 1/2" 72 TEETH

Professional ratchet with a strong, precise mechanism of 72 teeth (5° rotation).

- adjustable length in the range of 305-445mm
- very strong and durable construction
- made of the highest quality chrome-molybdenum steel
- plastic handle with anti-slip insert ensuring proper shape and ergonomics and occupational safety
- precise ratchet mechanism
- cap locking and release button
- right/left rotation direction switch



INDEX	Size (inch)	Packaging (pcs)
NS-GT12-72	1/2"	20

NS-PR14

EXTENSION FOR 1/4" SOCKETS

- made of high-quality chrome vanadium CrV alloy steel
- DIN 3124 standard
- polished finish
- resistant to deformation
- drop forged



INDEX	Size (mm)	Packaging (pcs)
NS-PR14-50	50	20
NS-PR14-100	100	10
NS-PR14-150	150	10

NS-PR12

EXTENSION FOR 1/2" SOCKETS

Extension for 1/2" sockets.

- made of high-quality chrome vanadium CrV alloy steel, DIN 3124 standard
- polished finish
- resistant to deformation
- drop forged



INDEX	Size (mm)	Packaging (pcs)
NS-PR12-75	75	20
NS-PR12-125	125	20
NS-PR12-250	250	5

NS-PRU12

SOCKET EXTENSION 1/2" IMPACT

Extension for 1/2" impact sockets

- made of chrome-molybdenum steel CrMo scm 440
- oxidized forged tool
- resistant to deformation
- DIN 3129 standard



INDEX	Size (mm)	Packaging (pcs)
NS-PRU12-75	75	55
NS-PRU12-250	250	10

NS-PR34

EXTENSION FOR 3/4" SOCKETS

Extension for 1/2", 1/4", 3/4", 3/8" sockets.

- made of high-quality chrome vanadium CrV alloy steel
- DIN 3124 standard
- polished finish
- resistant to deformation
- drop forged




INDEX	Size (mm)	Packaging (pcs)
NS-PR34-100	100	10
NS-PR34-200	200	5

NS-PT12

SOCKET KNOB TYPE T 1/2" 250 MM

Knob for sockets type T 1/2"

- made of chrome-vanadium CrV steel
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-PT12-250	250	5
NS-PT12-300	300	5

NS-PF12

PIPE KNOB 1/2"

L-type knob. It is characterized by a monolithic structure, its shape resembles the letter L, with the shorter arm ending with a square for fastening socket wrenches.

- made of CrV steel
- ergonomic handle
- resistant to deformation
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-PF12-250	250	5
NS-PF12-300	300	5

NS-PG

UNIVERSAL JOINT FOR SOCKETS

The joint connects to attachments of various sizes and allows work in hard-to-reach places.

- made of high-quality chrome vanadium CrV alloy steel
- DIN 3124 standard
- resistant to deformation
- polished finish



INDEX	Size (inch)	Packaging (pcs)
NS-PG12	1/2"	25
NS-PG14	1/4"	50

NS-R

REDUCER

- made of chrome-vanadium steel
- DIN 3129 standard
- excellent mechanical strength
- polished finish
- reduction of the sizes of the ratchet and socket, enabling the cooperation of products with different nominal dimensions



INDEX	Size (inch)	Packaging (pcs)
NS-R12-34	1/2 - 3/4	10
NS-R12-38	1/2 - 3/8	10
NS-R12-38-12	1/2 - 3/8 - 1/2	10
NS-R14-38	1/4 - 3/8	10
NS-R1-34	1-3 - 4	10
NS-R34-1	3/4 - 1	10
NS-R34-12	3/4 - 1/2	10
NS-R38-12	3/8 - 1/2	10
NS-R38-14	3/8 - 1/4	10

NS-RU

IMPACT REDUCER

Reducer designed for resistance to stresses arising from impact devices.

- made of chrome-molybdenum steel CrMo scm 440
- DIN 3129 standard
- oxidized forged tool



INDEX	Size (inch)	Packaging (pcs)
NS-RU12-34	1/2 - 3/4	10
NS-RU34-12	3/4 - 1/2	10

NS-PF34-450

PIPE KNOB 3/4" 450MM

L-type knob. It is characterized by a monolithic structure, its shape resembles the letter L, with the shorter arm ending with a square for fastening socket wrenches.

- made of CrV steel
- ergonomic handle
- resistant to deformation
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-PF34-450	450	5

NS-PP12

ARTICULATING KNOB 1/2"

Equipped with a handle attached to the end of the handle. Thanks to its location on the joint, it allows you to work at various angles. Used for most sockets.

- made of chrome-vanadium CrV steel
- DIN 3124 standard
- polished finish



INDEX	Size (mm)	Packaging (pcs)
NS-PP12-250	250	5
NS-PP12-380	380	40

SKSZ

SWEDISH ADJUSTABLE WRENCH

Professional, solid Swedish wrench. An indispensable tool for plumbing work. Incredible comfort of use and high quality of workmanship.

- made of chrome-vanadium steel
- recommended for work under heavy loads in specialized hydraulic services
- the wrench has an efficient worm mechanism that regulates the opening of the working jaws and a strong clamping force, appropriately reinforced by the long arms of the wrench
- comfortable non-slip handle improving work comfort
- rotatable jaws
- scale making work easier



INDEX	Size (mm)	Packaging (pcs)
SKSZ-150	150	6
SKSZ-200	200	6
SKSZ-250	250	6
SKSZ-300	300	6

SKNSZ

SWEDISH ADJUSTABLE WRENCH

Professional, solid Swedish wrench. An indispensable tool for plumbing work. Incredible comfort of use and high quality of workmanship.

- made of chrome-vanadium steel
- scale making work easier



INDEX	Size (mm)	Packaging (pcs)
SKNSZ-150	150	6
SKNSZ-200	200	6
SKNSZ-250	250	6
SKNSZ-300	300	6

SVN-R

ADJUSTABLE PIPE PLIERS

Pliers made of high-quality chrome-vanadium steel ensuring long tool life. Ergonomic handles covered with anti-slip material ensure comfort and safety while working.

- narrow head shape allows work in hard-to-reach places
- precisely adjustable joint allows optimal adjustment to the grasped object
- high stability of the sliding joint thanks to the double guide
- pin lock to prevent accidental adjustment
- bi-material, ergonomic handle increases comfort of use
- used to grab and hold pipes and angle profiles



INDEX	Size (mm)	Packaging (pcs)
SVN-R-180	180	6
SVN-R-250	250	6
SVN-R-300	300	6

SKDS-1/2

UNION WRENCH 1/2"

Universal wrench for radiator connections, connectors with external thread, heating valves, lower shut-offs on radiator returns and short valve extensions.

- five-stage 3/8 inch, 7/16 inch., 1/2 inch., 16mm, 21 mm
- 1/2 inch ratchet socket.
- CrV50BV30 steel



INDEX	Size (inch)	Packaging (pcs)
SKDS-1/2	1/2"	1

SKNS

ADJUSTABLE PIPE WRENCH TYPE S

A professional, solid wrench recommended for work under heavy loads in specialized hydraulic services. Incredible comfort of use and high quality of workmanship.

- made of chrome-vanadium steel
- teeth minimize the phenomenon of wrench slipping on oval objects, pipes and hydraulic valves
- the wrench has an efficient worm mechanism that regulates the opening of the working jaws and a strong clamping force, appropriately reinforced by the long arms of the wrench
- ground, polished jaws
- comfortable non-slip handle improving work comfort



INDEX	Size (inch)	Packaging (pcs)
SKNS-1/2	1/2	1
SKNS-1	1	1
SKNS-1,5	1,5	1
SKNS-2	2	1

SKST

STILLSON ADJUSTABLE WRENCH

Precisely and solidly made. Increased cross-section ensures better durability.

- made of high-quality chrome-vanadium alloy steel
- grooved, forged and ground jaws made of alloy steel
- body made of malleable cast iron
- scale for setting the desired pipe diameter



INDEX	Size (mm)	Packaging (pcs)
SKST-250	250	6
SKST-300	300	6
SKST-350	350	6
SKST-450	450	4
SKST-600	600	2

SKIK

SHORT ALLEN KEY

Short, well-shaped hexagonal key, which makes it easier to maneuver and work even in hard-to-reach places.

- made of the highest quality chrome-vanadium steel with a ball tip facilitating work at variable angles
- high quality
- precise mechanical processing
- the tip of the wrench fits perfectly with the screws, thanks to which the slightest movement of the wrench is immediately transferred to the screw



INDEX	Size (mm)	Packaging (pcs)
SKIK-3,0	3	100
SKIK-5,0	5	100
SKIK-17,0	17	10
SKIK-19,0	19	10
SKIK-24,0	24	5

SKID

LONG ALLEN KEY

Long hexagonal Allen key, well-shaped, which makes it easier to maneuver and work even in hard-to-reach places.

- long hexagonal Allen key
- made of the highest quality chrome-vanadium steel with a ball tip facilitating work at variable angles
- high quality
- precise mechanical processing
- the tip of the wrench fits perfectly with the screws, thanks to which the slightest movement of the wrench is immediately transferred to the screw



INDEX	Size (mm)	Packaging (pcs)
SKID-10,0	10	20

SKI

ALLEN KEY TYPE T

T-type Allen key. To transfer greater force - a T-shaped handle is used. The hexagonal Allen key is well-shaped, which makes it easier to maneuver and work even in hard-to-reach places.

- made of the highest quality chrome-vanadium steel
- high quality
- precise mechanical processing
- the tip of the wrench fits perfectly with the screws, thanks to which the slightest movement of the wrench is immediately transferred to the screw



INDEX	Packaging (pcs)
SKI8	6

SQIP-9-1

SET OF ALLEN KEYS EXTENDED 9 PCS.

- made of high-quality chrome-vanadium alloy steel
- resistant to deformation and abrasion
- Key sizes included: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10



INDEX	Elements (pcs)	Packaging (pcs)
SQIP-9-1	9	10

SQKID

SET OF LONG ALLEN KEYS 9 PCS.

A set of long Allen keys made of hardened chrome-vanadium steel, covered with a layer of rubber for greater comfort of work.

- 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 10MM
- CRV6150
- 52-56 HRC



INDEX	Elements (pcs)	Packaging (pcs)
SQKID	9	8

SQKIK

SET OF SHORT ALLEN KEYS 9 PCS.

A set of short Allen keys made of hardened chrome-vanadium steel, covered with a layer of rubber for greater comfort of work.

- 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 10MM
- CRV6150
- 52-56 HRC



INDEX	Elements (pcs)	Packaging (pcs)
SQKIK	9	8

SQKI-1

SET OF ALLEN KEYS TYPE T 8 PCS.

A set of Allen keys with a T-handle made of S2 steel ensuring durability and durability of the tips. The handle made of plastic and rubber ensures a firm grip and the highest comfort of work.

Set contains :

- H2x100mm
- H2.5x100mm
- H3x100mm
- H4x150mm
- H5x150mm
- H6x150mm
- H8x200mm
- H10x200mm



INDEX	Elements (pcs)	Packaging (pcs)
SQKI-1	8	8

SQTP-9-1

SET OF TORX KEYS EXTENDED 9 PCS.

- made of high-quality chrome-vanadium alloy steel
- resistant to deformation and abrasion
- Key sizes included: T10, T15, T20, T25, T27, T30, T40, T45, T50



INDEX	Elements (pcs)	Packaging (pcs)
SQTP-9-1	9	10

SQKT-1

SET OF TORX KEYS TYPE T 9 PCS.

A set of Allen keys with a T-handle made of S2 steel ensuring durability and durability of the tips. The handle made of plastic and rubber ensures a firm grip and the highest comfort of work.

- T10x100mm
- T15x100mm
- T20x100mm
- T25x150mm
- T27x150mm
- T30x150mm
- T40x150mm
- T45x200mm
- T50x200mm



INDEX	Elements (pcs)	Packaging (pcs)
SQKT-1	9	10

SQKT-2

SET OF LONG TORX WRENCHES 9 PCS.

A set of long TORX wrenches made of hardened chrome-vanadium steel, covered with a layer of rubber for greater comfort of work.

- T10 - T15 - T20 - T.25 - T27 - T30 - T40 - T45 - T50
- CRV6150
- 52-56 HRC



INDEX	Elements (pcs)	Packaging (pcs)
SQKT-2	9	10

SQKT-3

TORX SHORT KEY SET 9 PCS.

A set of short TORX wrenches made of hardened chrome-vanadium steel, covered with a layer of rubber for greater comfort of work.

- T10 - T15 - T20 - T.25 - T27 - T30 - T40 - T45 - T50
- CRV6150
- 52-56 HRC



INDEX	Elements (pcs)	Packaging (pcs)
SQKT-3	9	10

SKT

TORX KEY TYPE T

T-type TORX key. To transfer greater force - a T-shaped handle is used.

- made of high-quality chrome-vanadium alloy steel
- resistant to deformation and abrasion



INDEX	Packaging (pcs)
SKT10	12
SKT15	12
SKT20	12
SKT25	12
SKT30	12
SKT40	12
SKT50	6

SVU

COMBINATION PLIERS

Szczypce uniwersalne do cięcia i kształtowania drutu. Przeznaczone do prac przy średnich i dużych obciążeniach.

- wykonane z wysokogatunkowej stali stopowej chromowo-wanadowej
- odkuwane matrycowo
- krawędzie tnące hartowane indukcyjnie o wysokiej twardości
- wygodna antypoślizgowa rękojeść poprawiająca komfort pracy
- trwałe, odporne na odkształcenia



INDEX	Size (mm)	Packaging (pcs)
SVU-160	160	6
SVU-180	180	6
SVU-200	200	6

SUVI

INSULATED COMBINATION PLIERS

- made of high-quality chrome-vanadium alloy steel
- drop forged
- induction hardened cutting edges with high hardness
- durable, resistant to abrasion and deformation
- two-composite non-slip TPR handle improving work comfort
- insulated handles enabling work under voltage
- GS TUV certificate
- made in accordance with the DIN ISO5743 standard, DIN ISO5744, DIN ISO 5746



INDEX	Size (mm)	Packaging (pcs)
SUVI-160	160	6
SUVI-180	180	6
SUVI-200	200	6

SVTP/V-160

TELEPHONE PLIERS 160 MM 1000V

Telephone pliers have an insulated handle certified to work at voltages up to 1000V.

- GS TUV certificate
- its ergonomic design ensures comfort during long work
- chrome-vanadium steel, hardened HRC55-65
- satin finish,



INDEX	Size (mm)	Packaging (pcs)
SVTP/V-160	160	36

SVI/V-160

INSULATION PLIERS 160MM 1000V

Insulation pliers have an insulated handle certified to work at voltages up to 1000V.

- GS TUV certificate
- its ergonomic design ensures comfort during long work
- adjustable screw allows you to adapt the tool to the cable thickness
- chrome-vanadium steel
- satin finish



INDEX	Size (mm)	Packaging (pcs)
SVI/V-160	160	36

SVOB

SIDE CUTTERS

Side cutters are used primarily for cutting cables, wires, bands, etc. The sharp edges are placed parallel to the handle arms.

- made of chrome-vanadium steel
- comfortable non-slip handle improving work comfort
- for work with medium and heavy loads



INDEX	Size (mm)	Packaging (pcs)
SVOB-160	160	6
SVOB-190	190	6

SVOB/V-160

SIDE CUTTERS 160 MM 1000V

Side cutters have an insulated handle certified to work at voltages up to 1000V.

- GS TUV certificate
- its ergonomic design ensures comfort during long work
- chrome-vanadium steel, hardened HRC55-65
- satin finish



INDEX	Size (mm)	Packaging (pcs)
SVOB/V-160	160	36

SVOC

FRONT CUTTERS

The nose pliers have cutting edges placed perpendicular to the handles. They enable cutting nails, protruding wires, bending, etc. on the same surfaces.

- made of chrome-vanadium steel
- comfortable non-slip handle improving work comfort




INDEX	Size (mm)	Packaging (pcs)
SVOC-160	160	6
SVOC-180	180	6

SVK/V

CABLE CUTTING PLIERS

Cable cutting pliers have an insulated handle certified to work at voltages up to 1000V.

- GS TUV certificate
- its ergonomic design ensures comfort during long work
- chrome-vanadium steel, hardened HRC55-65



INDEX	Size (mm)	Packaging (pcs)
SVK/V-160	160	36
SVK/V-200	200	36

SOR

SCHMITH CUTTER FOR PVC PIPES

Designed for precise cutting of heavy materials such as leather, rubber, vinyl, thin sheet metal, cardboard, plastic gutters, etc.

- stainless steel blade, 55mm long
- ergonomic handle



INDEX	Packaging (pcs)
SOR-42	1

SAI-026

AUTOMATIC INSULATION STRIPPER 0.2-6 MM

- stripping insulation from round wires with a cross-section of 0.2 - 6.0 mm² (24AWG - 10AWG)
- crimping insulated terminals on wires 0.5 - 6.0 mm² (22AWG - 10AWG)
- crimping non-insulated terminals on wires 0.5 - 6.0 mm² (22AWG - 10AWG)
- plastic covers on the handles make work easier
- adjustment enabling obtaining a repeatable length of the stripped cable
- The surface is adapted to the diameter of the cable



INDEX	Size (mm)	Packaging (pcs)
SAI-026	0,2-6	10

SVO

PINCERS

Pincers are perfect for carpentry, carpentry and roofing. Designed for work with medium and heavy loads.

- made of chrome-vanadium steel
- drop forged
- high hardness cutting edges
- comfortable non-slip handle improving work comfort
- well balanced, wear-resistant



INDEX	Size (mm)	Packaging (pcs)
SVO-180	180	6
SVO-200	200	6

SVS-ZP

SEEGER RING PLIERS EXTERNAL STRAIGHT

Designed for Seeger circlips placed in a hole in hard-to-reach places, e.g. brake cylinders.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- cutting edges induction hardened with high hardness
- resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVS-ZP-160	160	6
SVS-ZP-180	180	6
SVS-ZP-200	200	6
SVS-ZP-250	250	6
SVS-ZP-300	300	6

SVS-ZW

SEEGER RING PLIERS EXTERNAL BENT

Designed for Seeger circlips placed in a hole in hard-to-reach places, e.g. brake cylinders.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- cutting edges induction hardened with high hardness
- resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVS-ZW-160	160	6
SVS-ZW-180	180	6
SVS-ZW-200	200	6
SVS-ZW-250	250	6
SVS-ZW-300	300	6

SVS-WP

SEEGER INTERNAL RING PLIERS EASY

Designed for Seeger circlips placed in a hole in hard-to-reach places, e.g. brake cylinders.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- cutting edges induction hardened with high hardness
- resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVS-WP-160	160	6
SVS-WP-180	180	6
SVS-WP-200	200	6
SVS-WP-250	250	6
SVS-WP-300	300	6

SVS-WW

SEEGER INTERNAL RING PLIERS BENT

Designed for Seeger circlips placed in a hole in hard-to-reach places, e.g. brake cylinders.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- cutting edges induction hardened with high hardness
- resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVS-WW-160	160	6
SVS-WW-180	180	6
SVS-WW-200	200	6
SVS-WW-250	250	6
SVS-WW-300	300	6

SVZ-0256

CABLE CRIMPING PLIERS SLEEVES 0.25-6 MM²

The four-corner sleeve clamp ensures precise connection.

- a system that blocks the opening of the pliers until the tip is crimped
- ergonomic handle, easy to use with one or both hands
- working range 0.25-6.0 mm²



INDEX	Size (mm ²)	Packaging (pcs)
SVZ-0256	0,25-6	10

SVTP

STRAIGHT TELEPHONE PLIERS

Extended straight pliers for cutting and shaping wire. Designed for work with medium and heavy loads.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- induction hardened cutting edges with high hardness
- precise cutting
- durable, resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVTP-160	160	6
SVTP-180	180	6

SVTW

TELEPHONE PLIERS BENT

Long, curved pliers for cutting and shaping wire. Designed for work with medium and heavy loads.

- made of high-quality chrome-vanadium alloy steel
- drop forged
- induction hardened cutting edges with high hardness
- precise cutting
- durable, resistant to deformation
- comfortable non-slip handle improving work comfort



INDEX	Size (mm)	Packaging (pcs)
SVTW-160	160	6
SVTW-200	200	6

SVO

PLASTERING PLIERS

Plastering pliers are perfect for carpentry, carpentry and roofing. Designed for work with medium and heavy loads.

- made of chrome-vanadium steel
- drop forged
- high hardness cutting edges
- comfortable non-slip handle improving work comfort
- well balanced, wear-resistant



INDEX	Size (mm)	Packaging (pcs)
SVO-250	250	6
SVO-280	280	6

SVM

MORSE LOCKING PLIERS

Pliers designed for crimping cable ends. They consist of knurled jaws of various shapes, a ratchet mechanism that locks and allows constant pressure, a screw that regulates the pressure force and a button that releases the ratchet mechanism.

- made of reinforced Cr-Mo steel alloy
- rounded clamping jaws
- jaw locking mechanism
- clamping force adjustment



INDEX	Size (mm)	Packaging (pcs)
SVM-180	180	6
SVM-250	250	6

SVM-C-280

LOCKING PLIERS TYPE C 280 MM

Type C welding clamp pliers for specialized clamp. Clamping pliers with a large clamp profile used for point-pressing materials during welding, drilling and riveting. The special shape allows you to clamp materials of various and irregular shapes.



INDEX	Size (mm)	Packaging (pcs)
SVM-C-280	280	6

SVM-L-220

LONG LOCKING PLIERS 220 MM

Pliers designed for crimping cable ends and flat materials. They consist of knurled jaws with various shapes, a ratchet mechanism that locks and allows constant pressure, a screw that regulates the pressure force and a button that releases the ratchet mechanism.

- made of reinforced Cr-Mo steel alloy,
- rounded clamping jaws turning into flat,
- jaw locking mechanism,
- clamping force adjustment.



INDEX	Size (mm)	Packaging (pcs)
SVM-L-220	220	6

SZO-2448

CLAMP CRIMPER CLAMPS 2.4-4.8 MM

- cuts off the unnecessary end of the band
- enables tightening of plastic cable ties
- makes the work of installers easier
- for cable ties 2.4-4.8 mm



INDEX	Size (mm)	Packaging (pcs)
SZO-2448	2,4-4,6	10

SWFPH

PHILLIPS HAND SCREWDRIVER FEST PH S2

Phillips screwdriver for driving screws with a cross slot.

- magnetic tip made of high-quality S2 alloy steel, increasing precision and comfort of work
- ergonomic handle that fits the hand, ensuring comfort and safe work
- durable, resistant to deformation and damage



INDEX	Size (mm)	Packaging (pcs)
SWFPH-0/75	75	10
SWFPH-0/100	100	10
SWFPH-1/100	100	10
SWFPH-2/100	100	10
SWFPH-2/150	150	10
SWFPH-3/200	200	10

SWFPZ

PHILLIPS HAND SCREWDRIVER FEST PZ S2

Phillips screwdriver for driving screws with a cross slot.

- magnetic tip made of high-quality S2 alloy steel, increasing precision and comfort of work
- the tip has four additional edges increasing the contact surface with the screw
- ergonomic handle that fits the hand, ensuring comfortable and safe work
- durable, resistant to deformation and damage



INDEX	Size (mm)	Packaging (pcs)
SWFPZ-0/75	75	10
SWFPZ-0/100	100	10
SWFPZ-1/100	100	10
SWFPZ-2/100	100	10
SWFPZ-2/150	150	10
SWFPZ-3/150	150	10

SWFSL

FEST SL S2 HAND FLAT SCREWDRIVER

Flat screwdriver for driving screws. The tip is ground on both sides with tapered and parallel profiling.

- magnetic tip made of high-quality S2 alloy steel, increasing precision and comfort of work
- ergonomic handle that fits the hand, ensuring comfort and safe work
- durable, resistant to deformation and damage



INDEX	Size (mm)	Packaging (pcs)
SWFSL-3,5/75	75	10
SWFSL-4/100	100	10
SWFSL-5,5/100	100	10
SWFSL-6,5/100	100	10
SWFSL-6,5/150	150	10
SWFSL-8/150	150	10
SWFSL-8/200	200	10

SWSPH

LOCKSMITH'S SCREWDRIVER WITH PH CROSS SCREW

A Phillips screwdriver with a metal tamping ferrule. The shaft passing through the handle ends with a driver for supporting the key.

- magnetic reinforced tip made of reinforced S2 steel
- ergonomic handle that fits the hand, covered with non-slip material ensuring comfortable and safe work, resistant to grease and oil
- long service life



INDEX	Size (mm)	Packaging (pcs)
SWSPH-2/150	150	10
SWSPH-2/200	200	10
SWSPH-3/200	200	10

SWSSL

LOCKSMITH'S SCREWDRIVER WITH SL FLAT SCREW

A flat-head screwdriver with a steel tip on the handle, used for tamping with a hammer.

- magnetic tip made of reinforced S2 steel, increasing precision and comfort of work
- ergonomic handle that fits the hand, covered with anti-slip material
- ensuring comfortable and safe work, resistant to grease and oil
- screwdriver with a metal ferrule for punching
- long service life



INDEX	Size (mm)	Packaging (pcs)
SWSSL-5/150	150	10
SWSSL-6/150	150	10
SWSSL-8/200	200	10

SWVFPH

PHILLIPS HAND SCREWDRIVER VDE FEST PH

Phillips screwdriver certified to work under voltage. Used for screwing in cross-cut screws.

- magnetic insulated tip made of reinforced S2 alloy steel
- ergonomic handle that fits the hand, ensuring comfort and safe work
- durable, resistant to deformation and damage
- GS-VDE certificate
- made in accordance with the EN60900:2012 standard



INDEX	Size (mm)	Packaging (pcs)
SWVFPH-0/75	75	10
SWVFPH-1/80	80	10
SWVFPH-2/100	100	10

SWVFSL

VDE FEST SL HAND-HELD SCREWDRIVER

Flat screwdriver certified to work under voltage. The screwdriver tip is ground on both sides and has a tapered and parallel profile.

- magnetic insulated tip made of reinforced S2 alloy steel
- ergonomic handle that fits the hand, ensuring comfortable and safe work
- durable, resistant to deformation and damage
- GS-VDE certificate
- made in accordance with the EN60900:2018 standard



INDEX	Size (mm)	Packaging (pcs)
SWVFSL-3/75	75	10
SWVFSL-4/100	100	10
SWVFSL-5,5/125	125	10
SWVFSL-6,5/150	150	10

STN

VOLTAGE TESTER

Used to measure voltage in the range of 150-250 V. Useful for assembly and inspection work on electrical installations.

- compliant with ISO 57680 part 6 and VDE 0680/6
- handle made of transparent material
- metal hook



INDEX	Size (mm)	Packaging (pcs)
STN-140	140	20
STN-190	190	20

SQWF-6-1

FEST SCREWDRIVER SET 6 PCS. S2

A set of 6 screwdrivers made of high-quality S2 alloy steel.

- durable, resistant to deformation and damage
- magnetic tip increasing precision and comfort of work
- ergonomic handle that fits the hand, ensuring comfortable and safe work
- key dimensions included: PH0x75, PH1x150, PH3x150, SL3.5x75, SL5x75, SL5.5x100, SL6.5x150, SL8.0x150
- set of 6 screwdrivers made of high-quality S2 alloy steel.
- durable, resistant to deformation and damage



INDEX	Packaging (pcs)
SQWF-6-1	5

SQWF-8-1

FEST SCREWDRIVER SET 8 PCS. S2

A set of 8 screwdrivers made of high-quality S2 alloy steel.

- durable, resistant to deformation and damage
- magnetic tip increasing precision and comfort of work
- ergonomic handle that fits the hand, ensuring comfortable and safe work
- Key dimensions included: SL3.5x75, SL5.5x100, SL6.5x150, PH0x75, PH1x100, PH2x151



INDEX	Packaging (pcs)
SQWF-8-1	5

SQWS-01

A SET OF LOCKSMITH SCREWDRIVERS WITH A SCREW, 4 PCS.

A set of locksmith screwdrivers with a metal ferrule for tamping, a shaft passing through the handle and a picker for assistance with a key.

- magnetic reinforced tip made of reinforced S2 steel
- ergonomic handle that fits the hand, covered with non-slip material ensuring comfortable and safe work, resistant to grease and oil
- long service life
- SL 8/150 - SL 6/100 - PH3/150 - PH2/100



INDEX	Packaging (pcs)
SQWS-01	5

SQWVF-5-2

VDE FEST SCREWDRIVER SET 5 PCS.

Set of 5 screwdrivers certified for working under voltage.

- magnetic insulated tip made of S2 alloy steel
- ergonomic handle that fits the hand, ensuring comfortable and safe work
- durable, resistant to damage and deformation



INDEX	Packaging (pcs)
SQWVF-5-2	10

SWDUS

EXTRACTORS FOR BROKEN SCREWS 5 PCS.

A set of five extractors for removing broken, damaged screws made of high-quality GCR15 steel.

Dimensions:

- M3-M6
- M6-M8
- M8-M11
- M11-M14
- M14-M18



INDEX	Packaging (pcs)
SWDUS	10

SBU-PH

PH IMPACT BITS 20 PCS. HI-TEK LINE

- high quality X5 steel with high torque
- reduces the risk of damage
- the bit works perfectly with electric drills and impact screwdrivers.
- guarantee long operation



INDEX	Size (mm)	Packaging (pcs)
SBU-PH1/25	25	12
SBU-PH2/25	25	12
SBU-PH2/50	50	12
SBU-PH3/25	25	12

SBU-PZ

PZ IMPACT BITS 20 PCS. HI-TEK LINE

- high quality X5 steel with high torque
- reduces the risk of damage
- the bit works perfectly with electric drills and impact screwdrivers.
- guarantee long operation



INDEX	Size (mm)	Packaging (pcs)
SBU-PZ1/25	25	12
SBU-PZ2/25	25	12
SBU-PZ2/50	50	12

SBU-T

IMPACT BITS T 20PCS. -HI-TEK LINE

- high quality X5 steel with high torque
- reduces the risk of damage
- the bit works perfectly with electric drills and impact screwdrivers.
- guarantee long operation



INDEX	Size (mm)	Packaging (pcs)
SBU-T20/25	25	12
SBU-T20/50	50	12
SBU-T25/25	25	12
SBU-T25/50	50	12
SBU-T27/25	25	12
SBU-T27/50	50	12
SBU-T30/25	25	12
SBU-T40/25	25	12
SBU-T40/50	50	12

SBU-T30/50

IMPACT BITS 300 50 MM 10 PCS. HI-TEK LINE

Bits for precise work under impact loads. High quality X5 steel with high torque.

- pressure forged tip ensures perfect
- adaptation to the screw head, prevents slipping, which ensures significantly extended service life
- special shape designed to withstand high impact loads
- steel improved by heat treatment – high impact resistance



INDEX	Size (mm)	Packaging (pcs)
SBU-T30/50	50	12

SBO-PH2/25

BIT WITH LIMIT 2X25

Screwdriver bit used in corded and cordless drills. Designed for fastening plasterboards, wooden panels and chipboards.

- made of S2 steel
- PH 2 tips with a mechanism that limits the screwing depth
- designed for safe and quick connection with screws
- tip length 25mm




INDEX	Size (mm)	Packaging (pcs)
SBO-PH2/25	25	40

SBKM

MAGNETIC KEY

Magnetic quick-release key for hexagonal screwdriver bits, with a built-in magnet, extendable.

- strong, permanent magnet placed inside the key
- ideal for quick screw installation
- aluminum handle with screwdriver tip lock
- made of the highest quality CrV steel



INDEX	Size (mm)	Packaging (pcs)
SBKM-8	8	25
SBKM-10	10	25
SBKM-13	13	25

SQUW-01

SET OF 3 SCREWDRIVER HOLDERS.

Set of holders and adapters for screwdrivers for 1/4, 3/8, 1/2 inch. with an anti-fall element.

- Cr40 steel



INDEX	Packaging (pcs)
SQUW-01	1

SUW

SCREWDRIVER HOLDER

Screwdriver holder for 1/4, 3/8 and 1/2 inch screwdrivers with an anti-fall element.

- Cr40 steel



INDEX	Size (inch)	Packaging (pcs)
SUW-01	1/2"	10
SUW-02	1/4"	10
SUW-03	3/8"	10

SBUM-01

MAGNETIC HOLDER

Magnetic holder for 1/4" bits and screwdriver bits, 60 mm long. A strong magnet effectively protects the bit against falling out during work.

- magnetic tip makes it easier to power bits and magnetize screws
- use in screwdrivers
- hardened construction



INDEX	Size (mm)	Packaging (pcs)
SBUM-01	60	25

SBUM

MAGNETIC HOLDER

Magnetic holder for 1/4" bits and screwdriver bits. A strong magnet effectively protects the bit against falling out during work.

- strong magnetic tip makes it easier to power bits and magnetize screws
- use in screwdrivers
- hardened construction



INDEX	Size (mm)	Packaging (pcs)
SBUM-02	60	20
SBUM-03	150	20

SBUM-HT

IMPACT MAGNETIC HOLDER HI-TEK LINE

Magnetic holder with increased tearing resistance, for impact loads, for 1/4" bits and screwdriver bits. A strong magnet effectively protects the bit against falling out during work.

- strong magnetic tip makes it easier to power bits and magnetize screws
- use in screwdrivers
- hardened construction



INDEX	Size (mm)	Packaging (pcs)
SBUM-HT1	60	20
SBUM-HT2	150	20

SBUS

IMPACT QUICK-RELEASE BIT HOLDER

Quick-clamping magnetic holder with increased tear resistance, for impact loads, for 1/4" bits and screwdriver bits. The Quick-release system allows you to change the tip with one hand. A strong magnet effectively protects the bit against falling out during work.

- strong magnetic tip makes it easier to attach bits and magnetize screws
- use in screwdrivers
- hardened construction



INDEX	Size (mm)	Packaging (pcs)
SBUS-01	75	20
SBUS-02	150	20

SQBT-01

SET OF 40 BITS WITH HANDLE

Designed to handle screws with TORX and HEX sockets. Made of high-alloy tool steel with a high silicon content.

- two bit lengths: 75 and 30 mm
- Fixing dimension 10 mm
- hardness 58-62 HRC
- all in a practical metal suitcase
- TORX Length 30mm keys: T20 / T25 / T30 / T40 / T45 / T50 / T55
- TORX Length 75mm keys: T20 / T25 / T30 / T40 / T45 / T50 / T55
- SPLINE Length 30mm keys: M5 / M6 / M8 / M10 / M12
- SPLINE Length 75mm keys: M5 / M6 / M8 / M10 / M12
- HEX keys Length 30mm: 4 / 5 / 6 / 7 / 8 / 10 / 12 mm
- HEX keys Length 75mm: 4 / 5 / 6 / 7 / 8 / 10 / 12 mm
- ratchet adapters: 1/2 and 3/8



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-01	40	1

SQBT-02

SET OF BITS 100 PCS.

The set includes a rich set of standard and specialized types of tips with a length of 25 mm, consisting of 100 elements.

- tips with a length from 30 to 75 mm mounted in a 10 mm hexagonal holder adapted to work with a 1/2 ratchet
- set made of the highest quality steel S2 tool with a hardness of 58-62HRC
- all in a practical metal suitcase
- TORX Length 30 mm keys: T20 / T25 / T30 / T40 / T45 / T50 / T55
- TORX Length 75 mm keys: T20 / T25 / T30 / T40 / T45 / T50 / T55
- SPLINE Length 30 mm keys: M5 / M6 / M8 / M10 / M12
- SPLINE Length 75 mm keys: M5 / M6 / M8 / M10 / M12
- HEX Length 30 mm keys: 4 / 5 / 6 / 7 / 8 / 10 / 12 mm
- HEX Length 75 mm keys: 4 / 5 / 6 / 7 / 8 / 10 / 12 mm
- ratchet adapters: 1/2 and 3/8



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-02	100	1

SQBT-03

BIT SET 79 PCS.

A practical set of bits consisting of 79 elements. Designed to work in hard-to-reach places. Perfect for GSM, computer, watchmaking and other precision work.

- the set also includes a ratchet and a screwdriver with matching bit holder
- bits made of high-quality chrome-vanadium CR-V steel, marked with dimensions for easier identification
- the screwdriver with a rubberized handle fits perfectly in the hand and its rotating cap allows for precise tightening of screws
- bi-material handle resistant to chemicals, oils and greases
- all in a stable box with internal handles for each element



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-03	79	1

SQBT-06

TORX BIT SET WITH HANDLE 15 PCS

A professional set of bits for unscrewing special TORX screws.

- the variety of bits allows for many specialized jobs to be performed
- tips with a length from 30 to 75 mm mounted in a 10 mm hexagonal holder, adapted to work with a 1/2 ratchet
- set made of the highest quality S2 tool steel with a hardness of 58-62HRC
- made of high-quality S2 steel
- bit length 75mm: T20, T25, T30, T40, T45, T50, T55
- bit length 30mm: T20, T25, T30, T40, T45, T50, T55
- handle: included



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-06	15	1

SQBT-11

SET OF BITS 65 PCS.

The set includes a rich set of standard and specialized types of tips with a length of 25 mm, consisting of 65 elements.

- bits intended for electronics, household appliances, computer and automotive services
- tips made of high-quality chrome-vanadium CR-V steel marked with dimensions for easier identification
- the set also includes an adapter and a hook holder
- all packed in a practical case



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-11	65	1

SQBT-12

SET OF ELECTRONIC BITS 108 PCS.

A professional set designed for opening all types of electronics such as phones, tablets, cameras, laptops, etc. and other household appliances with non-standard screws. The tips are made of the highest quality nickel-plated CrV steel. The set includes a very useful magnetizer/demagnetizer, which will significantly facilitate the removal of screws and guiding them in hard-to-reach places.

- all packed in a practical case



INDEX	Elements (pcs)	Packaging (pcs)
SQBT-12	105	1

SPM-01

HAND SAW FOR METAL 300 MM

- handle covered with TPR material
- aluminum frame



INDEX	Size (mm)	Packaging (pcs)
SPM-01	300	6

SPM-02

METAL SAW 300 MM STANDARD

- made of alloy steel
- designed for saw blades with a length of 300 mm



INDEX	Size (mm)	Packaging (pcs)
SPM-02	300	24

SPP

DRAWKNIFE

Drawknife for cutting wood and chipboard. Here are some features:

- induction-hardened cutting blades
- durable and rigid blades with three cutting surfaces on each tooth
- ergonomic handle made of polymer material with non-slip insert for precise control
- ensures precise and fast cutting
- built-in 45 and 90-degree angles in the handle
- 7 teeth per inch
- it's a tool designed for quick and precise cutting of wood and chipboard, with features to enhance control and efficiency.



INDEX	Size (mm)	Packaging (pcs)
SPP-400	400	8
SPP-450	450	12
SPP-500	500	12

SSU

MITER BOX

Miter box for stable and precise cutting of moldings and stucco.

- possibility of cutting at three angles: 22.5°, 45°, 90°
- maximum width of slats 10 cm, maximum height 6.5 cm
- can be screwed to the table
- additional method of attaching the strips: the ability to rotate the material around its axis by 45° thanks to the included clamp pads
- ability to rigidly attach the strips thanks to four clamps



INDEX	Packaging (pcs)
SSU	30

SPB

SAW FOR AERATED CONCRETE

A saw for aerated concrete will enable efficient performance of workshop work. It has long teeth made of hardened steel, thanks to which it effectively reaches deep into a hard surface.

- wide every 1 tooth
- large teeth make work easier
- sintered carbide blade
- ergonomic handle made of polymer material with an anti-slip insert ensuring precise saw guidance
- precise, fast cutting




INDEX	Size (mm)	Packaging (pcs)
SPB-650	650	24
SPB-700	700	24

SBW-D

JIGSAW BLADE FOR CUTTING WOOD HCS 2 PCS.

Narrow, thin saw blade enabling cutting round contours with very small radii.

- made of high-carbon HCS tool steel
- longer service life
- T-handle




INDEX	Packaging (pcs)
SBW-D1	100
SBW-D2	100
SBW-D3	100

SBW-M

JIGSAW BLADE FOR CUTTING HSS METAL 2 PCS.

Designed for cutting non-ferrous metals and thin steel sheets. It has a very fine tooth and a relatively short working length.

- made of HSS alloy high-speed steel
- longer service life
- durable and effective cutting
- T-handle



INDEX	Packaging (pcs)
SBW-M	100

SBW-DM

JIGSAW BLADE FOR WOOD/METAL BIM 2 PCS.

The narrow, thin saw blade, moving up and down, cuts wood, metal, stainless and acid-resistant steel and plastics. The slim shape allows you to cut round contours with very small radii.

- made of high-carbon BIM tool steel
- longer service life
- T-handle



INDEX	Packaging (pcs)
SBW-DM	100

SNR-02

HAND KNIFE WITH A BROKEN BLADE 9MM

A knife with a breaking blade intended for finishing work. Blade made of high-carbon spring steel.

- durable body
- blade with increased resistance to cracks and chipping
- blade locking mechanism ensuring its stability
- multi-position retractable blade
- easy blade replacement



INDEX	Size (mm)	Packaging (pcs)
SNR-02	9	82

SNR-03

HAND KNIFE WITH 18 MM BREAKING BLADE

A knife with a broken blade intended for finishing work.

- durable body
- blade locking mechanism ensuring its stability
- multi-position retractable blade
- easy blade replacement
- aluminum housing



INDEX	Size (mm)	Packaging (pcs)
SNR-03	18	12

SNR-04

HAND KNIFE WITH 18 MM BREAKING BLADE

A knife with a breaking blade designed to work with 18 mm wide blades.

- metal guide and solid metal body construction ensure long tool life
- ergonomic shape of the handle and non-slip inserts ensure comfort and safety during use



INDEX	Size (mm)	Packaging (pcs)
SNR-04	18	12

SNR-07

HAND KNIFE WITH 18 MM BREAKING BLADE

A knife with a breaking blade designed to work with 18 mm wide blades.

- metal guide ensuring long tool life
- ergonomic handle
- high work comfort
- safety during use



INDEX	Size (mm)	Packaging (pcs)
SNR-07	18	12

SNR-08

HAND KNIFE WITH BLADE TRAPEZOIDAL

A knife with a replaceable trapezoidal blade intended for finishing work.

- trapezoidal folding knife
- blade with increased resistance to cracking and chipping
- aluminum housing and rubber elements ensuring good grip
- a special trigger protecting the blade against unexpected closing
- built-in blade locking mechanism with convenient adjustment of its length
- ergonomic shape ensuring comfort during use
- metal body ensuring long tool life
- system for quick replacement of a worn blade with a new one



INDEX	Size (mm)	Packaging (pcs)
SNR-08	19	12

SNR-11

HAND KNIFE WITH 18MM FOLDABLE BLADE

A knife with a breaking blade intended for finishing work. Blade made of high-carbon spring steel.

- durable body
- blade with increased resistance to cracking and chipping
- blade locking mechanism ensuring its stability
- multi-position retractable blade
- easy blade replacement



INDEX	Size (mm)	Packaging (pcs)
SNR-11	18	24

SNM-01

ASSEMBLY KNIFE

A universal folding knife designed for processing cables and wires.

- useful for work on the assembly of electrical installations, as well as other applications
- blade with recess for stripping insulation
- handle with wooden inserts
- knife blade made of high-quality chrome Japanese steel SUS420J1



INDEX	Packaging (pcs)
SNM-01	12

SNRM-01

COPPER PIPE CUTTER

Designed for thin-walled copper pipes. A spare cutting blade is included

- knob for adjusting the cutting diameter from 3-30mm
- 2 guide rollers
- ratchet-telescopic pressing mechanism
- integrated deburring tool
- material - light composite
- additional deburring blade
- spare blade included



INDEX	Size (mm)	Packaging (pcs)
SNRM-01	3-30	10

SGNO-12

**WORKSHOP SCISSORS
2 PCS. 250MM, 158MM**

A pair of workshop scissors equipped with durable stainless steel blades.

- very comfortable and well-fitting handle significantly facilitates work
- Length of smaller scissors 158mm
- Length of larger scissors 250mm



INDEX	Packaging (pcs)
SGNO-12	48

SONR-02

HOOK BLADE 5 PCS.

Set of 5 blades with sharpened, hooked tips. Used for cutting large surfaces of soft materials, e.g. linoleum, carpets, etc.

- special sharpening of the cut ensuring long-lasting sharpness
- made of high-quality carbon steel
- blade surfaces ground and polished on both sides
- packed in a handy plastic box



INDEX	Packaging (pcs)
SONR-02	400

SONR-03

TRAPEZOIDAL BLADE 5 PCS.

A set of 10 trapezoidal steel blades used in extendable knives. Used for cutting cardboard, wallpaper, carpets, etc.

- special sharpening of the cut ensuring long-lasting sharpness
- blades with increased durability
- made of high-quality carbon steel
- blade surfaces ground and polished on both sides
- packed in a handy plastic box



INDEX	Packaging (pcs)
SONR-03	400

SONR-04

FEST 18 MM BROKEN BLADES

A set of 10 steel broken blades used in extendable knives. Designed for cutting cardboard, wallpapers, carpets, tarpaulin fabrics, printing foils and PVC foils, etc.

- increased durability
- blade with increased resistance to cracking and chipping, made of high-carbon spring steel
- packed in a handy plastic box
- hardening technology ensures longer service life
- made of SK5 steel



INDEX	Size (mm)	Packaging (pcs)
SONR-04	18	400

SONR-05

BROKEN BLADES BLACK 18 MM 10 PCS.

A set of 10 steel broken blades intended for use in knives with an extension function. The product is intended for cutting materials: cardboard, wallpaper, carpet, tarpaulin fabric, printing foil, PVC foil and others.

Product features:

- is made of SK5 steel
- high carbon content ensures high hardness, which increases the strength of the material
- the addition of chromium increases the steel's resistance to abrasion and causes a longer blade life
- the blades are packed in a handy plastic box, which has increased durability. Protective packaging makes the product resistant to cracking or crumbling of the contents



INDEX	Size (mm)	Packaging (pcs)
SONR-05	18	240

SONR-06

9 MM BROKEN BLADES 10 PCS.

A set of 10 steel broken blades used in extendable knives. Designed for cutting cardboard, wallpapers, carpets, tarpaulin fabrics, printing foils and PVC foils, etc.

Product features:

- increased durability
- packed in a handy plastic box
- blade with increased resistance to cracking and chipping, made of high-carbon spring steel
- hardening technology ensures longer service life.



INDEX	Size (mm)	Packaging (pcs)
SONR-06	9	30

SNB-P01

RIGHT SHEET METAL SHEARS TYPE PELIKAN

Professional roofing scissors for cutting sheet metal.

- forged, hardened jaws made of high-quality steel alloy
- non-slip PVC coated handle
- for long straight cuts, e.g. cutting sheet metal
- for steel sheets up to 1.2 mm and stainless steel sheets up to 0.8 mm
- blades with a hardness of approx. 65 HRC made of high-speed HSS steel with high durability



INDEX	Packaging (pcs)
SNB-P01	20

SNB-P02

LEFT SHEET METAL SHEARS TYPE PELIKAN

Professional roofing scissors for cutting sheet metal.

- forged, hardened jaws made of high-quality steel alloy
- non-slip PVC coated handle
- for long straight cuts, e.g. cutting sheet metal
- for steel sheets up to 1.2 mm and stainless steel sheets up to 0.8 mm
- blades with a hardness of approx. 65 HRC made of high-speed HSS steel with high durability



INDEX	Packaging (pcs)
SNB-P02	20

SNB-P03

STRAIGHT SHEET METAL SHEARS TYPE PELIKAN

Professional roofing scissors for cutting sheet metal

- forged, hardened jaws made of high-quality steel alloy
- non-slip PVC coated handle
- for long straight cuts, e.g. cutting sheet metal
- for steel sheets up to 1.2 mm and stainless steel sheets up to 0.8 mm
- blades with a hardness of approx. 65 HRC made of high-speed HSS steel with high durability



INDEX	Packaging (pcs)
SNB-P03	20

SND

WIRE CUTTING SHEARS

Lever bar shears made of high-quality steel with induction-hardened blades. Used for cutting bars, screws and pins.

- long arms enable cutting of hard metals with little force
- head made of high-quality chrome-molybdenum steel
- rubber pads on the handle prevent it from slipping from your hands during use
- sharp edges of the jaws easily cut the wire, making work more comfortable
- long arms enable cutting of hard metals with little force
- manual adjustment of the clearance between the blades
- blades made of high-quality CrMo carbon steel



INDEX	Size (mm)	Packaging (pcs)
SND-01	350	12
SND-02	450	12
SND-03	600	6
SND-04	750	6
SND-05	900	4
SND-06	1050	2

SSUW

CALIPER

Analogue, vernier caliper (matt chrome-plated). Enables outdoor and indoor measurements. It has a depth gauge.

- precise measuring instrument
- inch and metric systems
- locking screw
- made of INOX stainless steel
- elegant case protecting the device against damage
- accuracy up to 0.02 mm



INDEX	Packaging (pcs)
SSUW	10

SSUW-C

DIGITAL CALIPER

Analogue, vernier caliper (matt chrome-plated). Enables outdoor and indoor measurements. It has a depth gauge.

- precise measuring instrument
- clear display
- readout reset button
- locking screw
- inch and metric systems
- made of INOX stainless steel
- elegant case protecting the device against damage
- accuracy up to 0.02 mm



INDEX	Packaging (pcs)
SSUW-C	10

SMSD

LOCKSMITH'S HAMMER WITH WOODEN HANDLE

The hammer is impregnated with natural substances based on linseed oil. This method of impregnation ensures comfortable work with the tool for a long time, while protecting the wood against water and excessive drying. The tool head is made of durable railway steel ensuring long-term blade sharpness.

- high-quality wooden handle made of ash wood
- the tool head is made of durable carbon steel ensuring long-term blade sharpness.



INDEX	Weight (g)	Packaging (pcs)
SMSD-100	100	1
SMSD-200	200	1
SMSD-300	300	1
SMSD-500	500	1
SMSD-800	800	1
SMSD-1000	1000	1
SMSD-1500	1500	1
SMSD-2000	2000	1
SMSD-3000	3000	1
SMSD-5000	5000	1
SMSD-8000	8000	1
SMSD-10000	10000	1

SMSF

LOCKSMITH'S HAMMER WITH FIBERGLASS HANDLE

Locksmith's hammer with a handle made of durable fiberglass. Intended for renovation and construction work.

- fiberglass handle reducing shocks and vibrations during work
- ergonomic shape of the handle
- precise balance improving work comfort
- hammer head made of high-quality forged carbon steel
- forged and hardened head



INDEX	Weight (g)	Packaging (pcs)
SMSF-500	500	6
SMSF-800	800	6

SMCM-600-02

MONOBLOCK CARPENTER'S HAMMER 600 G

A monolithic carpenter's hammer intended for renovation and construction work.

- monolithic construction (head and handle made of one element)
- polished surface
- the notch on the head facilitates the removal of nails
- hammer head made of high-quality hardened steel, additionally curved for better prying
- protruding claw helps in disassembling, puncturing, etc.
- ergonomic, two-component handle ensuring the highest comfort of work



INDEX	Weight (g)	Packaging (pcs)
SMCM-600-02	600	1

SMMM-B-02

MASON'S HAMMER MONOBLOCK BERLIN TYPE

Masonry hammer made of forged steel - monoblock.

- made of forged tool steel and surface hardened
- the sharp-ended head is perfect for crushing bricks, hollow bricks, making channels in the wall and chipping
- made of one monolithic piece of steel, forged and heat treated
- two-component, ergonomic handle secured



INDEX	Packaging (pcs)
SMMM-B-02	1

SMM-R-02**MASON'S HAMMER RHENISH TYPE**

Masonry hammer made of forged steel - monoblock.

- made of forged tool steel and surface hardened
- the pointed head is perfect for crushing bricks and hollow bricks, making channels in the wall, chipping and other construction works
- made of one monolithic piece of steel, forged and heat treated
- equipped with a two-component, ergonomic handle additionally secured with a rivet against slipping



INDEX	Packaging (pcs)
SMM-R-02	1

SMB-1500**PAVING HAMMER 1500 G WITH RUBBER COVER**

Hammer intended for paving and stonework, setting flat blocks and curbs.

- Weight 1.5 kg
- ergonomic, durable ash wood handle, 38 cm long
- replaceable rubber cover weighing 300 g, hardened in the vulcanization process



INDEX	Weight (g)	Packaging (pcs)
SMB-1500	1500	1

GSMB-1500**RUBBER COVER FOR A PAVING HAMMER 1500G**

Replaceable rubber cover weighing 300g, hardened in the vulcanization process.



INDEX	Weight (g)	Packaging (pcs)
GSMB-1500	300	20

SMGD-910**RUBBER HAMMER WITH WOODEN HANDLE 910 G**

Rubber hammer with a wooden handle.

- head made of two-color, high-quality rubber
- handle made of high-quality, break-resistant ash wood
- varnishing ensures resistance to moisture, sun and other unfavorable conditions
- impregnated with linseed oil ensuring durability and comfort of work
- properly profiled, fits well in the hand
- intended for minor assembly work and construction



INDEX	Weight (g)	Packaging (pcs)
SMGD-910	910	1

SMGF

RUBBER HAMMER WITH FIBERGLASS HANDLE

Rubber hammer with fiberglass handle.

- head made of two-color, high-quality rubber
- 75% fiberglass shaft
- ergonomic shape of the handle
- non-slip handle



INDEX	Weight (g)	Packaging (pcs)
SMGF-450	450	6
SMGF-680	680	12
SMGF-910	910	12

SSDU

AX WITH A WOODEN HANDLE

Wooden handle impregnated with natural substances based on linseed oil and wax. This method of impregnation ensures comfortable work with tools for a long time, while protecting the wood against water and excessive drying. The head is forged from high-quality carbon steel.

- ergonomic, wooden handle made of selected, break-resistant ash wood
- handle covered with a unique impregnation ensuring comfort and safety of work
- a tool intended for gardeners, foresters, construction workers and farmers
- forged tool



INDEX	Weight (g)	Packaging (pcs)
SSDU-1000	1000	1
SSDU-1250	1250	1
SSDU-1400	1400	1
SSDU-1600	1600	1
SSDU-2000	2000	1

SSKU-2000

AX WITH WEDGE 2000 G

Wooden handle impregnated with natural substances based on linseed oil. This method of impregnation ensures comfortable work with the tool for a long time, while protecting the wood against water and excessive drying. Head made of hardened carbon steel forging.

- head made of the highest quality steel
- ergonomic, wooden handle made of selected, break-resistant ash wood
- handle covered with a unique impregnation ensuring comfort and safety of work
- durable wedge making it easier to split wood
- a tool intended for gardeners, foresters, construction workers and farmers



INDEX	Weight (g)	Packaging (pcs)
SSKU-2000	2000	1

SKSD-2,5

PICKAXE 2.5 KG

- intended for work in hard, stony ground and for demolition work, making holes in concrete ground
- mounted on a beech shaft
- hardened steel



INDEX	Weight (g)	Packaging (pcs)
SKSD-2,5	2500	1

SKL

SPARE WEDGE

A wedge designed to fasten the head in the shaft.



INDEX	Size	Packaging (pcs)
SKL-S	S	1/100
SKL-M	M	1/100
SKL-L	L	1/100
SKL-XL	X	1/100

SLM

CROWBAR

Ensures easy disassembly and splitting of dismantled elements. It is used for tamping, prying and pulling out nails, breaking off boards, doors and windows.

- forged from high carbon steel
- tempered and withstands high bending moments
- polished finish and sharp edges make work easier
- additional hole for pulling out nails



INDEX	Size (mm)	Packaging (pcs)
SLM-400	400x16	1
SLM-500	500x17	1
SLM-600	600x17	1
SLM-700	700x17	1
SLM-800	800x18	1
SLM-1000	1000x18	1

SPZH

HEX CUTTER WITH COVER

Designed for forging and cutting holes in walls, breaking and crushing hard materials such as concrete blocks and bricks.



INDEX	Size (mm)	Packaging (pcs)
SPZH-250	250	6
SPZH-300	300	6
SPZH-350	350	6

SPPFŁ

FEST CHAINSAW FILE 200MM

Made of high-quality carbon steel to ensure sharpness for a long period of use.

- intended for sharpening cutting chains
- round working part



INDEX	Diameter (mm)	Packaging (pcs)
SPPFŁ-4,0/200	4,0	60
SPPFŁ-4,5/200	4,5	60
SPPFŁ-4,8/200	4,8	60
SPPFŁ-5,2/200	5,2	60

SPKF

FEST SQUARE FILE

Made of high-quality T12 alloy steel, characterized by high hardness. Ergonomic, non-slip handle, covered with material of various hardness, ensures comfort and safety while working.

- square cross-section
 - made of high-quality carbon tool steel hardened to a hardness of over 65 HRC
 - used for processing metal by sawing (cutting)
- ergonomic, two-component handle improving work comfort
- used for effective surface treatment of metals and plastics
 - 3 types in each length: stripper, smoother, smoother



INDEX	Size (mm)	Packaging (pcs)
SPKF-200/1	200	10
SPKF-200/2	200	10
SPKF-200/3	200	10

SPOF

FEST ROUND FILE

Made of high-quality T12 alloy steel, characterized by high hardness. Ergonomic, non-slip handle, covered with material of various hardness, ensures comfort and safety while working.

- circular cross-section
 - made of high-quality carbon tool steel hardened to a hardness of over 65 HRC
 - used for processing metal by sawing (cutting)
- ergonomic, two-component correction handle
- comfort of work
 - used for effective surface treatment of metals and plastics
 - 3 types in each length: stripper, smoother, smoother



INDEX	Size (mm)	Packaging (pcs)
SPOF-200/1	200	10
SPOF-200/2	200	10
SPOF-200/3	200	10

SPPF

FEST FLAT FILE

Made of high-quality T12 alloy steel, characterized by high hardness. Ergonomic, non-slip handle, covered with material of various hardness, ensures comfort and safety while working.

- flat cross-section
 - made of high-quality carbon tool steel hardened to a hardness of over 65 HRC
 - used for processing metal by sawing (cutting)
- ergonomic, two-component handle improving work comfort
- used for effective surface treatment of metals and plastics
 - 3 types in each length: stripper, smoother, smoother



INDEX	Size (mm)	Packaging (pcs)
SPPF-200/1	200	10
SPPF-200/2	200	10
SPPF-200/3	200	10

SPQF

FEST SEMI-ROUND FILE

Made of high-quality T12 alloy steel, characterized by high hardness. Ergonomic, non-slip handle, covered with material of various hardness, ensures comfort and safety while working.

- semicircular cross-section
 - made of high-quality carbon tool steel hardened to a hardness of over 65 HRC
 - used for processing metal by sawing (cutting)
- ergonomic, two-component handle improving work comfort
- used for effective surface treatment of metals and plastics
 - 3 types in each length: stripper, smoother, smoother



INDEX	Size (mm)	Packaging (pcs)
SPQF-200/2	200	10

SIMO

SWIVEL VICE

A professional vice designed for demanding locksmith workshops, general mechanical and automotive services, precisely made of the best materials, extremely universal thanks to the ability to rotate 360 degrees horizontally. Jaw blocks made of high-quality, hardened steel. The vice body is made of ductile cast iron.



INDEX	Size (mm)	Packaging (pcs)
SIMO-80	80	4
SIMO-100	100	2
SIMO-125	125	1
SIMO-150	150	1
SIMO-200	200	1

SIMS

FIXED VICE

Professional Schmith vices. Designed for home workshops and professional locksmiths, high-quality, made of the best materials. Jaw blocks made of high-quality, hardened steel. The vice body is made of ductile cast iron.



INDEX	Size (mm)	Packaging (pcs)
SIMS-80	80	4
SIMS-100	100	2
SIMS-125	125	1
SIMS-150	150	1
SIMS-200	200	1

SIMW

MULTIFUNCTIONAL VICE

Professional Schmith vices. Designed for home workshops and professional locksmith shops, high quality. Made of the best materials. Jaw blocks made of high-quality material hardened steel. The vice has special jaws adapted to the shape of steel profiles and pipes. Adjustable in two planes. The vice body is made of ductile cast iron.



INDEX	Size (mm)	Packaging (pcs)
SIMW-100	100	2
SIMW-125	125	1
SIMW-150	150	1

SSN-O-32

ORGANIZER 32 CM

Made of high-quality plastic, equipped with 18 adjustable compartments.

- solid fasteners
- transparent cover



INDEX	Size (cm)	Packaging (pcs)
SSN-O-32	32,5x26x6,5	1

SSN-O-36

ORGANIZER 36 CM

Made of high-quality plastic, equipped with 22 adjustable compartments.

- solid fasteners
- transparent cover



INDEX	Size (cm)	Packaging (pcs)
SSN-O-36	36,4x26,8x6,6	1

SSN-O-45

ORGANIZER 45 CM

Made of high-quality plastic, equipped with 28 adjustable compartments.

- solid fasteners
- transparent cover



INDEX	Size (cm)	Packaging (pcs)
SSN-O-45	45x34x6,8	1

SSN-O-HD40

ORGANIZER HEAVY DUTY 40 CM

A very durable HEAVY DUTY organizer designed to work in the harshest conditions. Body made of plastic, polycarbonate, transparent cover resistant to damage and scratches.

- anti-slip corners
- aluminum clasps
- 12 compartments



INDEX	Size (cm)	Packaging (pcs)
SSN-O-HD40	39x40x11	1

SSN-O-HD60

ORGANIZER HEAVY DUTY 60 CM

An organizer with removable compartments for tools and small items will help you keep things tidy.

- anti-slip corners
- aluminum clasps
- 20 compartments



INDEX	Size (cm)	Packaging (pcs)
SSN-O-HD60	39x60x11	1

SSN-B

STORAGE CONTAINER

- economical packaging
- perfect logistics
- solid construction
- possibility of stacking



INDEX	Size (cm)	Packaging (pcs)
SSN-B1	11,6x11,2x7,5	1
SSN-B2	11,6x16,1x7,5	1
SSN-B3	17x24x12,6	1

SSN-B2L

STORAGE CONTAINER 2L

- economical packaging
- perfect logistics
- solid construction
- possibility of stacking



INDEX	Size (cm)	Packaging (pcs)
SSN-B2L	11,6x21,2x7,5	1

SSN-C

POWER TOOLS HEAVY DUTY BOX

Very durable case for POWER TOOLS.

- polycarbonate cover made of high-quality plastic, equipped with 2 organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- durable structure reinforced with a steel plate
- strengthening ribs
- snaps (aluminum closure)
- center lined with a protective sponge and powered safety strips
- comfortable handle



INDEX	Size (cm)	Packaging (pcs)
SSN-C	60x24x38	1

SSN-HDC

HEAVY DUTY TOOL BOX

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with an organizer with adjustable compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- anti-slip feet



INDEX	Size (mm)	Packaging (pcs)
SSN-HDC	450x350x350	1

SSN-S-RS

**SMALL TOOL BOX
TYPE RS**

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- space for a padlock



INDEX	Size (cm)	Packaging (pcs)
SSN-S-RS	46,2x25,6x24,2	1

SSN-M-RS

MEDIUM TOOL BOX TYPE RS

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- space for a padlock



INDEX	Size (cm)	Packaging (pcs)
SSN-M-RS	54,7x27,1x27,8	1

SSN-L-RS

**LARGE TOOL BOX
TYPE RS**

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- space for a padlock



INDEX	Size (mm)	Packaging (pcs)
SSN-L-RS	595x289x328	1

SSN-S-S

SMALL TOOL BOX TYPE S

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- space for a padlock



INDEX	Size (cm)	Packaging (pcs)
SSN-S-S	46,2x25,6x24,2	1

SSN-M-S

MEDIUM TOOL BOX TYPE S

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- aluminum clasps
- space for a padlock



INDEX	Size (cm)	Packaging (pcs)
SSN-M-S	54,7x27,1x27,8	1

SSN-L-S

LARGE TOOL BOX TYPE S

The box is equipped with removable compartments for tools and small items, which will help you keep things tidy.

- made of high-quality plastic
- internal, deep trays
- durable construction reinforced with an aluminum handle
- polycarbonate cover equipped with organizers with compartments with a transparent surface
- aluminum clasps



INDEX	Size (cm)	Packaging (pcs)
SSN-L-S	59,5x28,9x32,8	1

SSN-3XL

TOOL BOX 3XL

Module for the 3XL storage system - this is a new system of modular and mobile tool workshops. Durable, roomy, functional boxes can be combined in any combination according to individual needs. High durability allows for long-term use.

- made of high-quality plastic
- convenient closed containers for small items
- internal, plastic carrier with a handle to facilitate work
- durable construction reinforced with an aluminum handle
- cover of a plastic tool container equipped with 2 organizers with compartments with a transparent surface, which make it much easier to store small items such as nails, screws or sockets
- snaps (aluminum closure)



INDEX	Size (cm)	Packaging (pcs)
SSN-3XL-1	58,5x38,5x19	1
SSN-3XL-2	58,5x38,5x32	1
SSN-3XL-3	58,5x38,5x42	1

SSN-3XL-PL

TOOL BOX PLATFORM 3XL

Platform for the 3XL storage system - it is a new system of modular and mobile tool workshops. Durable, roomy, functional boxes can be combined in any combination according to individual needs. High durability allows for long-term use.

- made of high-quality plastic



INDEX	Size (cm)	Packaging (pcs)
SSN-3XL-PL	74,5x51x9	1

SSC

BAR CLAMP

A carpentry clamp enabling quick, point-to-point attachment when gluing and holding elements, e.g. in carpentry and locksmith work.

- makes it easier to attach elements
- steel guide with increased durability
- grooves on the guide to maintain the position of the arms
- ergonomically shaped handle
- perfectly made handle that fits the hand
- cast iron arms



INDEX	Size (mm)	Packaging (pcs)
SSC-01	50x150	50
SSC-02	50x200	20
SSC-03	80x300	20
SSC-04	120x300	5
SSC-05	120x500	5
SSC-06	120x800	6

SSC-HT

ALL-STEEL CLAMP

A carpentry clamp with an all-steel drop-forged structure, where the fixed arm rail and the clamping foot are one element, which ensures increased strength and resistance to twisting. The rail profile ensures even distribution of pressure forces even on those parts of the surface that are far from the clamp location. The whole thing is made of durable and deformation-resistant tool steel.



INDEX	Size (mm)	Packaging (pcs)
SSC-HT01	60x150	10
SSC-HT02	60x200	10
SSC-HT03	80x300	10
SSC-HT04	120x300	6
SSC-HT05	120x500	6
SSC-HT06	120x800	6

SSC-HT

ALL-STEEL CLAMP QUICK FIXING

A carpentry clamp with an all-steel, drop-forged structure, quick-mounting, using a lever mechanism that makes mounting several times faster than in the case of a traditional threaded clamp. The fixed arm rail and the pressure foot are one element, which provides increased strength and resistance to twisting. The rail profile ensures even distribution of pressure forces even on those parts of the surface that are far from the clamp location. The whole thing is made of durable and deformation-resistant tool steel.



INDEX	Size (mm)	Packaging (pcs)
SSC-HT07	80x160	6
SSC-HT08	100x200	4
SSC-HT09	120x250	4
SSC-HT10	140x300	4

SSZW-02

HEAVY DUTY 4 IN 1 STAPLER

It is used to fasten wood, aluminum, carpets, upholstery, leather, plasterboards, fiberboards, laminate floors, MDF, PVC and many other materials. The upholstery stapler is designed to connect elements using staples of various sizes and lengths.

- 4 in 1 function (4 different types of staples)
- Type of staples: rectangular and letter-shaped: T, U
- Made entirely of high-quality steel
- Anti-slip handle
- Adjustment of driving force
- Easy and quick refilling of staples
- quick jam release button
- Weight: 0.65 kg
- quick jam release button, high power and high efficiency
- adjustment of the stitching force
- ideal for textiles and thin wooden profiles



INDEX	Packaging (pcs)
SSZW-02	1

SSZW-01

HEAVY DUTY STAPLER 4-14MM

It is used to fasten wood, aluminum, carpets, upholstery, leather, plasterboards, fiberboards, laminate floors, MDF, PVC and many other materials. The upholstery stapler is designed to connect elements using staples of various sizes and lengths.

- Possibility to change the operating mode
- Type of staples: rectangular 53
- Made entirely of high-quality steel
- Anti-slip handle
- Adjustment of driving force
- Easy and quick refilling of staples
- Perfect for insulation, roofing, wiring, carpets, upholstery



INDEX	Packaging (pcs)
SSZW-01	1

SZS-1,2

STAPLES 1000 PCS.

Designed for upholstery and interior design work. For attaching fabrics, foils, posters, cardboards and paper labels.

- made of high-quality steel
- galvanized and hardened
- dimensions from 6 mm to 14 mm
- staple thickness 1.2 mm



INDEX	Size (mm)	Packaging (pcs)
SZS-1,2/6	6	100
SZS-1,2/8	8	100
SZS-1,2/10	10	100
SZS-1,2/12	12	100
SZS-1,2/14	14	100

SDCG-P

SINGLE SUCTION CUP

Suction cup for laying tiles. Intended for tilers.

- body made of high-strength plastic
- strong suction cup allows secure mounting in vertical and horizontal positions



INDEX	Packaging (pcs)
SDCG-P	1

SDCG-P2

DOUBLE SUCTION CUP

Suction cup with a diameter of 125 mm, used to transfer materials with a smooth surface, such as glass, tiles, sheet metal, etc.

- lifting capacity up to 80 kg
- construction made of extremely durable ABS material
- quick release lever



INDEX	Diameter (mm)	Packaging (pcs)
SDCG-P2	125	1

SPPK-01

**INFLATING KIT,
BLOWING 6 ELEMENTS**

A high-quality pumping and blowing set with a set of tips and a gun is a tool necessary in every professional workshop and home garage.

Blowing gun with short tip (maximum working pressure 3-10 bar)

- wheel inflation gun (maximum working pressure 0-10 bar, pressure gauge calibrated in the range of 0-16 bar)
- 5m long spiral hose - with quick connector and plug - working pressure 8-24 bar
- 3 pneumatic tips: for inflating balls, inflating mattresses, and inflating wheels



INDEX	Packaging (pcs)
SPPK-01	1

SPPK-02

TIRE INFLATION GUN

It is used, among other things, to inflate passenger car wheels with a flexible hose at the end of which there is a well-connected pumping nozzle.

- 1m cable with 0-16 bar pressure gauge
- maximum working pressure 0-10 bar
- manometer calibrated for the range of 0-16 bar



INDEX	Packaging (pcs)
SPPK-02	1

SCHM-60

LED MAGNETIC GRIPPER 60CM

Flexible magnetic gripper with LED flashlight. Perfect for lifting, holding and pulling out metal objects from hard-to-reach places, including: from drain pipes, behind cabinets, from the engine compartment, etc. An LED flashlight placed at the end of the gripper makes it easier to find objects in dark places. It is turned on by turning the gripper tip clockwise. The flexible part of the gripper can be freely shaped.

- LED diode makes it easier to find an item in a dark place
- flexible sleeve made of spirally twisted steel wire
- sleeve and tip made of stainless steel
- ergonomic plastic handle
- high quality



INDEX	Size (mm)	Packaging (pcs)
SCHM-60	600	1

SCHMT-81

**MAGNETIC GRIPPER
TELESCOPIC LED 81CM**

The gripper has an extendable stainless steel arm and a non-slip handle with soft pads. A strong magnet allows you to collect various metal objects from normally inaccessible places. The LED light improves visibility in dark corners.



INDEX	Size (mm)	Packaging (pcs)
SCHMT-81	810	1

SNLM

MAGNETIC STRIP FOR TOOLS

The SCHMITH magnetic strip is an extremely durable and solid product that allows you to store various types of tools, such as wrenches, screwdrivers, pliers. It is made of a steel profile filled with a magnet. The strip can be loaded with a weight of 13 kg. The tool strip makes work in the workshop easier by organizing and displaying the most necessary tools. The strip is attached to a wall made of brick, concrete, plasterboard or wood.



INDEX	Size (mm)	Packaging (pcs)
SNLM-18	450	1

SLIP

RECTANGULAR TELESCOPIC INSPECTION MIRROR, 87 CM

Rectangular telescopic inspection mirror. Useful in workshop work. The rubberized handle fits comfortably in the hand. The SCHMITH brand meets the expectations of professionals.



INDEX	Size (mm)	Packaging (pcs)
SLIP	870	1

SMIMO

ROUND MAGNETIC BOWL

A round magnetic bowl is used to keep nuts, bolts and other workshop elements in one place. It has a strong magnet with a rubber coating.



INDEX	Diameter (mm)	Packaging (pcs)
SMIMO	150	1

SMIMP

RECTANGULAR MAGNETIC BOWL

A rectangular magnetic bowl is used to keep nuts, bolts and other workshop elements in one place. It has a strong magnet with a rubber coating.



INDEX	Size (mm)	Packaging (pcs)
SMIMP	360 x 160	1



5



CONSTRUCTION TOOLS



MEASURING TOOLS 174

SQUEEZERS 177

FLOATS, TROWELS, SPATULAS, STIRRERS 178

TAPES 183

PENCILS AND MARKERS 185

TRAYS AND BUCKETS 186

OTHER 187

SŁAM

BESSER P/P MASONRY STRIP

Masonry strip.

- wear-resistant
- increased lifespan
- made from high-quality aluminum
- 2-year warranty
- polish product



INDEX	Size (m)	Packaging (pcs)
SŁAM-3,0	3	5

SŁAMU

BESSER P/P MASONRY STRIP WITH HANDLE

Masonry strip.

- wear-resistant
- increased lifespan
- made from high-quality aluminum
- 2-year warranty
- polish product



INDEX	Size (m)	Packaging (pcs)
SŁAMU-3,0	3	5

SŁAF

BESSER TRAPEZOIDAL PLASTER STRIP

Plaster strip.

- wear-resistant
- increased lifespan
- made from high-quality aluminum
- 2-year warranty
- polish product



INDEX	Size (cm)	Packaging (pcs)
SŁAF-2,0	200	5
SŁAF-2,4	240	5

SŁATHT

H-TYPE COMBINED PLASTER STRIP WITH TRAPEZOID

Plaster strip.

- wear-resistant
- increased lifespan
- made from high-quality aluminum
- 2-year warranty
- polish product



INDEX	Size (cm)	Packaging (pcs)
SŁATHT-2,0	200	5

SPAP

ANODIZED LEVEL PROFESSIONAL

Used for determining the level and verticality of surfaces. Recommended for general construction, renovation, hydraulic, and carpentry work.

- comfortable handle
- frost-resistant
- shock-resistant
- certified
- reinforced construction
- aluminum frame resistant to corrosion
- measurement accuracy: 0.5 mm/m



INDEX	Size (cm)	Packaging (pcs)
SPAP-600	60	5
SPAP-800	80	5
SPAP-1000	100	5
SPAP-1200	120	5
SPAP-1500	150	5
SPAP-2000	200	5

SPAPM

ANODIZED LEVEL PROFESSIONAL WITH MAGNET

Used for determining the level and verticality of surfaces. Recommended for general construction, renovation, hydraulic, and carpentry work.

- comfortable handle
- frost-resistant
- shock-resistant
- certified
- shock and drop-resistant vials
- reinforced construction
- aluminum frame resistant to corrosion
- measurement accuracy: 0.5 mm/m



INDEX	Size (cm)	Packaging (pcs)
SPAPM-600	60	5
SPAPM-800	80	5
SPAPM-1000	100	5
SPAPM-1200	120	5
SPAPM-1500	150	5
SPAPM-2000	200	5

SPZG

LEVEL WITH RUBBER CAPS

Used for determining the level and verticality of surfaces. Recommended for general construction, renovation, hydraulic, and carpentry work.

- frost-resistant
- shock-resistant
- certified
- shock and drop-resistant vials
- reinforced construction
- red-painted aluminum frame resistant to corrosion
- Measurement accuracy: 0.5 mm/m



INDEX	Size (cm)	Packaging (pcs)
SPZG-300	30	5
SPZG-400	40	5
SPZG-500	50	5
SPZG-600	60	5
SPZG-800	80	5
SPZG-1000	100	5
SPZG-1200	120	5
SPZG-1500	150	5
SPZG-2000	200	5

SKAL

ALUMINUM ANGLE

Made of aluminum, extremely durable and lightweight.

- three-point element connection ensures high rigidity of the entire structure
- precise measurement - scale at 1 mm intervals
- metric scale included



INDEX	Size (mm)	Packaging (pcs)
SKAL-250	250	10
SKAL-300	300	10
SKAL-350	350	60
SKAL-400	400	60
SKAL-500	500	60
SKAL-600	600	60

SMZ-01

RETRACTABLE TAPE MEASURE

Universal steel tape measure with a practical clip and transport strap.

- large, clear scale - wear-resistant print
- automatic tape retraction mechanism
- tape lock after pressing for easy measurements
- strong spring
- ergonomic and lightweight



INDEX	Length (m)	Packaging (pcs)
SMZ-01-3	3	12
SMZ-01-5	5	12
SMZ-01-8	8	6
SMZ-01-10	10	6

SMZ-07

RETRACTABLE TAPE MEASURE

Universal steel tape measure with a practical clip, transport strap, and carabiner for attachment.

- ABS housing and shock-resistant anti-slip rubber
- magnetic end for easy measurement
- wear-resistant surface
- large, clear scale, CE MID II scale
- strap attachment
- automatic retraction
- strong spring
- automatic retraction lock



INDEX	Length (m)	Packaging (pcs)
SMZ-07-3	3	12
SMZ-07-5/19	5	12
SMZ-07-10	10	6

SQMN-02

SET - TAPE MEASURE WITH KNIFE

- 3-meter / 5-meter tape measure
- 18 mm knife
- metal snap lock



INDEX	Length (m)	Packaging (pcs)
SQMN-02	5	6

SMD

WOODEN TAPE MEASURE

Tape measure with a polyamide hinge embedded in beechwood reinforced with fiberglass.

- covered with high-quality moisture and dirt-resistant varnish
- black scale with red decimal numbers printed cleanly and evenly for precise measurement
- double-sided scale in cm and mm on both edges of the tape
- double varnished
- high durability and wear resistance



INDEX	Length (m)	Packaging (pcs)
SMD-1	1	10
SMD-2	2	10

SPPM-01

PU FOAM (PTFE) GUN

The mounting foam gun is designed for applying one-component foam available in pressure containers. The gun facilitates tasks such as sealing, installing windows and doors, filling gaps in insulation, sealing and insulating partition walls, and insulating walls and roofs.

- very lightweight construction
- two-component handle
- ergonomic, Teflon-coated nozzle
- teflon-coated copper check valve
- teflon-coated nozzle and needle
- teflon-coated aluminum adapter
- foam drying prevention system
- flow rate adjustment
- nozzles for work in hard-to-reach places
- complete emptying of the foam container



INDEX	Packaging (pcs)
SPPM-01	20

SCM-02

230 MM MASS SQUEEZER

A squeezer that allows for effective application of dense materials. It also performs well in low temperatures and is used in renovation and finishing work.

- durable, lightweight body
- snap mechanism
- suitable for silicones and materials
- steel-aluminum construction with a rotating tube handle



INDEX	Size (mm)	Packaging (pcs)
SCM-02	230	12

SCM-05

230 MM MASS SQUEEZER

A squeezer that allows for effective application of dense materials, even in low temperatures.

- reinforced construction and triple piston guide for increased pressure force and application efficiency
- durable, lightweight body
- made of painted steel sheet
- snap mechanism
- comfortable, profiled, ergonomic aluminum handle



INDEX	Size (mm)	Packaging (pcs)
SCM-05	230	12

SSKR

BENT SCRAPER

Designed for all workshop and construction tasks related to cleaning residues and deposits, removing old layers of paint, and other preservative agents.

- tool for removing irregularities and traces of previous processing
- ergonomic handle shape for easier work
- non-slip handle
- 30° bent angle for improved work quality
- made of high-quality stainless steel



INDEX	Size (inch)	Packaging (pcs)
SSKR-01	1,5"	100
SSKR-02	3"	100

SSKR-03

STRAIGHT SCRAPER 1.5"

Designed for all workshop and construction tasks related to cleaning residues and deposits, removing old layers of paint, and other preservative agents.

- made of high-quality stainless steel
- ergonomic handle for comfortable work
- sturdy body
- can be used for pounding



INDEX	Size (inch)	Packaging (pcs)
SSKR-03	1,5"	100

SPK07

TRAPEZOIDAL STAINLESS TROWEL

For masonry and plastering work. The handle is made of durable and lightweight beech wood in the most optimal shape. The connecting rod is bent in the most favorable way to ensure the trowel is well-balanced and the mortar does not clog.



INDEX	Size (mm)	Packaging (pcs)
SPK07-140	140	50
SPK07-150	150	50
SPK07-160	160	50

SPK10

TRIANGULAR STAINLESS TROWEL

For masonry and plastering work. The handle is made of durable and lightweight beech wood in the most optimal shape. The connecting rod is bent in the most favorable way to ensure the trowel is well-balanced and the mortar does not clog.



INDEX	Size (mm)	Packaging (pcs)
SPK10-180	180	25
SPK10-200	200	50

SPK11

PLASTERER'S STAINLESS TROWEL

For finishing and plastering work. The handle is made of durable and lightweight beech wood in the most optimal shape. The connecting rod is bent in the most favorable way to ensure the trowel is well-balanced and the mortar does not clog.



INDEX	Size (mm)	Packaging (pcs)
SPK11-60	60	50
SPK11-80	80	50
SPK11-100	100	50

SPK12

PAINTING SPATULA

For finishing and painting work.

- working part made of stainless steel



INDEX	Size (mm)	Packaging (pcs)
SPK12-40	40	10
SPK12-60	60	10
SPK12-80	80	10
SPK12-100	100	10

SPK20

FACADE SPATULA WITH RUBBER HANDLE

For finishing and painting work. A high-quality product equipped with a comfortable two-component handle, and the connection with the working part is additionally reinforced, ensuring greater tool rigidity and better work efficiency.

- working part made of stainless steel
- two-component handle



INDEX	Size (mm)	Packaging (pcs)
SPK20-150	150	10
SPK20-250	250	10
SPK20-350	350	10
SPK20-450	450	10
SPK20-550	550	10

SPK01-00

SMOOTH PVC TROWEL 270MM

Smooth plastic trowel with a closed handle used during plastering work, allowing for smoothing and texturing mineral and acrylic plasters.



INDEX	Size (mm)	Packaging (pcs)
SPK01-00	270x100	10

SPK03-01

GROUTING TROWEL WITH RUBBER 250*95MM

Plastic trowel with an ergonomic and contoured handle, a rubber worktop, designed for grouting ceramic tiles.



INDEX	Size (mm)	Packaging (pcs)
SPK03-01	250x95	10

SPK03-02

**REPLACEMENT INSERT FOR TROWEL
250*95MM**

Spare rubber insert for the grouting trowel with rubber. Used for the symbol SPK03-01.



INDEX	Size (mm)	Packaging (pcs)
SPK03-02	250x95	15

SPK03-03

SANDING TROWEL

Plastic trowel with an ergonomically contoured handle. Sanding mesh or sandpaper can be attached using butterfly screws. The trowel is designed for leveling and smoothing gypsum surfaces.



INDEX	Size (mm)	Packaging (pcs)
SPK03-03	215x100	30

SPK04

STAINLESS SPATULA WITH PLASTIC HANDLE

For spreading mortars and adhesives, used in the pressure technique for laying tiles.

- various tooth sizes
- working part made of stainless steel
- plastic handle



INDEX	Tooth size (mm)	Size (mm)	Packaging (pcs)
SPK04-00	smooth	270	10
SPK04-06	4x4	270	10
SPK04-08	8x8	270	10
SPK04-10	10x10	270	10
SPK04-12	12x12	270	10

SPK05

STAINLESS SPATULA WITH WOODEN HANDLE

For spreading mortars and adhesives, used in the pressure technique for laying tiles.

- working part made of stainless steel
- wooden handle



INDEX	Tooth size (mm)	Size (mm)	Packaging (pcs)
SPK05-00	smooth	380	10

SPK06

STAINLESS SPATULA WITH WOODEN HANDLE

For applying plasterboard and mortars and adhesives. The working surface is made of stainless steel.

- working part made of stainless steel
- wooden handle



INDEX	Tooth size (mm)	Size (mm)	Packaging (pcs)
SPK06-00	smooth	480	10

SPK09

STYROFOAM TROWEL

PROFI Styrofoam trowel.

- trowel for leveling styrofoam boards
- PS plastic
- working part made of galvanized sheet with holes
- hydraulically clamped trowel
- pass-through plate for easy cleaning and longer tool life
- ergonomic and contoured soft-type handle



INDEX	Size (mm)	Packaging (pcs)
SPK09-270	270	10
SPK09-370	370	10

SMDZ

MIXER FOR MORTARS

Designed for mixing adhesives, plaster, trowel mortars, lime mortars, cement mortars, epoxy resins, non-flammable chemicals, paints, etc.

- perfect for mixing loose materials such as plasters, trowel mortars, putties, as well as ready-made adhesive mortars, putty masses, grouting mortars
- made of carbon steel
- connected by precise welds
- highly wear-resistant
- suitable for long and heavy-duty work



INDEX	Size (mm)	Packaging (pcs)
SMDZ-60	60	20
SMDZ-80	80	20
SMDZ-100	100	20
SMDZ-120	120	12

SMDZ-SDS

MIXER FOR MORTARS

Designed for mixing adhesives, plaster, trowel mortars, lime mortars, cement mortars, epoxy resins, non-flammable chemicals, paints, etc.

- perfect for mixing loose materials such as plasters, trowel mortars, putties, as well as ready-made adhesive mortars, putty masses, grouting mortars
- made of carbon steel
- connected by precise welds
- highly wear-resistant
- suitable for long and heavy-duty work



INDEX	Size (mm)	Packaging (pcs)
SMDZ-SDS60	60x400	20
SMDZ-SDS80	80x400	20
SMDZ-SDS100	100x600	20
SMDZ-SDS120	120x600	12

SMDZ-M14

MIXER FOR MORTARS

Designed for mixing adhesives, plaster, trowel mortars, lime mortars, cement mortars, epoxy resins, non-flammable chemicals, paints, etc.

- perfect for mixing loose materials such as plasters, trowel mortars, putties, as well as ready-made adhesive mortars, putty masses, grouting mortars
- made of carbon steel
- connected by precise welds
- highly wear-resistant
- suitable for long and heavy-duty work
- used in mechanical mixers
- equipped with a handle ending with an M-14 thread



INDEX	Size (mm)	Packaging (pcs)
SMDZ-M14-120	100x600	12
SMDZ-M14-140	140x600	12
SMDZ-M14-160	160x600	12

SNT-02

265MM MANUAL RIVETER

Two-handed scissors-type riveter used for servicing and industrial work.

- designed for rivets made of steel, stainless steel, and aluminum
- ergonomic handle, small size, and low tool weight provide maximum working comfort - Jaws made of CrMo steel.
- 5 interchangeable tips housed in the device body

Rivet sizes for aluminum and steel: 2.4 / 3.2 / 4.0 / 4.8 / 6.4

Rivet sizes for stainless steel: 2.4 / 3.2 / 4.0 / 4.8



INDEX	Packaging (pcs)
SNT-02	1

SOPC

BLACK NYLON CABLE TIES 100 PCS

Cable ties designed for fastening electrical wires, cables, hoses, tubes, etc. They are easy to install and characterized by high quality and reliability.

- made of durable polyamide
- increased resistance to UV radiation
- standard fastening
- thanks to the distribution of teeth along the entire length, the ties can be precisely adjusted to the size of the bundle
- the ties can be tightened by hand or with special tools
- color: black
- designed for single use



INDEX	Size (mm)	Packaging (pcs)
SOPC-2,5/100	2,5x100	500
SOPC-2,5/120	2,5x120	250
SOPC-2,5/160	2,5x160	250
SOPC-2,5/200	2,5x200	100
SOPC-3,6/150	3,6x150	100
SOPC-3,6/200	3,6x200	200
SOPC-3,6/250	3,6x250	100
SOPC-3,6/300	3,6x300	100
SOPC-3,6/370	3,6x370	100
SOPC-4,8/160	4,8x160	100
SOPC-4,8/200	4,8x200	100
SOPC-4,8/250	4,8x250	100
SOPC-4,8/300	4,8x300	100
SOPC-4,8/370	4,8x370	100
SOPC-4,8/450	4,8x450	50
SOPC-4,8/500	4,8x500	100
SOPC-7,6/300	7,6x300	50

SOP

WHITE NYLON CABLE TIES 100 PCS

Cable ties designed for fastening electrical wires, cables, hoses, tubes, etc. They are easy to install and characterized by high quality and reliability.

- made of durable polyamide
- increased resistance to UV radiation
- standard fastening
- thanks to the distribution of teeth along the entire length, the ties can be precisely adjusted to the size of the bundle
- the ties can be tightened by hand or with special tools
- color: white
- designed for single use



INDEX	Size (mm)	Packaging (pcs)
SOP-2,5/80	2,5x80	500
SOP-2,5/100	2,5x100	250
SOP-2,5/160	2,5x160	250
SOP-2,5/200	2,5x200	100
SOP-3,6/150	3,6x150	100
SOP-3,6/200	3,6x200	200
SOP-3,6/370	3,6x370	100
SOP-4,8/160	4,8x160	100
SOP-4,8/200	4,8x200	100
SOP-4,8/300	4,8x300	100
SOP-4,8/370	4,8x370	100
SOP-4,8/450	4,8x450	100
SOP-7,6/300	7,6x300	50
SOP-7,6/500	7,6x500	50
SOP-9,0/500	9,0x500	50

SNK-01

PAIR OF KNEE PADS

Professional, solid, and durable gel knee pads. Used to protect knees during work that requires prolonged kneeling.

- gel-air filling provides excellent knee protection and maximum working comfort
- flexible and durable velcro fastening
- double protective layer
- adapts to the shape of the surface, providing full knee stability
- large working surface also protects the shins and distributes knee pressure over a larger area
- foam-filled and nylon-covered



INDEX	Size	Packaging (pcs)
SNK-01	Universal	24

STIC**BLACK INSULATING TAPE**

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made from PVC, making it flexible and providing good insulation properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, splicing, connecting, repairing, and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- compliant with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- puncture resistance - up to 40 kV/mm
- temperature range 0-90°C
- self-extinguishing



INDEX	Length (m)	Packaging (pcs)
STIC-01	10	10
STIC-02	20	10

STIN-01**BLUE INSULATING TAPE 10M**

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made from PVC, making it flexible and providing good insulation properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, splicing, connecting, repairing, and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- compliant with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- puncture resistance - up to 40 kV/mm
- temperature range 0-90°C
- self-extinguishing



INDEX	Length (m)	Packaging (pcs)
STIN-01	10	200

STIB-01**WHITE INSULATING TAPE 10M**

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made from PVC, making it flexible and providing good insulation properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, splicing, connecting, repairing, and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- compliant with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- puncture resistance - up to 40 kV/mm
- temperature range 0-90°C
- self-extinguishing



INDEX	Length (m)	Packaging (pcs)
STIB-01	10	200

STIR-01

RED INSULATING TAPE 10M

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made of PVC, which makes it flexible and provides good insulating properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, gluing, connecting, repairing and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- complies with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- dielectric strength - up to 40 kV/mm
- temperature range 0-90°C



INDEX	Length (m)	Packaging (pcs)
STIR-01	10	200

STIZ-Z01

YELLOW-GREEN INSULATING TAPE 10M

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made of PVC, which makes it flexible and provides good insulating properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, gluing, connecting, repairing and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- complies with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- dielectric strength - up to 40 kV/mm
- temperature range 0-90°C
- self-extinguishing



INDEX	Length (m)	Packaging (pcs)
STIZ-Z01	10	200

STI-05

INSULATING TAPE MIX - 5 PCS

A type of adhesive tape used for connecting and insulating electrical wires and other electrically conductive objects. Made of PVC, which makes it flexible and provides good insulating properties. Used for: electrical insulation, wrapping and binding wires and cables, color-coding wires (known as coding), securing and reinforcing wires and connections, masking and protecting wires and connections, gluing, connecting, repairing and wrapping wires, waterproof sealing of connections, in heating, ventilation, and air conditioning.

- tape width: 19 mm
- complies with EN 60454-1 standard
- CE certified
- electrical insulation - up to 600V
- elongation at break - 180%
- adhesion to steel- 1.8 N/cm
- dielectric strength - up to 40 kV/mm
- temperature range 0-90°C



INDEX	Length (m)	Packaging (pcs)
STI-05	10	200
STI-05-20	20	200

STB1502

PLASTERING TAPE

A single-sided adhesive plastering tape, useful for plastering tasks. It leaves no residue when removed. It is characterized by good adhesion to various types of substrates.

- tape width: 48 mm



INDEX	Length (m)	Packaging (pcs)
STB1502	50	24

TUW

UNIVERSAL FEST TAPE

Used for various purposes including sealing ventilation pipes, repairing rubber surfaces, joining roofing, building, and gardening films.

- tape width: 48 mm
- very strong and durable
- single-sided adhesive
- highly resistant to atmospheric conditions, temperature, aging, and moisture
- used in household, gardening, automotive, and construction
- color: grey-silver
- total thickness (µm): 170
- carrier: LDPE film + polyester fiber
- temperature resistance (°C): -10 to +75
- tensile strength (N/25mm): 70



INDEX	Length (m)	Packaging (pcs)
TUW-50/48	50	24

SOM-01

MASONRY PENCIL

A 250 mm long masonry pencil, most commonly used in masonry work. The lead has an HB hardness. Packaged in 50 pieces.



INDEX	Size (mm)	Packaging (pcs)
SOM-01	250	50

SOS-01

CARPENTER'S PENCIL

A 250 mm long carpenter's pencil, most commonly used in carpentry work. The lead has an HB hardness.



INDEX	Size (mm)	Packaging (pcs)
SOS-01	250	50

SMBP

CONSTRUCTION MARKER

A construction marker suitable for wood, concrete, and plastics, and can be used on greasy, dusty, or rusty surfaces.

- drying time: 3 seconds
- ink: black or red permanent
- writing length: 130 m
- can be left uncapped for 72 hours without drying out.



INDEX	Kolor	Packaging (pcs)
SMBP	Czarny	20

SMBPO-Z

GREEN OIL-BASED CONSTRUCTION MARKER

An oil-based construction marker.

- for wood, concrete, plastics
- used on greasy, dusty, rusty surfaces
- drying time: 3 seconds
- writing length: 130 m
- 72 hours without cap



INDEX	Color	Packaging (pcs)
SMBPO-Z	Zielony	20

SKB

CONSTRUCTION BUCKET

A container made from extremely durable material, designed for mixing and transporting dry and wet mortars. An indispensable tool on every construction site.

- carrying handles
- made from flexible plastics
- resistant to mechanical damage
- ideal for preparing various types of cement and plastering mortars



INDEX	Capacity (L)	Packaging (pcs)
SKB-45	45	1
SKB-65	65	1
SKB-90	90	1

SXK

CONSTRUCTION MORTAR TUB

A container made from extremely durable material, designed for mixing and transporting dry and wet mortars. An indispensable tool on every construction site.

- carrying handles
- made from flexible plastics
- resistant to mechanical damage
- ideal for preparing various types of cement and plastering mortars



INDEX	Capacity (L)	Packaging (pcs)
SXK-40	40	1
SXK-60	60	1
SXK-80	80	1

SXWM

GALVANIZED METAL BUCKET

A bucket made from galvanized steel. Indispensable on every construction site and in every household.

- metal handle for easy carrying
- resistant to mechanical damage



INDEX	Capacity (L)	Packaging (pcs)
SXWM-5	5	1
SXWM-7	7	1
SXWM-10	10	1
SXWM-12	12	1
SXWM-15	15	1

SPLAN

SILVER TARPAULIN 120 G/M2

A universal product designed for protecting and covering various items both indoors and outdoors. The product is made from high-quality polyethylene, is laminated on both sides, and reinforced across its entire surface. The tarpaulin has additional reinforcements in the corners. Metal eyelets for mounting are placed every 100 cm.

- waterproof, very easy to maintain clean
- metal mounting eyelets are spaced every 100cm
- higher grammage of 120 g/m2 significantly increases the tarpaulin's durability and lifespan.



INDEX	Size (m)	Packaging (pcs)
SPLAN-001	3x4	6
SPLAN-002	4x4	5
SPLAN-003	3x5	5
SPLAN-004	4x5	4
SPLAN-006	4x6	2
SPLAN-007	5x8	1
SPLAN-008	8x10	1
SPLAN-009	8x12	1
SPLAN-010	10x12	1
SPLAN-011	10x15	1



6





FOR CAR

CABLES 190

ACCESSORIES 191

SKR-16

JUMPER CABLES 3 M - 16 MM²

Professional jumper cables made of pure copper with a silicone coating. An essential accessory for every vehicle.

- cross-sectional area 16 mm²
- cable length 3 m
- maximum current 750A
- insulated copper clamp connectors with a wide gap and strong spring ensuring a secure connection
- practical case for easy packing and protection against dirt



INDEX	Length (m)	Packaging (pcs)
SKR-16	3	10

SKR-5/35

JUMPER CABLES 5 M - 35 MM²

Professional jumper cables made of pure copper with a silicone coating. An essential accessory for every vehicle.

- cross-sectional area 35 mm²
- cable length 5 m
- maximum current 1050A
- insulated copper clamp connectors with a wide gap and strong spring ensuring a secure connection
- practical case for easy packing



INDEX	Length (m)	Packaging (pcs)
SKR-5/35	5	4

SQO-419

O-RING SET 419 PCS.

A universal set of O-rings packed in a plastic organizer, with each size clearly marked. Made from NBR rubber resistant to oil. This rubber is particularly resistant to engine oils, heating oils, transformer oils, greases, and hydraulic fluids. Not resistant to silicone-containing oils and greases, glycol-based brake fluids, and HFD type hydraulic fluids.



INDEX	Packaging (pcs)
SQO-419	1

SQPM-580

COPPER WASHER SET 580 PCS.

A practical set of copper washers in a convenient organizer with sizes clearly laid out. Copper washers are widely used in mechanics and hydraulics as a well-fitting washer and seal.



INDEX	Packaging (pcs)
SQPM-580	1

SQZP-1000

STRAIGHT COTTER PIN SET 1000 PCS.

A set of straight cotter pins used to prevent sliding of components placed on shafts, axles, pins, or screws. The set includes a large number of pieces from six of the most popular sizes, sorted in a convenient organizer-type container.

- 1.6x25 mm, 380 pcs.
- 2.4x25 mm, 240 pcs.
- 2.4x38 mm, 140 pcs.
- 3.2x25 mm, 115 pcs.
- 3.2x50 mm, 75 pcs.
- 4.0x64 mm, 50 pcs.



INDEX	Packaging (pcs)
SQZP-1000	1

SOL-1

OILER WITH COPPER TIP 250ML

A high-pressure oiler with a capacity of 250ml, generating a strong and precise stream. For use only with thin oils.

- rigid hose with a copper tip
- valve made of abrasion and shock-resistant plastic
- transparent and shock-resistant bottle



INDEX	Capacity (ml)	Packaging (pcs)
SOL-1	250	1

SOL-2

OILER WITH PLASTIC TIP 250ML

A high-pressure oiler with a capacity of 250ml, generating a strong and precise stream. For use only with thin oils.

- flexible hose with a plastic tip
- valve made of abrasion and shock-resistant plastic
- transparent and shock-resistant bottle



INDEX	Capacity (ml)	Packaging (pcs)
SOL-2	250	1

SSKM

SCRAPER WITH BRASS BLADE

Effectively removes ice with a brass blade.



INDEX	Packaging (pcs)
SSKM	1

SSK-65

BRUSH-SCRAPER

Effectively removes snow and ice from vehicles.



INDEX	Packaging (pcs)
SSK-65	1

7



LIGHTING AND ELECTRICAL PRODUCTS



LIGHTS 194

FLASHLIGHTS 194

ELECTRICAL PRODUCTS 196

EXTENDERS 203

IESCH 030.

LED FLOODLIGHT ON TRIPOD 2 X 45W

- the product has 100lm/W efficiency
- it features the most modern tripod type to date, the so-called umbrella (umbrella) tripod, which unfolds by pulling with one hand. There are no elements to press or fold for the tripod to stand on the ground, which eliminates complaints such as cracking
- the tripod is very sturdy, making the product stable on the ground and not prone to tipping over
- the standard yellow paint color is used, making it highly visible during operation, which enhances safety by preventing people from bumping into it
- by removing the upper part of the tripod, it becomes a handy portable floodlight, offering two products in one price. It has a specially shaped handle for this purpose
- the tripod extends to a maximum height of 188 cm, whereas most competing companies offer tripods between 150 to 160 cm. The height affects work efficiency
- IP65 protection class – dustproof and waterproof, making it resistant to any working conditions.
- light color temperature is 6400K – the so-called cold light, best for tasks where our eyesight is focused on the work for extended periods, such as sanding or smoothing walls



INDEX	Power (W)	Packaging (pcs)
IESCH 030.	10	1

SL-LC

HEADLAMP

3 functions: 100% continuous light, 50% continuous light, strobe light.

- adjustable beam angle
- flexible head strap with length adjustment
- includes: 3 AAA batteries



INDEX	Packaging (pcs)
SL-LC	12

SL-LC1

RECHARGEABLE HEADLAMP 3W COB

A convenient headlamp with a power of 120lm and a wide range. It allows for even distribution of light, enabling accurate distance estimation and illumination of distant points. 3 operating modes.

- made of ABS material. The ABS rubber construction offers high impact resistance, hardness, and scratch resistance
- 3W COB LED – the use of COB LED technology ensures higher light intensity and uniformity. This technology significantly reduces energy consumption by the LED array, maintaining constant light power
- light output of 120lm – the headlamp emits a stable 80lm light stream while providing a high degree of pleasant and natural light reproduction
- 650mAh battery – the battery is highly durable, resulting in minimal self-discharge
- 3 operating modes - strong light/weak light/strobe
- features an additional non-constricting adjustable strap for an ideal fit
- rechargeable



INDEX	Packaging (pcs)
SL-LC1	1

SL-LWA**RECHARGEABLE WORKSHOP LAMP 3W COB**

A high-quality, very powerful, and bright LED workshop lamp designed for professional use in automotive workshops, as well as in cars, camping, or at home.

- front lamp: 3W
- top lamp: 1W
- light output: 200 lm
- dual magnet in the magnetic holder
- rotatable hook
- rubberized, non-slip handle
- hanging bracket
- wireless
- powered by an AC adapter or car charger
- the lamp can also operate while charging
- durable even in the most extreme working conditions



INDEX

SL-LWA

Packaging
(pcs)

12

SLT-L**LED FLASHLIGHT**

A handy and efficient LED handheld flashlight.

- Non-slip housing
- Zoom function
- Includes: 3 AAA batteries



INDEX

SLT-L

Packaging
(pcs)

48

SL-LWM**RECHARGEABLE MINI WORKSHOP LAMP 3W COB**

A workshop flashlight equipped with a 120ml power LED panel. The flashlight provides strong and durable light. Thanks to the built-in magnet, the product can be easily placed anywhere. The "stick"-shaped flashlight integrates three basic functions: a main lamp, a laser pointer, and an inspection flashlight.

- made of ABS material. The ABS rubber construction offers high impact resistance, hardness, and scratch resistance
- light output of 120lm – the flashlight emits a stable 80lm light stream while providing a high degree of pleasant and natural light reproduction
- 500mAh battery – the battery is highly durable, resulting in minimal self-discharge
- 5 light operating modes – pinpoint white light/strong white light/weak white light/steady red light/red strobe light
- 3W COB LED + RED LED COB – the use of COB LED technology ensures higher light intensity and uniformity. This technology significantly reduces energy consumption by the LED array, maintaining constant light power. The set includes a USB cable for charging the product. The workshop flashlight is easy to use, with a single main button that can be operated even with gloves on
- compact and easy to store
- rechargeable



INDEX

SL-LWM

Packaging
(pcs)

12

SWP-01

**STRAIGHT PLUG 2P+E 16A
250V UNI-SCHUKO WHITE**

A straight, dismountable Uni-Schuko plug with grounding, 2P+E, white, IP20, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWP-01

20

SWP-02

**STRAIGHT PLUG 2P+E 16A
250V UNI-SCHUKO BLACK**

A straight, dismountable Uni-Schuko plug with grounding, 2P+E, black, IP20, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWP-02

20

SWP-03

**STRAIGHT PLUG CLASS I
INSULATION 16A 250V UNI-
SCHUKO**

A straight, dismountable Uni-Schuko plug with Class I insulation and grounding, 2P+E, orange, IP20, ~230V, 50Hz, max. 16A, hermetically sealed, for both indoor and outdoor use.



INDEX

Packaging
(pcs)

SWP-03

20

SWK-01

**ANGLED PLUG 2P+E 16A 250V
WITH SOCKET WHITE**

An angled, dismountable plug with a socket and grounding, 2P+E, white, IP20, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWK-01

20

SWK-02

**ANGLED PLUG 2P+E 16A 250V
WHITE**

An angled, dismountable plug with grounding, 2P+E, white, IP20, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWK-02

20

SWK-03

**ANGLED PLUG 2P+E 16A 250V
UNI-SCHUKO WHITE**

An angled, dismountable Uni-Schuko plug with grounding, 2P+E, white, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWK-03

20

SWK-04

**ANGLED PLUG 2P+E 16A 250V
UNI-SCHUKO WHITE**

An angled, dismountable Uni-Schuko plug with grounding, 2P+E, white, IP20, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWK-04

20

SWK-05

**ANGLED PLUG 2P+E 16A 250V
UNI-SCHUKO BLACK**

An angled, dismountable Uni-Schuko plug with grounding, 2P+E, black, ~230V, 50Hz, max. 16A, for indoor use.



INDEX

Packaging
(pcs)

SWK-05

20

SR-02

2-SOCKET ROUND ADAPTER WITHOUT GROUNDING

A round 2-socket adapter without grounding, 2x2P, white, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SR-02	12

SR-01

2-SOCKET ROUND ADAPTER WITH GROUNDING

A round 2-socket adapter with grounding, 2x2P+Z, white, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SR-01	12

SR-03

3-SOCKET ROUND ADAPTER WITHOUT GROUNDING

A round 3-socket adapter without grounding, 3x2P, white, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SR-03	12

SR-04

3-SOCKET ROUND ADAPTER WITH GROUNDING

A round 3-socket adapter with grounding, 3x2P+Z, white, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SR-04	12

SR-21

2-SOCKET ROUND ADAPTER WITH GROUNDING + 2-SOCKET FLAT WITHOUT GROUNDING

A round 2-socket adapter with grounding + 2-socket flat without grounding, 2x2P+Z + 2x2P, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SR-21	20

SR-27

ELECTRIC ADAPTER (SCREWED INTO E-27 BULB SOCKET)

An electric adapter that screws into an E-27 bulb socket, two 2p sockets, white, IP20, ~230V, 50Hz, max. 2.5A, for indoor use.



INDEX	Packaging (pcs)
SR-27	10

SGP-01

PORTABLE 2P SOCKET 16A 250V WHITE

A single round portable socket without grounding, 2P, white, ~250V, 50Hz, max. 16A.



INDEX	Packaging (pcs)
SGP-01	20

SGP-02

PORTABLE 2P+Z SOCKET 16A 250V WHITE

A single round portable socket with grounding, 2P+Z, white, ~250V, 50Hz, max. 16A.



INDEX	Packaging (pcs)
SGP-02	20

SGP-03

**PORTABLE SOCKET 2P+Z 16A
250V IP44 ORANGE**

A single round portable socket with grounding 2P+Z with a cover, orange, IP44, ~250V, 50Hz, max. 16A.



INDEX	Packaging (pcs)
SGP-03	12

SGP-04

**PORTABLE SOCKET 2P+Z 16A
250V IP44 WHITE**

A single round portable socket with grounding 2P+Z with a cover, white, IP44, ~250V, 50Hz, max. 16A.



INDEX	Packaging (pcs)
SGP-04	12

SGP-07

**PORTABLE SOCKET 2P+Z 16A
250V IP44 BLACK**

A single round portable socket with grounding 2P+Z with a cover, black, IP44, ~250V, 50Hz, max. 16A.



INDEX	Packaging (pcs)
SGP-07	12

SWNT-6/7SB

**SURFACE-MOUNTED SWITCH
N/O LIGHT/BELL WHITE IP44**

A single surface-mounted normally open switch for light/bell, white, IP44, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWNT-6/7SB	10

SGNT-16SB

**SURFACE-MOUNTED SOCKET
1X2P+Z WITH WHITE COVER
IP44**

A single surface-mounted socket with grounding 2P+Z splash-proof with a cover matching the product color, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGNT-16SB	10

SNT-16SL

**SURFACE-MOUNTED SOCKET
1X2P+Z WITH SMOKE COVER
IP44**

A single surface-mounted socket with grounding 2P+Z splash-proof with a smoke cover, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SNT-16SL	10

SGWN-S

**SURFACE-MOUNTED SOCKET
1X2P+Z WITH WHITE COVER
+ 1-WAY SWITCH IP44**

A single surface-mounted socket with grounding 2P+Z splash-proof with a cover matching the product color + 1-pole switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SGWN-S	5

SGWN-SL

**SURFACE-MOUNTED SOCKET
1X2P+Z WITH SMOKE COVER
+ 1-WAY SWITCH IP44**

A single surface-mounted socket with grounding 2P+Z splash-proof with a smoke cover + 1-pole switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SGWN-SL	5

SGNT-6SB

SURFACE-MOUNTED DOUBLE SOCKET 2X2P+Z WITH WHITE FLAP IP44

Surface-mounted double socket with grounding, 2x2P+Z, splash-proof with a flap in the product color, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGNT-6SB	10

SNT-6SL

SURFACE-MOUNTED DOUBLE SOCKET 2X2P+Z WITH SMOKED FLAP IP44

Surface-mounted double socket with grounding, 2x2P+Z, splash-proof with a smoked flap, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SNT-6SL	10

SNT-316 S

SURFACE-MOUNTED TRIPLE SOCKET 3X2P+Z WITH WHITE FLAP IP44

Surface-mounted triple socket with grounding, 3x2P+Z, splash-proof with a flap in the product color, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SNT-316 S	5

SNT-316 SL

SURFACE-MOUNTED TRIPLE SOCKET 3X2P+Z WITH SMOKED FLAP IP44

Surface-mounted triple socket with grounding, 3x2P+Z, splash-proof with a smoked flap, white, IP44, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SNT-316 SL	5

SWNT-1SB

SURFACE-MOUNTED SINGLE SWITCH WHITE IP44

Surface-mounted single switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SWNT-1SB	10

SWNT-5SB

SURFACE-MOUNTED STAIR-CASE SWITCH WHITE IP44

Surface-mounted single staircase switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SWNT-5SB	10

SWNT-8SB

SURFACE-MOUNTED CROSS SWITCH WHITE IP44

Surface-mounted single cross switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SWNT-8SB	10

SWNT-2SB

SURFACE-MOUNTED DOUBLE BUTTON CANDLE SWITCH WHITE IP44

Surface-mounted double-button candle switch, white, IP44, ~250V, 50Hz, max. 10A, for indoor use.



INDEX	Packaging (pcs)
SWNT-2SB	10

SGPT-15AB

**FLUSH-MOUNTED SOCKET
1X2P 16A 250V**

A single flush-mounted socket without grounding, 2P, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-15AB	10

SGPT-16AB

**FLUSH-MOUNTED SOCKET
1X2P+Z 16A 250V**

A single flush-mounted socket with grounding, 2P+Z, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-16AB	10

SGPT-16AHLB

**FLUSH-MOUNTED SOCKET
1X2P+Z 16A 250V WITH
COVER**

A single flush-mounted socket with grounding, 2P+Z, splash-proof with a cover matching the product color, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-16AHLB	10

SGPT-16PHL

**FLUSH-MOUNTED SOCKET
1X2P+Z 16A 250V WITH
SMOKE COVER (HL)**

A single flush-mounted socket with grounding, 2P+Z, splash-proof with a smoke cover, white, IP20, ~250V, 50Hz, max. 16A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SGPT-16PHL	10

SGPT-5 P

**FLUSH-MOUNTED SOCKET
2X2P 16A 250V**

A double flush-mounted socket without grounding, 2x2P, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-5 P	10

SGPT-5AB

**FLUSH-MOUNTED SOCKET
2X2P 16A 250V**

A double flush-mounted socket without grounding, 2x2P, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-5AB	10

SGPT-6 P

**FLUSH-MOUNTED SOCKET
2X2P+Z 16A 250V**

A double flush-mounted socket with grounding, 2x2P+Z, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-6 P	10

SGPT-6AB

**FLUSH-MOUNTED SOCKET
2X2P+Z 16A 250V**

A double flush-mounted socket with grounding, 2x2P+Z, white, IP20, ~250V, 50Hz, max. 16A, for indoor use.



INDEX	Packaging (pcs)
SGPT-6AB	10

SWP-1AB

FLUSH-MOUNTED SINGLE-POLE SWITCH 10A, 250V

A single flush-mounted switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWP-1AB	10

SWP-5AB

FLUSH-MOUNTED STAIRCASE SWITCH 10A, 250V

A single flush-mounted staircase switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWP-5AB	10

SWP-6/7AB

FLUSH-MOUNTED SINGLE THROW LIGHT/BELL SWITCH 10A, 250V

A single flush-mounted single throw switch for light/bell, white, IP20, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWP-6/7AB	10

SWP-8AB

FLUSH-MOUNTED CROSS SWITCH 10A, 250V

A single flush-mounted cross switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWP-8AB	10

SWP-2AB

FLUSH-MOUNTED TWO-BUTTON CANDLE SWITCH 10A, 250V

A flush-mounted two-button candle switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use.



INDEX	Packaging (pcs)
SWP-2AB	10

SGPT-16P

FLUSH-MOUNTED SOCKET 1X2P+Z 16A 250V FOR FRAME SYSTEM

A single flush-mounted socket with grounding, 2P+Z, white, IP20, ~250V, 50Hz, max. 16A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SGPT-16P	10

SGPT-5 PR

FLUSH-MOUNTED DOUBLE SOCKET 2X2P 16A 250V FOR FRAME SYSTEM

A double flush-mounted socket without grounding, 2x2P, white, IP20, ~250V, 50Hz, max. 16A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SGPT-5 PR	10

SGPT-6 PR

FLUSH-MOUNTED DOUBLE SOCKET 2X2P+Z 16A 250V FOR FRAME SYSTEM

A double flush-mounted socket with grounding, 2x2P+Z, white, IP20, ~250V, 50Hz, max. 16A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SGPT-6 PR	10

SWP-1P

FLUSH-MOUNTED SINGLE-POLE SWITCH 10A 250V FOR FRAME SYSTEM

A single flush-mounted switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SWP-1P	12

SWP-2P

FLUSH-MOUNTED TWO-BUTTON CANDLE SWITCH 10A 250V FOR FRAME SYSTEM

A single flush-mounted two-button candle switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SWP-2P	10

SWP-5P

FLUSH-MOUNTED STAIRCASE SWITCH 10A 250V FOR FRAME SYSTEM

A single flush-mounted staircase switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SWP-5P	10

SWP-6/7P

FLUSH-MOUNTED SINGLE THROW LIGHT/BELL SWITCH 10A 250V FOR FRAME SYSTEM

A single flush-mounted single throw switch for light/bell, white, IP20, ~250V, 50Hz, max 10A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SWP-6/7P	10

SWP-8P

FLUSH-MOUNTED CROSS SWITCH 10A 250V FOR FRAME SYSTEM

A single flush-mounted cross switch, white, IP20, ~250V, 50Hz, max 10A, for indoor use, compatible with frame systems.



INDEX	Packaging (pcs)
SWP-8P	10

SRA-1P

SINGLE FRAME



INDEX	Packaging (pcs)
SRA-1P	10

SRA-2P


DOUBLE FRAME



INDEX	Packaging (pcs)
SRA-2P	10

SRA-3P

TRIPLE FRAME



INDEX	Packaging (pcs)
SRA-3P	10

SRA-4P

QUADRUPLE FRAME



INDEX	Packaging (pcs)
SRA-4P	5

SPSLO-1

EXTENSION CORD 2X1MM2, ORANGE

An extension cord designed for individuals who need to connect small devices in a garage, allotment, camping site, etc., such as a kettle, radio, or electric lawnmower.

- single socket without grounding
- orange OMY cable - sheathed cable (O), residential (M), with multi-strand copper conductors, insulated and coated with PVC (Y)
- two-core cable 2x1 mm²
- extended max 10A, 2300W
- for indoor and outdoor use
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPSLO-1-10	10	10
SPSLO-1-15	15	10
SPSLO-1-20	20	10
SPSLO-1-25	25	10
SPSLO-1-30	30	10
SPSLO-1-40	40	5

SPPLJ-1

RUBBER EXTENSION CORD 3X1MM2, BLACK

An extension cord designed for more demanding users who expect durability, increased resistance to abrasion, bending, and deformation. Suitable for use in mechanical workshops, automotive, agriculture, and construction.

- single socket with grounding IP44 with cover
- molded plug IP44
- black H05RR-F cable - manufactured according to harmonized standard (H), for 300/500 V (05), insulated with EPR rubber (R) and sheathed with EPR rubber (R), with flexible multi-strand copper conductors (F)
- cable 3x1 mm²
- extended max 10A, 2300W
- for indoor and outdoor use
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPPLJ-1-10	10	10
SPPLJ-1-15	15	10
SPPLJ-1-20	20	10
SPPLJ-1-25	25	5
SPPLJ-1-40	40	5

SPPLJ-2

RUBBER EXTENSION CORD 3X1.5MM2, BLACK

An extension cord designed for more demanding users who expect durability, increased resistance to abrasion, bending, and deformation. Suitable for use in mechanical workshops, automotive, agriculture, and construction.

- single socket with grounding IP44 with cover
- molded plug IP44
- black H05RR-F cable - manufactured according to harmonized standard (H), for 300/500 V (05), insulated with EPR rubber (R) and sheathed with EPR rubber (R), with flexible multi-strand copper conductors (F)
- cable 3x1.5 mm²
- extended max 16A, 3680W
- for indoor and outdoor use
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPPLJ-2-10	10	10
SPPLJ-2-15	15	5
SPPLJ-2-20	20	5
SPPLJ-2-25	25	5
SPPLJ-2-30	30	5
SPPLJ-2-40	40	3

SPPLJ-3

**RUBBER EXTENSION CORD, CABLE
3X2.5MM2, BLACK**

An extension cord designed for demanding users who expect durability, increased resistance to abrasion, bending, and deformation. Suitable for use in mechanical and automotive workshops, agriculture, and construction sites.

- single socket with grounding IP44 with cover
- molded plug IP44
- black cable H05RR-F - manufactured according to the harmonized standard (H), for 300/500 V voltage (05), with EPR rubber insulation (R) and EPR rubber sheath (R), with flexible stranded copper conductors (F)
- cable 3x2.5mm²
- max load 16A, 3680W
- for indoor and outdoor use
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPPLJ-3-10	10	5
SPPLJ-3-20	20	5
SPPLJ-3-30	30	3
SPPLJ-3-40	40	2

SP1GS

**3-PHASE EXTENSION 5X2.5MM2 IP44
H07RN-F**

A single socket three-phase extension cord.

- cable 5x2.5mm²
- IP-44 rating



INDEX	Length (m)	Packaging (pcs)
SP1GS-5M	5	1
SP1GS-10M	10	1
SP1GS-20M	20	1

SP2GZ-WW

**WORKSHOP EXTENSION WITH SWITCH
2X2P+Z 10A 1.5MM2 IP44**

A workshop extension cord with switch.

- 2 sockets 230V
- cable 3x1.5mm²
- IP-44 rating



INDEX	Length (m)	Packaging (pcs)
SP2GZ-WW-3M	3	1
SP2GZ-WW-5M	5	1

SP5GZ-WW

**WORKSHOP EXTENSION WITH SWITCH
5X2P+Z 10A 3M 1.5MM2 IP44**

A workshop extension cord with switch.

- 5 sockets 230V
- cable 3x1.5mm²
- IP-44 rating



INDEX	Length (m)	Packaging (pcs)
SP5GZ-WW-3M	3	1
SP5GZ-WW-5M	5	1

SP3G

PERMANENT EXTENSION CORD, THREE SOCKETS 3X2P, 10A

A white permanent extension cord with a triple socket outlet and socket covers, 3x2p, 2x1mm², IP20, 230V, 50Hz, max 10A, without grounding, for indoor use.



INDEX	Length (m)	Packaging (pcs)
SP3G-1.5M	1,5	1
SP3G-3M	3	1

SP3GZ

PERMANENT EXTENSION CORD, THREE SOCKETS 3X2P+Z, 10A

A white permanent extension cord with a triple socket outlet and socket covers with grounding, 3x2p+Z, 3x1mm², IP20, 230V, 50Hz, max 10A, for indoor use.



INDEX	Length (m)	Packaging (pcs)
SP3GZ-1.5M	1,5	1
SP3GZ-3M	3	1

SP3GZ-W

PERMANENT EXTENSION CORD WITH SWITCH, THREE SOCKETS 3X2P+Z, 10A

A white permanent extension cord with a triple socket outlet with a switch and socket covers with grounding, 3x2p+Z, 3x1mm², IP20, 230V, 50Hz, max 10A, for indoor use.



INDEX	Length (m)	Packaging (pcs)
SP3GZ-W-1.5M	1,5	1
SP3GZ-W-3M	3	1
SP3GZ-W-5M	5	1

SP4GZ-W-1,5M

PERMANENT EXTENSION CORD WITH SWITCH, FOUR SOCKETS 4X2P+Z, 10A,

A white permanent extension cord with a quadruple socket outlet with a switch and socket covers with grounding, 4x2p+Z, 3x1mm², IP20, 230V, 50Hz, max 10A, for indoor use.



INDEX	Length (m)	Packaging (pcs)
SP4GZ-W-1,5M	1,5	1

SPPL-1

PROFESSIONAL LINE DRUM EXTENSION, CABLE 3X1.5MM2

The PROFESSIONAL series is designed for use in workshops. The cable's rubber sheath is much more durable and resistant than the PVC used in the STANDARD series, withstanding bending and trampling.

- 4 grounded sockets IP44 with covers
- rubber socket seal
- molded plug IP44
- black H05RR-F cable - made according to the harmonized standard (H), for 300/500 V voltage (05), with EPR rubber insulation (R) and EPR rubber sheath (R), with stranded copper conductors (F)
- cable 3x1.5 mm²
- ergonomic handle
- max 4A, 920W when fully coiled
- max 16A, 3680W when fully uncoiled
- for indoor and outdoor use
- thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPPL-1-20	20	1
SPPL-1-25	25	1
SPPL-1-30	30	1
SPPL-1-50	50	1

SPPL-3

PROFESSIONAL LINE DRUM EXTENSION, CABLE 3X2.5MM2

Designed for workshops, the PROFESSIONAL series features a rubber cable sheath for enhanced durability and resistance to bending and stepping compared to the STANDARD series' PVC.

- 4 grounded sockets IP44 with covers
- rubber socket seal
- molded plug IP44
- black H05RR-F cable compliant with harmonized standards (H), rated for 300/500 V (05), with EPR rubber insulation and sheath (R), flexible stranded copper conductors (F)
- cable 3x2.5 mm²
- ergonomic handle
- max 6A, 1380W when fully coiled
- max 16A, 3680W when fully uncoiled
- suitable for both indoor and outdoor use
- equipped with a thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPPL-3-20	20	1
SPPL-3-30	30	1
SPPL-3-40	40	1
SPPL-3-50	50	1

SPSL-1

STANDARD LINE DRUM EXTENSION, CABLE 3X1MM2

The STANDARD series is intended for home use, suitable for connecting mobile and portable household appliances in moderate working conditions, such as kitchen devices: washing machines, refrigerators, and heaters, provided there's no risk of the cable coming into contact with hot surfaces.

- 4 grounded sockets IP20
- molded plug
- orange H05VV-F cable according to the harmonized standard (H), rated for 300/500 V (05), with PVC insulation (V) and sheath (V), flexible stranded copper conductors (F)
- cable 3x1 mm²
- ergonomic handle
- max 4A, 920W when fully coiled
- max 16A, 3680W when fully uncoiled
- for both indoor and outdoor use
- thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPSL-1-10	10	1
SPSL-1-15	15	1
SPSL-1-20	20	1
SPSL-1-25	25	1
SPSL-1-30	30	1
SPSL-1-40	40	1

SPSL-2

STANDARD LINE EXTENSION CORD, CABLE 3X1.5MM2

The STANDARD series is designed for home use. The cables are intended for connecting mobile and portable household appliances for general use in medium working conditions, such as kitchen appliances: washing machines, refrigerators, and heaters (provided there is no risk of the cable coming into contact with hot elements).

- 4 sockets with grounding, IP20
- molded plug
- orange cable H05VV-F - made according to the harmonized standard (H), for 300/500 V voltage (05), with PVC insulation (V) and PVC sheath (V), with flexible multi-wire copper conductors (F)
- cable 3x1.5 mm²
- ergonomic handle
- fully retracted cable max 4A, 920W
- fully extended cable max 16A, 3680W
- for indoor and outdoor use
- thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPSL-2-15	15	1
SPSL-2-25	25	1
SPSL-2-30	30	1
SPSL-2-40	40	1
SPSL-2-50	50	1

SPHL-2

HEAVY DUTY EXTENSION CORD REEL, CABLE 3X2.5MM2

The HEAVY DUTY series is designed for industrial use and construction sites. This series features a metal drum with 4 non-rotating sockets, which prevents connected cables from tangling and twisting, greatly facilitating work.

- 4 sockets with grounding and protective flap, IP44
- rubber socket seal
- molded plug, IP44
- black cable H05RR-F - made according to the harmonized standard (H), for 300/500 V voltage (05), with EPR rubber insulation (R) and EPR rubber sheath (R), with flexible multi-wire copper conductors (F) Cable 3x2.5 mm²
- ergonomic handle
- fully retracted cable max 6A, 1380W
- fully extended cable max 16A, 3680W
- for indoor and outdoor use
- thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPHL-2-30	30	1
SPHL-2-40	40	1
SPHL-2-50	50	1

SPHL-1

HEAVY LINE EXTENSION CORD REEL, CABLE 3X1.5MM2

The HEAVY LINE series is designed for industrial use and construction sites. This series features a metal drum with 4 non-rotating sockets, which prevents connected cables from tangling and twisting, greatly facilitating work.

- 4 sockets with grounding and protective flap, IP44
- rubber socket seal
- molded plug, IP44
- black cable H05RR-F - made according to the harmonized standard (H), for 300/500 V voltage (05), with EPR rubber insulation (R) and EPR rubber sheath (R), with flexible multi-wire copper conductors (F)
- ergonomic handle
- fully retracted cable max 4A, 920W
- fully extended cable max 16A, 3680W
- for indoor and outdoor use
- thermal switch
- CE certified



INDEX	Length (m)	Packaging (pcs)
SPHL-1-30	30	1
SPHL-1-40	40	1
SPHL-1-50	50	1

SPBS

3-PHASE DRUM EXTENSION 5X1.5MM²+2X230V IP44 H07RN-F

A drum extension with a three-phase connection

- one 400V socket, two 230V sockets
- cable 5x1.5mm²
- IP-44 rating



INDEX	Length (m)	Packaging (pcs)
SPBS-20M	20	1
SPBS-30M	30	1

SWAGO2.5

WAGO CONNECTOR FOR CABLE UP TO 2.5MM²

- easy wire connection due to compact design
- wire cross-section range: 0.5 ... 2.5 mm²
- allows for the connection of wires of different cross-sections
- single-wire copper wire installation using the PUSH WIRE® clamp
- rated parameters according to IEC/EN 60664-1
- rated voltage (II/2): 450 V
- rated current: 24 A
- quantity per package: 20 pcs.



INDEX	Packaging (pcs)
SWAGO2.5x2	10pk.
SWAGO2.5x3	10pk.
SWAGO2.5x4	10pk.
SWAGO2.5x5	10pk.

SWAGO4

WAGO CONNECTOR FOR CABLE/WIRE UP TO 4MM²

- easy to use: lift the lever, insert the wire, lower the lever
- available in 2-, 3-, and 5-wire versions
- comfortable installation of wires with a cross-section from 0.14 to 4 mm²
- installation of single and multi-strand wires and cables
- time-saving for installers and device manufacturers
- quick connection of high-power devices
- safety in the installation of long wires with larger cross-sections
- mounting adapter for standard-compliant installation
- mounting options can be customized according to customer needs



INDEX	Packaging (pcs)
SWAGO4x2	10pk.
SWAGO4x3	10pk.
SWAGO4x5	10pk.



88





POWER TOOLS



S-KUD12B-0

INDEX	Packaging (pcs)
S-KUD12B-0	1

1/2" 18V BRUSHLESS IMPACT WRENCH 400NM

- motor: Brushless
- protections: Overload and Overheating
- torque: High, maximum 400 Nm
- torque Adjustment: 5-stage electronic
- mechanism Protection: Rubber protection for aluminum housing
- chuck: Durable 1/2" with ball detent
- impact Rate: Optimally synchronized with rotational speed
- version: Bare tool, without battery and charger



Technical specifications:

No-load Speed [rpm]:	0 - 2200
Chuck:	1/2"
Maximum Torque [Nm]:	400
Battery Voltage [V]:	18
Impact Rate [impacts/min]:	0 - 3300
Weight [kg]:	1,6
Protection Class:	II

S-MUDB-0

INDEX	Packaging (pcs)
S-MUDB-0	1

SDS-PLUS 18V BRUSHLESS ROTARY HAMMER 1.7J



Technical specifications:

No-load speed [rpm]:	0 - 1400
Impact energy [J]:	1,7
Battery voltage [V]:	18
Impact rate [impacts/min]:	4500
Weight [kg]:	1,8
Total length [mm]:	300
Protection class:	II
Max drilling diameter in concrete [mm]:	22
Max drilling diameter in steel [mm]:	13
Max drilling diameter in wood [mm]:	28

- brushless motor
- overload protection
- overheat protection
- lightweight, compact, and well-balanced design
- 4 modes of operation (drilling, hammer drilling, chiseling, chisel position adjustment)
- drill chuck and SDS+ adapter included in the set
- rubber grip
- bare tool version, does not include battery and charger

S-ZUD14B-0**1/4" 18V BRUSHLESS IMPACT DRIVER
180NM**

- brushless motor
- overload protection
- overheat protection
- quick-release HEX bit holder
- compact and very lightweight design significantly improves work comfort
- high torque for driving even the longest screws
- bare tool version, does not include battery and charger

INDEX

S-ZUD14B-0

Packaging
(pcs)

1

**Technical specifications:**

No-load Speed [rpm]:	0 - 2200
Chuck:	1/4"
Maximum Torque [Nm]:	180
Battery Voltage [V]:	18
Impact Rate [impacts/min]:	0 - 3300
Weight [kg]:	1,1
Protection Class:	II

S-PT165B-0**165MM 18V BRUSHLESS CIRCULAR SAW**

INDEX

S-PT165B-0

Packaging
(pcs)

1

**Technical specifications:**

Blade Diameter [mm]:	165
Max. Cutting Depth at 0° [mm]:	50
Max. Cutting Depth at 45° [mm]:	35
No-load Speed [rpm]:	3650
Total Length [mm]:	340
Battery Voltage [V]:	18
Weight [kg]:	2,5
Protection Class:	II

- brushless motor
- overload protection
- overheat protection
- compact, durable, and lightweight design
- blade change wrench, dust ejection nozzle, and parallel guide included
- tool-free adjustment of cutting properties (angle, depth)
- base cutout for visibility of the material being cut
- bare tool version, does not include battery and charger

S-SK125B-0

18V 125MM BRUSHLESS ANGLE GRINDER

INDEX	Packaging (pcs)
S-SK125B-0	1



Technical specifications:

Disc diameter [mm]: **125**
 No-load speed [rpm]: **8500**
 Spindle: **M14**
 Battery voltage [V]: **18**
 Weight [kg]: **1,4**
 Protection class: **II**

- brushless motor
- restart protection
- overload protection
- overheat protection
- tool-free guard adjustment
- disc changing wrench in the handle
- handle can be mounted in three positions
- bare tool version, does not include battery and charger

S-SMB-0

18V 125MM BRUSHLESS RANDOM ORBIT SANDER

INDEX	Packaging (pcs)
S-SMB-0	1



Technical specifications:

Disc diameter [mm]: **125mm**
 No-load speed [rpm]: **0 - 10000**
 Battery voltage [V]: **18**
 Weight [kg]: **1,1**
 Protection class: **II**

- brushless motor
- overload protection
- overheat protection
- dust bag included
- rubber pad cover
- quick-change hook and loop sanding sheets
- bare tool version, does not include battery and charger

S-WWUDC-0**18V BRUSHLESS IMPACT DRILL/DRIVER
50NM**

- brushless motor
- overload protection
- overheat protection
- 20 torque settings
- two-speed gearbox
- 3 modes of operation - drilling, hammer drilling, screwdriving
- quick-release, metal drill chuck
- side handle and case included
- bare tool version, does not include battery and charger

INDEX

Packaging
(pcs)

S-WWUDC-0

1

**Technical specifications:**

No-load speed [rpm]:

- high: **0-1800**
- low: **0-500**

Maximum torque [Nm]: **50**Battery voltage [V]: **18**Impact rate [impacts/min]: **28800**Weight [kg]: **1,3**Total length [mm]: **220**Drill chuck [mm]: **13mm (1/2")**Protection class: **II****S-WRB-0****18V BRUSHLESS JIGSAW 25MM STROKE**

INDEX

Packaging
(pcs)

S-WRB-0

1

**Technical specifications:**Stroke [mm]: **25mm**No-load speed [strokes/min]: **0 - 3000**Battery voltage [V]: **18**Weight [kg]: **1,8**Max. cutting depth - wood [mm]: **90**Max. cutting depth - metal [mm]: **10**Protection class: **II**

- brushless motor
- overload protection
- overheat protection
- 4-step pendulum action for the saw blade
- tool-free, quick blade change mechanism
- dust blowing function (vacuum adapter included)
- sturdy aluminum base coated with Teflon to reduce friction and improve maneuverability, with tool-free angle adjustment
- tool-free side guide adjustment (guide included)
- workpiece illumination
- bare tool version, does not include battery and charger

S-NTB-0

18V GRASS AND HEDGE TRIMMER

INDEX	Packaging (pcs)
S-NTB-0	1



Technical specifications:

Blade size [mm]:	7,6mm
No-load speed [rpm]:	0 -1200
Battery voltage [V]:	18
Weight: hedge trimmer/grass trimmer [kg]:	1,1/1,3
Hedge trimmer length [mm]:	199
Grass trimmer width [mm]:	92
Grass trimmer width [mm]:	11

- overload protection
- overheat protection
- compact, durable, and lightweight design
- 2 interchangeable blades with a simple changing mechanism - grass trimmer, hedge trimmer
- bare tool version, does not include battery and charger

S-A2

18V 2.0 AH BATTERY

Lithium-ion battery with a capacity of 2Ah
Compatible with the Eine Battery+ series power tools. Compatible with charger S-SL24

INDEX	Packaging (pcs)
S-A2	1



Technical specifications:

Capacity [Ah]:	2
Charging speed [min]:	50

S-A4

18V 4.0 AH BATTERY

Lithium-ion battery with a capacity of 4Ah
Compatible with the Eine Battery+ series power tools. Compatible with charger S-SL24

INDEX	Packaging (pcs)
S-A4	1



Technical specifications:

Capacity [Ah]:	4
Charging speed [min]:	100

S-SL24

INDEX

Packaging
(pcs)**FAST CHARGER 2.4A**

S-SL24

1

A fast system charger with a slot for a single battery from the Eine Battery+ 18V series across all Ah classes.

**Technical specifications:**

Rated Current [A]:	2,4
Power Consumption [W]:	70
Charging Time for 2Ah Battery [min]:	35-50
Charging Time for 4Ah Battery [min]:	70-100
Input Voltage [V]:	220-240V; 50-60Hz
Output Voltage [V]:	14,4-18V



9





CHEMICS

FOAMS 220

AREOZOLS 222

WASHING LIQUIDS 225

S0602-650-012

TUBE-MOUNTED MOUNTING FOAM 650ML

This is a single-component, low-pressure sealing and mounting foam for application with a tube - included in the set. It is intended for:

- installing wooden, hard PVC, steel, and aluminum window and door frames
- filling ducts, breakthroughs, and cracks in walls
- installing and filling thermal insulation for roofs and flat roofs, thermal insulation systems, water networks, and central heating
- soundproofing and silencing partition walls
- bonding and gluing

It can be applied at ambient temperatures ranging from +5°C to +30°C.



INDEX	Capacity (ml)	Packaging (pcs)
S0602-650	650	12

S0601-750

GUN-MOUNTED MOUNTING FOAM 750ML

This is a single-component, low-pressure sealing and mounting foam for application with a gun. It is intended for:

- installing wooden, hard PVC, steel, and aluminum window and door frames
- filling ducts, breakthroughs, and cracks in walls
- installing and filling thermal insulation for roofs and flat roofs, thermal insulation systems, water networks, and central heating
- soundproofing and silencing partition walls
- bonding and gluing

It can be applied at ambient temperatures ranging from +5°C to +30°C.



INDEX	Capacity (ml)	Packaging (pcs)
S0601-750	750	12

S0607-650

TUBE-MOUNTED WINTER MOUNTING FOAM 650ML

This is a single-component, low-pressure sealing and mounting foam for application with a tube - included in the set. It is intended for:

- installing wooden, hard PVC, steel, and aluminum window and door frames
- filling ducts, breakthroughs, and cracks in walls
- installing and filling thermal insulation for roofs and flat roofs, thermal insulation systems, water networks, and central heating
- soundproofing and silencing partition walls
- bonding and gluing

It can be applied at ambient temperatures ranging from -10°C to +30°C.



INDEX	Capacity (ml)	Packaging (pcs)
S0607-650	650	12

S0605-750

WINTER GUN FOAM 750ML

A single-component, low-expansion foam sealant for gun application. Designed for:

- installing window and door frames made of wood, hard PVC, steel, and aluminum
- filling ducts, breakthroughs, and gaps in walls
- installation and supplementation of thermal insulation for roofs and flat roofs, insulation systems, water, and central heating networks
- soundproofing and silencing partition walls
- bonding and sealing

The winter version can be applied in ambient temperatures from -10°C to +30°C.



INDEX	Capacity (ml)	Packaging (pcs)
S0605-750	750	12

S0609-300

CHEMICAL ANCHOR 300ML

A two-component, fast-curing, styrene-free polyester resin-based liquid anchor for permanent mounting in construction materials. Used for:

- anchoring building construction elements in concrete and solid ceramic bricks, hollow bricks, and silicate bricks
- anchoring steel threaded rods, both horizontally and vertically
- serving as a construction filler and repair mortar

Storage temperature: +5°C to +25°C

Application temperature: -10°C to +35°C

Includes 2 mixers.



INDEX	Capacity (ml)	Packaging (pcs)
S0609-300	300	15

SODRDZ

RUST REMOVER WITH MOS2 400ML

An industrial product designed for easy and effective releasing of seized and rusted screw connections. Thanks to its penetrating properties, it loosens and separates even the most seized screws, hinges, and pins while protecting against corrosion. The presence of molybdenum disulfide creates a lubricating layer preventing squeaks.

- unlocks seized connections
- excellent penetration properties
- protects against corrosion
- contains molybdenum disulfide to prevent re-seizing of connections



INDEX	Capacity (ml)	Packaging (pcs)
SODRDZ	400	12

SAS-01

ALUZINC SILVER 500ML

A mixture of aluminum and zinc providing excellent corrosion protection. It is used for repairing damaged galvanized components, welded and cut areas, and also finds application in corrections of hot-dip galvanized elements and in welding. The product features quick drying time, excellent surface coverage, and superb adhesion to most metals. Thanks to the right proportions of components, including zinc and aluminum particles of the highest purity (99.9%), the product does not run off surfaces, creating a uniform, aesthetic coating that is resistant to abrasion, atmospheric conditions, and high temperatures.



INDEX	Capacity (ml)	Packaging (pcs)
SAS-01	500	12

SPRMUL-40

MULTI-40 MULTI-PURPOSE AGENT 400ML

A multispray for the maintenance of mechanical and electronic devices. A multifunctional lubricant, cleaner, and protector for hard-to-reach areas against moisture, salt, and other corrosion-inducing factors.

- facilitates the operation of hinges, bolts, guides, and other metal mechanical components.
- loosens rusted connections, screws, nuts, etc.
- reduces friction preventing squeaks and grinds.
- universal application across all industries

Operating temperature range from -35°C to +180°C.



INDEX	Capacity (ml)	Packaging (pcs)
SPRMUL-40	400	12

SPASMI

COPPER PASTE 400ML

A highly adhesive protective paste with maximum solid copper particles, antioxidants, and anti-corrosive agents. Prevents seizing, galling, jamming, and corrosion of parts exposed to high temperatures and harsh atmospheric conditions.

- operating temperature range from -30°C to +1200°C.
- facilitates assembly and disassembly of components.
- resistant to high pressure and washout by hot or salty water.
- suitable for lubrication and maintenance of threaded and press-fit connections, spark plug threads, injectors, flanges, boiler valves, steam installations, heating mains, foundry mold equipment, hubs, wheel screws and nuts, exhaust systems, oven hinges, brake shoe axes, and guide blocks.
- used in the metallurgical, chemical, woodworking, mining, textile, paper, automotive workshops, power plants, heating plants, and gasworks industries.



INDEX	Capacity (ml)	Packaging (pcs)
SPASMI	400	12

S0201-400

DRILLING AND TAPPING FLUID 400ML

Highly efficient, special cooling and lubricating oil for all machining where loads and stresses occur. Enables higher speed operation by reducing friction and lowering temperature. Suitable for various drilling, tapping, and cutting operations. Free from chlorine additives. Can be used on different materials: steel including stainless, non-ferrous metals, plastics. Prevents chip adhesion, highly effective and economical. Especially useful in toolrooms for the production of injection molds, dies, and other metal parts, as well as in shipyards, repair shops, and other industrial facilities. The product allows for operation in temperatures ranging from -35°C to +205°C.



INDEX	Capacity (ml)	Packaging (pcs)
S0201-400	400	12

SSP-01

PENETRATING GREASE 500ML

This product has penetrating properties while forming a lubricating film resistant to high pressures, rotations, and impacts. It reduces friction and wear on machine parts and equipment. Provides lubrication without the need for disassembly.

- prevents corrosion
 - eliminates jamming and dampens vibrations
 - compatible with O-rings and other types of seals
 - resistant to salt and water wash-off
 - free from silicones and acids
- Temperature range from -30°C to 200°C.



INDEX	Capacity (ml)	Packaging (pcs)
SSP-01	500	12

SSS-01

SYNTHETIC GREASE WITH TEFLON 500ML

Synthetic grease with penetrating properties and added PTFE teflon fortifier offers excellent resistance to pressures and high temperatures. Its penetrating capabilities allow for lubrication of tight fits and can be used during breakdowns. Its penetrating properties ensure it reaches all areas requiring lubrication. The presence of PTFE particles significantly strengthens and prolongs the lubrication process – even if the oil film is disrupted, ensuring long-lasting performance. Ideal for lubricating hidden areas and cutting tools such as taps, mills, or drills. Prevents wear, does not flow from the lubrication site, and creates an anti-corrosion layer.



INDEX	Capacity (ml)	Packaging (pcs)
SSS-01	500	12

SSLL

LINE AND CHAIN GREASE 500ML

Highly adhesive synthetic grease providing efficient and long-lasting lubrication and maintenance for ropes and chains. It penetrates hard-to-reach areas, forming a durable, thin oil film resistant to wear, oxidation, corrosion, saltwater, and sunlight exposure.

- retains elasticity and does not become brittle at low temperatures.
- resistant to high pressure.
- free from silicone, AOX compounds, and solid lubricants.

Designed for use in temperatures ranging from -30°C to 200°C.



INDEX	Capacity (ml)	Packaging (pcs)
SSLL	500	12

SSPSIL

SILICONE SPRAY 400ML

A universal silicone lubricant that eliminates friction and material resistance. Used across various industries wherever adhesion problems or high friction occur.

- preserves and prevents rubber from crumbling.
- cares for plastic and metal components.
- anti-adhesive and antistatic.
- creates a thin lubricating film.
- includes an additional tube applicator for use in hard-to-reach areas.
- gives a glossy finish to rubber products, preventing them from crumbling, sticking, or freezing.

Wide operating temperature range from -50°C to +200°C.



INDEX	Capacity (ml)	Packaging (pcs)
SSPSIL	400	12

S0202-400

DRY PTFE LUBRICANT 400ML

A grease-free lubricating agent that coats surfaces with a slippery layer, preventing sticking. Provides a weather-resistant, strongly adherent, dry film that does not attract dirt, dust, or debris. Offers corrosion protection. Used for periodic lubrication of conveyors, chutes, slides, pins, journals, and ejectors. Especially useful under medium loads and low sliding speeds.



INDEX	Capacity (ml)	Packaging (pcs)
S0202-400	400	12

SZMYW-01

BRAKE CLEANER 500ML

A slow-evaporating cleaner that effectively cleans and degreases components from all kinds of dirt. Thanks to a modern formula combining the strongest active substances, the product effectively removes waxes, oils, greases, temporary protection agents, and adhesive residues.

- does not contain acetone
- rubber neutral
- suitable for cleaning surfaces before gluing and painting
- cleans brake system components and clutches
- removes protective coatings from brake discs, anti-corrosion coatings from injection molds, soot, and stubborn dirt
- strong jet effectively flushes out contaminants
- pleasant scent does not hinder work
- used in the metallurgical, shipbuilding, mining, printing, automotive, and chemical industries



INDEX	Capacity (ml)	Packaging (pcs)
SZMYW-01	500	12

S0204

PREMIUM BRAKE CLEANER

A slow-evaporating cleaner that effectively cleans and degreases components from all kinds of dirt. Using a modern formula with the strongest active substances, it effectively removes waxes, oils, greases, temporary protection agents, and adhesive residues.

- does not contain acetone
- rubber neutral
- suitable for cleaning surfaces before gluing and painting
- cleans brake system components and clutches
- removes protective coatings from brake discs and anti-corrosion coatings from injection molds, soot, and stubborn dirt
- strong jet effectively flushes out contaminants
- pleasant scent does not hinder work
- used in the metallurgical, shipbuilding, mining, printing, automotive, and chemical industries
- highly volatile product, store in tightly closed containers



INDEX	Capacity (ml)	Packaging (pcs)
S0204-500	0,5	12

S0219-750

WINDSHIELD DE-ICER 750ML

Quickly and effectively removes frost and ice from car windshields and prevents re-freezing. Good visibility, especially in the winter season, increases driving safety. Due to the de-icer's effectiveness, there is no need for a scraper, which avoids scratching the glass and makes the de-icing process less cumbersome. Can also be used to defrost windshield wiper blades.



INDEX	Capacity (ml)	Packaging (pcs)
S0219-750	750	12

S0403

HAND WASHING GEL

Contains skin-protecting ingredients to prevent hand dryness and irritation. Specially formulated synthetic abrasive enhances the mechanical efficiency of washing.

- lighter than water
- does not clog drains
- dermatologically tested
- environmentally friendly
- biodegradable



INDEX	Capacity (L)	Packaging (pcs)
S0403-500	0,5	20
S0403-004	4	1

S0402

HAND WASHING PASTE

Contains skin-protecting ingredients to prevent hand dryness and irritation. Specially formulated synthetic abrasive enhances the mechanical efficiency of washing.

- lighter than water
- does not clog drains
- dermatologically tested
- environmentally friendly
- biodegradable



INDEX	Capacity (L)	Packaging (pcs)
S0402-500	0,5	18
S0402-005	5	1
S0402-010	10	1

S0403-00P

4L GEL DISPENSING PUMP

Dispensing pump for 4L gel.

- facilitates economical and hygienic dispensing directly onto hands
- made from high-quality materials
- helps save gel consumption while maintaining freshness



INDEX	Packaging (pcs)
S0403-00P	1

S0403-00U

4L GEL MOUNTING BRACKET

Mounting bracket for 4L gel.

- made from stainless steel
- designed for 4-liter containers
- allows for the mounting of paste/gel containers, facilitating dispensing



INDEX	Packaging (pcs)
S0403-00U	1

S0509

ACTIVE FOAM FOR HEAVY DIRT

A professional product designed to remove all kinds of dirt from car bodies, trailers, rail cars, chassis, wheels, aluminum parts, etc. It effortlessly removes insect residues, glue, tar, bird droppings, and brake pad dust, among others. Also recommended for cleaning exceptionally heavily soiled surfaces. Can be used as foam or spray.



INDEX	Capacity (L)	Packaging (pcs)
S0509-002	2	1
S0509-005	5	1

S0503

PAVING STONE CLEANING AGENT

A concentrated, low-foaming agent with degreasing properties designed for removing stubborn stains from paving stones, sidewalk slabs, and other concrete surfaces, such as oils, greases, fats, street dirt, operational traces, and leaf stains.



INDEX	Weight (kg)	Packaging (pcs)
S0503-001	1	12
S0503-005	5	1

S0501

ACTIVE FOAM FOR TRUCKS

An alkaline, highly concentrated product for mechanical (touchless) washing of trucks, buses, agricultural machines, construction machinery, and other alkaline-resistant vehicles. It features excellent degreasing properties. This high-quality truck wash product in the form of active foam has a wide range of applications, allowing the removal of stubborn road, oil, and other types of dirt from bodies, chassis, wheels, trailers, tarpaulins, rail cars, tankers, etc. Contains corrosion inhibitors. Phosphate-free, environmentally friendly. Foam-forming preparation – apply to washed surfaces using a pressure or foam-generating device.



INDEX	Weight (kg)	Packaging (pcs)
S0501-005	5	1
S0501-020	20	1

S0510-001

**ACTIVE FOAM FOR PASSENGER CARS
1KG**

A highly concentrated product for mechanical washing of passenger vehicles in the form of active foam. It has excellent degreasing properties. The abundant foam effectively removes all current road contaminants. It does not discolor chrome-nickel, steel elements, etc. Neutral to plastic surfaces and rubber seals. Contains corrosion inhibitors. Phosphate-free, environmentally friendly.



INDEX	Weight (kg)	Packaging (pcs)
S0510-001	1	12

S0506

CLEANER FOR HEAVILY SOILED SURFACES

A concentrated, industrial-use cleaner for heavily soiled surfaces such as floors, machine bodies, etc. Simplifies various cleanliness maintenance problems by using just one product. Removes all grease and oil contaminants. Easily mixes with water. Thoroughly removes contaminants from natural, mineral, and synthetic fats. Stands out for its quick drying compared to other products. Biodegradable.



INDEX	Capacity (L)	Packaging (pcs)
S0506-001	1	12
S0506-005	5	1

S0502

ENGINE CLEANER

A concentrated product designed for cleaning engines and removing grease and oil stains. Effectively removes salt deposits and other stubborn dirt. Contains corrosion inhibitors to prevent damage to paint. Does not react with rubber or plastics. Easily removed even with cold water. Biodegradable. Can also be used for cleaning rims, floors, upholstery.



INDEX	Capacity (L)	Packaging (pcs)
S0502-001	1	12
S0502-005	5	1



10





HEALTH AND SAFETY

PROTECTIVE MASKS	232
SAFETY GLASSES	234
GLOVES	235
BELTS	238
FOOTWEAR, SOCKS	238
WORKING CLOTHING	242

FFP1

PROTECTIVE MASK

Professional jump leads made from pure copper with a silicone coating, essential for every vehicle.

- type FFP1: Protection against non-toxic aerosols in liquid or solid form (e.g., oil mists) at concentrations up to 4.5xOEL or 4xAPF (OEL)
- type FFP2: Protection against non-toxic aerosols in liquid or solid form (e.g., oil mists) at concentrations up to 10xOEL or 9.5xAPF (OEL)
- FFP1 filtration efficiency 80%
- FFP2 filtration efficiency 94%
- Fitted with an elastic band
- metal nose clip on the outer part of the half mask
- foam cushion to protect the nose from indentation
- the round shape of the half mask ensures a fit to the face
- ideal protection against dust and fine particles
- meets EN149 standard requirements



INDEX	Packaging (pcs)
FFP1	200

FFP2

PROTECTIVE MASK

Application: Non-toxic dust, agricultural industry, food industry, use in quarries, cement plants, woodworking industry with softwood (coniferous) processing. Especially for dusts such as calcium carbonate, natural and synthetic graphite, gypsum, chalk, cement, plaster, marble, zinc oxide, plant pollens, cellulose, sulfur, cotton, iron metal filings, coal dust containing less than 10% free silica.

- type FFP1: Protection against non-toxic aerosols in liquid or solid form (e.g., oil mists) at concentrations up to 4.5xOEL or 4xAPF (OEL)
- type FFP2: Protection against non-toxic aerosols in liquid or solid form (e.g., oil mists) at concentrations up to 10xOEL or 9.5xAPF (OEL)
- FFP1 filtration efficiency 80%
- FFP2 filtration efficiency 94%
- Fitted with an elastic band
- metal nose clip on the outer part of the half mask
- foam cushion to protect the nose from indentation
- the round shape of the half mask ensures a fit to the face
- ideal protection against dust and fine particles
- meets EN149 standard requirements



INDEX	Packaging (pcs)
FFP2	200

FFP1V**PROTECTIVE MASK WITH VALVE**

Professional jump leads with pure copper and a silicone coating, essential equipment for every vehicle.

- FFP1V type with valve: Protection against non-toxic aerosols in liquid or solid state (e.g., oil mists) at concentrations of 4.5xOEL or 4xAPF (NDS)
- FFP2V type with valve: Protection against non-toxic aerosols in liquid or solid state (e.g., oil mists) at concentrations of 10xOEL or 9.5xAPF (NDS)
- FFP1 filtration efficiency 80%
- FFP2 filtration efficiency 94%
- Fitted with an elastic band
- metal nose clip on the external part of the half-mask
- foam nose cushion to prevent indentation
- round shape of the half-mask ensures a fit to the face
- ideal protection against dust and small particles
- meets EN149 standard requirements



INDEX

FFP1V

Packaging
(pcs)

120

FFP2V**PROTECTIVE MASK WITH VALVE**

Professional jump leads with pure copper and a silicone coating, essential for every vehicle.

- FFP1V type with valve: Protection against non-toxic aerosols in liquid or solid state (e.g., oil mists) at concentrations of 4.5xOEL or 4xAPF (NDS)
- FFP2V type with valve: Protection against non-toxic aerosols in liquid or solid state (e.g., oil mists) at concentrations of 10xOEL or 9.5xAPF (NDS)
- FFP1 filtration efficiency 80%
- FFP2 filtration efficiency 94%
- Fitted with an elastic band
- metal nose clip on the external part of the half-mask
- foam nose cushion to prevent indentation
- round shape of the half-mask ensures a fit to the face
- ideal protection against dust and small particles
- meets EN149 standard requirements



INDEX

FFP2V

Packaging
(pcs)

120

S1301-CC

CLASSIC PROTECTIVE GLASSES

Safety in style. Lightweight, stylish, and modern glasses offer excellent protection without limiting the field of vision.

- top-class optical class protection, providing very high transparency and long wear time.
- impact-resistant polycarbonate lenses
- very lightweight
- adjustable lens angle in relation to the temples to customize the fit
- soft, flexible temples for increased wearing comfort



INDEX	Packaging (pcs)
S1301-CC	120

S1302-CC

CLASSIC PROTECTIVE GOGGLES

Full protective CLASSIC goggles:

- excellent protection in challenging work conditions
- protection against fragments, particles, and dust
- quadruple ventilation valves prevent internal fogging even under high user exertion
- suitable for individuals wearing prescription glasses
- comes with an adjustable rubber strap, clear, with ventilation, ventilation valves



INDEX	Packaging (pcs)
S1302-CC	120

S1304-CS

PROTECTIVE GLASSES MODEL 2 CLEAR

Safety in style. Lightweight, stylish, and modern glasses offer excellent protection without limiting the field of vision.

- top-class optical class protection, providing very high transparency and long wear time
- impact-resistant polycarbonate lenses
- very lightweight
- adjustable lens angle in relation to the temples to customize the fit
- soft, flexible temples for increased wearing comfort



INDEX	Packaging (pcs)
S1304-CS	120

S1304-DS

PROTECTIVE GLASSES MODEL 2 DARK

Safety in style. Lightweight, stylish, and modern glasses offer excellent protection without limiting the field of vision. Black frame and grey lenses.

- top-class optical class protection, providing very high transparency and long wear time
- impact-resistant polycarbonate lenses
- very lightweight
- adjustable lens angle in relation to the temples to customize the fit
- soft, flexible temples for increased wearing comfort



INDEX	Packaging (pcs)
S1304-DS	144

S1304-YS

PROTECTIVE GLASSES MODEL 2 YELLOW

Safety in style. Lightweight, stylish, and modern glasses offer excellent protection without limiting the field of vision. Yellow lenses.

- top-class optical class protection, providing very high transparency and long wear time
- impact-resistant polycarbonate lenses
- very lightweight
- adjustable lens angle in relation to the temples to customize the fit
- soft, flexible temples for increased wearing comfort



INDEX	Packaging (pcs)
S1304-YS	144

SRR

GLOVES (SET = 12 PAIRS)

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as dampness, contamination, or abrasion of the skin
- yarn color - red, rubber - black
- sizes: 7 -11
- the gloves meet the safety standard: EN-420



INDEX	Size	Packaging (kpl.)
SRR-7	7	20
SRR-8	8	20
SRR-9	9	20
SRR-10	10	20
SRR-11	11	20

SRRZ

COTTON GLOVES (SET = 12 PAIRS)

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as dampness, contamination, or abrasion of the skin
- yarn color - gray, rubber - black
- sizes: 8 -11
- the gloves meet the safety standard: EN-420



INDEX	Size	Packaging (kpl.)
SRRZ-9	9	10
SRRZ-10	10	10
SRRZ-11	11	10

SRRS

GRAY GLOVES (SET = 12 PAIRS)

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as dampness, contamination, or abrasion of the skin
- color - gray
- sizes: 8 -11
- the gloves meet the safety standard: EN-420



INDEX	Size	Packaging (kpl.)
SRRS-8	8	10
SRRS-9	9	10
SRRS-11	11	10

SRRC

BLACK GLOVES (SET = 12 PAIRS)

- Cotton gloves.
- finished with an elastic cuff, seamless
 - resistant to abrasion and tearing
 - do not shrink in contact with water and moisture
 - category 1 - low risk
 - exclusively for work with minimal risk such as dampness, contamination, or abrasion of the skin
 - color - black
 - sizes: 8 -11
 - the gloves meet the safety standard: EN-420



INDEX	Size	Packaging (kpl.)
SRRC-9	9	10
SRRC-10	10	10

SRRN

LATEX COATED GLOVES (SET = 12 PAIRS)

Cotton gloves.

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as moisture, soiling, or epidermal abrasion
- color - blue
- sizes: 8 -11
- gloves meet the EN-420 safety standard



INDEX	Size	Packaging (kpl.)
SRRN-8	8	10
SRRN-9	9	10
SRRN-10	10	10
SRRN-11	11	10

SPAW BHP.183

VAMPIRE GLOVES XL BLUE (10 PAIRS)

Cotton gloves.

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as moisture, soiling, or epidermal abrasion
- yarn color - white, rubber - blue



INDEX	Size	Packaging (kpl.)
SPAW BHP.183	XL	1

SRLZ

INSULATED POLYESTER GLOVES (12 PAIRS)

- finished with an elastic cuff, seamless
- resistant to abrasion and tearing
- do not shrink in contact with water and moisture
- category 1 - low risk
- exclusively for work with minimal risk such as moisture, soiling, or epidermal abrasion
- yarn color - grey, rubber - black
- sizes: 8 -11
- gloves meet the EN-420 safety standard



INDEX	Size	Packaging (kpl.)
SRLZ-8	8	1
SRLZ-9	9	1
SRLZ-10	10	1
SRLZ-11	11	1

SRSK

LEATHER WORK GLOVES WITH VELCRO (12 PAIRS)

Made from natural, breathable materials.

- gloves meet the EN-420 standard



INDEX	Size	Packaging (kpl.)
SRSK-9R	9	1 (12 pairs)
SRSK-10R	10	1 (12 pairs)
SRSK-11R	11	1 (12 pairs)

SRSP

LONG WELDING GLOVES

Entirely the external part is made of cow split leather, protecting hands and wrists.



INDEX	Size	Packaging (pairs)
SRSP-14	14	10
SRSP-16	16	12

SRSPAW-10

WHITE WELDING GLOVES SIZE 10 (12 PAIRS)

Long gloves made of leather.

- protect against burns, soiling, and epidermal abrasion
- intended for welders, fitters, technicians, and mechanics working in a dry environment



INDEX	Size	Packaging (cpl.)
SRSPAW-10	10	1 (12 pairs)

SRDR

SHORT GOAT LEATHER WORK GLOVES (12 PAIRS)

Especially recommended for mechanics.

- suitable for work in both dry and damp environments



INDEX	Size	Packaging (cpl.)
SRDR-8	8	1 (12 pairs)
SRDR-9	9	1 (12 pairs)
SRDR-10	10	1 (12 pairs)
SRDR-11	11	1 (12 pairs)

SRKK

NATURAL GOAT LEATHER WORK GLOVES (12 PAIRS)

Protect against soiling and epidermal abrasion.

- intended for fitters, technicians, and mechanics working in a dry environment



INDEX	Size	Packaging (cpl.)
SRKK-9	9	1 (12 pairs)
SRKK-10	10	1 (12 pairs)
SRKK-11	11	1 (12 pairs)

SRKK-G

NAVY GOAT LEATHER WORK GLOVES (12 PAIRS)

Gloves made of soft grain goat leather. Finished with an additional Velcro fastening allowing convenient wrist circumference adjustment.

- protect against soiling and epidermal abrasion
- intended for fitters, technicians, and mechanics working in a dry environment



INDEX	Size	Packaging (cpl.)
SRKK-8G	8	1 (12 pairs)
SRKK-9G	9	1 (12 pairs)
SRKK-10G	10	1 (12 pairs)
SRKK-11G	11	1 (12 pairs)

SPN01-01

LEATHER ROOFER'S BELT

- handmade
- material: natural suede cowhide
- strap: natural grain cowhide
- weight: 950 g



INDEX	Packaging (pcs)
SPN01-01	1

SPN02-01

LEATHER ELECTRICIAN'S BELT

- handmade electrician's belt
- material: natural suede cowhide
- weight: 550 g



INDEX	Packaging (pcs)
SPN02-01	1

S1138

ACTIV WORK SHOES WITH TOE CAP

Lightweight, breathable footwear with 3M reflectors for excellent user visibility. The "ATF" technology inside the shoe ensures long-lasting freshness. Made of natural suede leather with a two-tone TPU/PU sole. Features a composite toe cap and the highest standard of slip resistance (SRC). Suitable for construction sites, warehouses, and various industries where there is a risk of crushing or other mechanical injuries. Complies with S1 SRC standard.



INDEX	Size	Packaging (pcs)
S1138-36	36	5
S1138-37	37	5
S1138-38	38	5
S1138-39	39	5
S1138-40	40	5
S1138-41	41	5
S1138-42	42	5
S1138-43	43	5
S1138-44	44	5
S1138-45	45	5
S1138-46	46	5

S1140

ACTIV WORK SHOES WITHOUT TOE CAP

Lightweight, breathable footwear with 3M reflectors for excellent user visibility. The "ATF" technology inside the shoe ensures long-lasting freshness. Made of natural suede leather with a two-tone TPU/PU sole. Features the highest standard of slip resistance (SRC).



INDEX	Size	Packaging (pcs)
S1140-36	36	5
S1140-37	37	5
S1140-38	38	5
S1140-39	39	5
S1140-40	40	5
S1140-41	41	5
S1140-42	42	5
S1140-43	43	5
S1140-44	44	5
S1140-45	45	5
S1140-46	46	5

S1214

WORK SANDALS WITH TOE CAP ACTIV

Work footwear.

- upper: suede leather + fabric
- sole: PU Techwork
- toe cap: composite
- lining: anti-vibration fabric
- insole: removable contoured



INDEX	Size	Packaging (pcs)
S1214-35	35	1
S1214-40	40	1
S1214-41	41	1
S1214-42	42	1
S1214-43	43	1
S1214-44	44	1
S1214-45	45	1
S1214-46	46	1

S1139

ACTIV WORK BOOTS WITH TOE CAP

Lightweight, breathable footwear, with 3M reflectors ensuring excellent visibility for the user, and "ATF" technology inside the footwear ensures long-lasting freshness. The upper is made of natural suede leather, the sole is two-tone TPU/PU. It features a composite toe cap. It has the highest slip resistance standard (SRC). Designed for use in construction, warehouses, and various industries where there is a risk of crushing or other mechanical injuries. Conforms to S1 SRC standard.



INDEX	Size	Packaging (pcs)
S1139-36	36	5
S1139-37	37	5
S1139-38	38	5
S1139-39	39	5
S1139-40	40	5
S1139-41	41	5
S1139-42	42	5
S1139-43	43	5
S1139-44	44	5
S1139-45	45	5
S1139-46	46	5

S1141

WORK BOOTS WITH TOE CAP

Lightweight, breathable footwear, with 3M reflectors ensuring excellent visibility for the user, and "ATF" technology inside the footwear ensures long-lasting freshness. The upper is made of natural suede leather, the sole is two-tone TPU/PU. It has the highest slip resistance standard (SRC).



INDEX	Size	Packaging (pcs)
S1141-36	36	5
S1141-37	37	5
S1141-38	38	5
S1141-39	39	5
S1141-40	40	5
S1141-41	41	5
S1141-42	42	5
S1141-43	43	5
S1141-44	44	5
S1141-45	45	5
S1141-46	46	5

S1202

WORK BOOTS WITH TOE CAP

WORK BOOTS WITH TOE CAP

Work boots characterized by a composite toe cap, closed heel area, anti-static properties, and energy absorption in the heel. Work shoes equipped with a composite toe cap prevent the possibility of pinching or cutting the toes, also limit the possibility of the footwear heating up, but above all, they are significantly lighter by up to 50%. The upper is made of leather with synthetic material inserts at the ankle level, with an inside warming lining.

Applications:

- construction
- mechanics
- transport work
- for those working in warehouses
- production halls



INDEX	Size	Packaging (pcs)
S1202-40	40	5
S1202-41	41	5
S1202-42	42	5
S1202-43	43	5
S1202-44	44	5
S1202-45	45	5
S1202-46	46	5
S1202-47	47	5

S1203

WORK BOOTS S3 INSULATED

These boots feature a closed heel area, anti-static properties, and energy absorption in the heel. The upper is made from leather with synthetic inserts at the ankle level, and an insulated lining inside.

Applications:

- construction
- mechanics
- transport work
- for those working in warehouses
- production halls



INDEX	Size	Packaging (pcs)
S1203-40	40	5
S1203-41	41	5
S1203-42	42	5
S1203-43	43	5
S1203-44	44	5
S1203-45	45	5
S1203-46	46	5
S1203-47	47	5

S1205

WORK GUMBOOTS

The gumboots offered in our range are available in a summer version. They are practical footwear for rainy weather as well as for everyday gardening tasks.

- material: PVC + nitrile rubber
- lining: non-woven fabric
- meets the standard: PN-EN ISO 20347: 2012 O4 FO SRC



INDEX	Size	Packaging (pcs)
S1205-39	39	5
S1205-40	40	5
S1205-41	41	5
S1205-42	42	5
S1205-43	43	5
S1205-44	44	5
S1205-45	45	5
S1205-46	46	5

S1209

WORK RUBBER BOOTS WITH FELT LINING

Footwear designed for construction sites, household chores, and workplaces where there is contact with water and cold.

The boots protect against water, moisture, oils, cold, and provide proper energy absorption in the heel.

- soles protect against slipping in category SRC
- material: PVC



INDEX	Size	Packaging (pcs)
S1209-40	40	1
S1209-41	41	1
S1209-42	42	1
S1209-43	43	1
S1209-44	44	1
S1209-45	45	1
S1209-46	46	1

S1215

INSULATED WORK GUMBOOTS

Agricultural and rainproof footwear intended for fields, forests, orchards, and gardens. The product meets the requirements of Directive 89/686/EEC and the regulation of the Minister of Economy dated December 21, 2005 (Journal of Laws No. 259, item 2173). Insulation from cold up to -35°C.

- slip-resistant sole (SRC)
- sock: three-layer hygienic non-woven fabric
- manufacturing method: injection molding
- weight per pair: about 0.50 kg
- upper and sole: EVA



INDEX	Size	Packaging (pcs)
S1215-40	40	1
S1215-41	41	1
S1215-42	42	1
S1215-43	43	1
S1215-44	44	1
S1215-45	45	1
S1215-46	46	1

S1219

SHORT INSULATED RAIN BOOTS

These are utility rain boots designed for outdoor activities such as farming, foresting, gardening, and more, meeting the requirements of Directive 89/686/EEC and the regulations of the Minister of Economy dated December 21, 2005 (Journal of Laws No. 259, item 2173).

- cold insulation up to -30°C
- slip-resistant sole (SRC)
- lining: three-layer hygienic nonwoven fabric
- manufactured by injection molding technique
- weight per pair: approximately 0.50 kg
- upper and sole made of EVA



INDEX	Size	Packaging (pcs)
S1219-40	40	5
S1219-41	41	5
S1219-42	42	5
S1219-43	43	5
S1219-44	44	5
S1219-45	45	5
S1219-46	46	5

S1221

WELDING BOOT

- composite toe cap
- upper: embossed leather
- sole: PU Techwork
- lining: anti-vibration fabric
- insole: removable, contoured
- boot height: 17 cm
- weight: 0.9 kg
- meets the standards of PN-EN ISO 20345: 2012 in category S2 SRC



INDEX	Size	Packaging (pcs)
S1221-41	41	6
S1221-42	42	6
S1221-43	43	6
S1221-44	44	6
S1221-45	45	6

S1310

SCHMITH SOCKS

Material composition:
80% cotton
17% polyamide
3% elastane

- durable
- perfectly fitted
- reinforced at the heel and toes



INDEX	Size	Packaging (pcs)
S1310-3639	36-39	1
S1310-4043	40-43	1
S1310-4447	44-47	1

S11939

WINTER HAT

- warm black knit hat
- fleece lining
- foldable edge for adjustable depth
- thickness: 340 grams
- one size fits all



INDEX	Packaging (pcs)
S11939	1

S11940

CAP WITH VISOR

- classic 6-panel model
- thick combed cotton 340g
- metal buckle for adjusting the cap's circumference
- ventilation holes in the top part
- stiffened, curved visor
- schmith's colorful logo on the side



INDEX	Packaging (pcs)
S11940	1

S1103

FLANNEL SHIRT

Flannel shirt with an additional chest pocket.
Material composition is 100% cotton, CANVAS fabric weave, weight 170g/m2, shrinkage 4%.



INDEX	Size	Packaging (pcs)
S1103-S	S	20
S1103-M	M	20
S1103-L	L	20
S1103-XL	XL	20
S1103-XXL	XXL	20

TSHIRT

SCHMITH T-SHIRT

- high-quality work T-shirt with short sleeves
- breathable, elastic, soft cotton with the addition of elastane for wearing comfort (96% cotton + 4% elastane)
- high weight 180 g/m2
- classic cut with a round neckline
- double stitching on the sleeves and the bottom of the shirt
- shoulder seams reinforced with elastic tape,
- cotton tape reinforcing on the neck
- packaging – plastic bag with a sticker



INDEX	Size	Packaging (pcs)
TSHIRT S	S	1
TSHIRT M	M	1
TSHIRT L	L	1
TSHIRT XL	XL	1
TSHIRT 2XL	2XL	1
TSHIRT 3XL	3XL	1

S1151

JEANS

Our work jeans were designed based on the classic model of jeans and made from highly durable elastic denim fabric with a high weight. With 10 practical pockets, they have all the necessary features for use, while their universal, casual appearance and subdued color allow for wearing outside of work as well.

- CE certificate for compliance with the EN ISO 13688:2013 standard
- jeans fabric 99% cotton + 1% elastane – comfortable and breathable
- high weight 240 g/m2
- slightly raised back for preventing the pants from sliding down when bending or crouching
- brass snaps, buttons, and rivets, metal zipper
- 2 deep front pockets with strong black lining and a tiny pocket for trinkets
- 2 large back pockets
- cargo pockets on both legs - the bottom part of the pocket is not sewn, so crouching is comfortable even with full pockets.
- on the left leg, two pockets for a smartphone and documents - each with a snap closure
- on the right leg, a large three-part pocket and tool loops made from tape
- critical points of pocket attachment are reinforced with rivets and bar tacking
- wide, strong back loop

Each pair of jeans is packed in a plastic bag with a sticker. The package also includes instructions for use and maintenance. Our sizes correspond to the standard jeans sizes in inches, which are provided in the table for convenience.



INDEX	Size	Packaging (pcs)
S1151-XS	XS	1
S1151-S	S	1
S1151-M	M	1
S1151-L	L	1
S1151-XL	XL	1
S1151-2XL	2XL	1
S1151-3XL	3XL	1

Wymiary w cm	XS	S	M	L	XL	2XL	3XL
Size w calach	28	30	32	34	36	38	40
Wzrost	174	176	178	180	182	184	186
	178	180	182	184	186	188	190
Obwód klatki	75	80	85	90	95	100	105
Obwód piersiowej	82	87	92	97	102	107	112

S1134

SOFTSHELL ANTHRACITE

- very comfortable softshell jacket - windproof and waterproof on the outside, with soft fleece on the inside
- 3-layer fabric with TPU membrane
- waterproof 8000mm
- 4-way stretch fabric
- 4 pockets with zipper closure
- double cuffs – inner knitted and outer with adjustable circumference
- extended back
- adjustable circumference of the jacket's bottom and hood
- reflective inserts for increased safety
- composition: 94% polyester + 6% spandex



INDEX	Size	Packaging (pcs)
S1134-S	S	1
S1134-M	M	1
S1134-L	L	1
S1134-XL	XL	1
S1134-XXL	XXL	1

Wymiary w cm	S	M	L	XL	XXL
Wzrost	170	174	178	182	186
	-	-	-	-	-
Obwód pasa	86	94	102	110	118
	-	-	-	-	-
	94	102	110	118	128

S1150

SHORT WINTER JACKET

- waterproof, breathable, and windproof winter jacket.
 - taped seams and PU coating ensure waterproofness.
 - detachable hood with depth and width adjustment.
 - inner fleece collar provides warmth and comfort for the neck.
 - zipper closure with an additional internal wind flap.
 - chest pocket with zipper in a contrasting color that livens up the jacket's color.
 - reflective trims and tapes on the front and back for safety and decoration.
 - additional internal elastic cuffs provide warmth and comfort.
 - ergonomically shaped sleeves follow the natural movements of the arms.
 - by adjusting the lower circumference of the jacket using the PowerPower elastic band and stoppers, it is possible to better fit the figure.
 - the jacket has a total of 8 spacious pockets inside and outside, including pockets with a flap, pockets with a zipper, pockets for a mobile phone, documents and mesh pockets.
- Outer fabric: 100% polyester with PU coating - waterproof and breathable
Lining: 100% polyester
Filling: polyester insulation



INDEX	Size	Packaging (pcs)
S1150-S	S	1
S1150-M	M	1
S1150-L	L	1
S1150-XL	XL	1
S1150-XXL	XXL	1

Wymiary w cm	S	M	L	XL	XXL
Wzrost	170	174	178	182	186
	-	-	-	-	-
Obwód pasa	86	94	102	110	118
	-	-	-	-	-
	94	102	110	118	128

11



GARDENING TOOLS



GARDEN HOSES 246

SPRAY GUNS AND LANCES 246

CONNECTORS, QUICK COUPLINGS 249

GARDEN SPRINKLERS 256

SPRAYERS 259

RAKES, HOOKS, SHOVELS, FORKS 260

LAWN CARE 272

SGWA

GARDEN HOSE

Durable Schmith hose. Designed for long-term use due to its high durability. Suitable for medium use in gardens with structures like lawns, stone slabs, or gravel.

- temperature range for use: -10°C to 50°C
- 3-layer
- UV resistant
- resistant to algae buildup



INDEX	Diameter (inch)	Length (m)	Packaging (pcs)
SGWA-12	1/2"	20	1
SGWA-13	1/2"	25	1
SGWA-14	1/2"	30	1
SGWA-15	1/2"	50	1
SGWA-16	3/4"	20	1
SGWA-17	3/4"	25	1
SGWA-18	3/4"	30	1
SGWA-19	3/4"	50	1

SGWO-01

HOSE TROLLEY 1/2" WITH FIRM WHEELS

High-quality hose reel cart made from corrosion-resistant materials. The main handle is adjustable in height from 85 cm to 95 cm. The cart has transport wheels.



INDEX	Size (inch)	Packaging (pcs)
SGWO-01	1/2"	5

SGWO-02

HOSE TROLLEY 1/2" FIRM

High-quality hose reel cart made from corrosion-resistant materials.



INDEX	Size (inch)	Packaging (pcs)
SGWO-02	1/2"	5

SGPI-01

7-FUNCTION SPRAY GUN METAL FIRM

7-function metal spray gun. Allows watering with various water streams: from concentrated stream to dispersed mist. Continuous operation lock on the selected stream.



INDEX	Packaging (pcs)
SGPI-01	48

SGPI-02**9 FUNCTION SPRAY GUN FEST**

9-function spray gun, FEST type.

- 9-function, ergonomic sprayer made of high-quality plastics
- stepwise water stream adjustment in 9 different settings
- one-hand stream strength adjustment



INDEX

Packaging (pcs)

SGPI-02

48

SGPI-03**METAL SPRAY GUN FEST**

Sturdy metal body, water stream control with a light trigger lever, brass head with smooth stream adjustment.



INDEX

Packaging (pcs)

SGPI-03

48

SGPI-04**SPRAY GUN FEST**

Water stream control with a light trigger lever, smooth stream adjustment, made of plastic.



INDEX

Packaging (pcs)

SGPI-04

48

SGPI-05**SPRAY GUN FEST**

Chrome fest spray gun.

- sturdy metal body
- water stream control with a light trigger lever
- brass head with smooth stream adjustment
- material - ABS rubber



INDEX

Packaging (pcs)

SGPI-05

48

SGPI-06

7-FUNCTION SPRAY GUN

A 7-function spray gun with a shock-resistant plastic nozzle. It features a convenient pressure adjustment button and a continuous operation lock button. The product can operate in the following modes:

- shower
- watering
- bucket filling
- rinsing
- jet
- mist
- soaker



INDEX	Packaging (pcs)
SGPI-06	48

SGPI-07

T-TYPE SPRAY GUN

A spray gun made from durable and shock-resistant ABS rubber. It offers pressure regulation with a highly convenient and damage-resistant solution - a thumb-operated dial. The gun also allows for smooth stream adjustment with a rotary nozzle.



INDEX	Packaging (pcs)
SGPI-07	48

SGLA-01

9-FUNCTION SPRAY LANCE FEST

Ideal for irrigation and cleaning in remote or hard-to-reach areas.



INDEX	Packaging (pcs)
SGLA-01	12

SGPR-01

9-FUNCTION SPRAY SHOWER FEST

A spray shower featuring 9 functions. FEST type.

- a 9-function, ergonomic spray shower made from high-quality plastics
- stepwise water stream adjustment in 9 different settings
- one-handed stream strength regulation



INDEX	Packaging (pcs)
SGPR-01	48

SGPRZ-01**1" FAUCET CONNECTOR FEST**

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: ABS/rubber
- 1-inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-01	1"	30

SGPRZ-02**1" BRASS FAUCET CONNECTOR**

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: brass
- 1-inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-02	1"	12

SGPRZ-03**1/2" - 3/4" FAUCET CONNECTOR FEST**

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: ABS/rubber
- 1/2 - 3/4 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-03	1/2" - 3/4"	30

SGPRZ-04**1/2" - 3/4" BRASS FAUCET CONNECTOR**

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: brass
- 1/2 - 3/4 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-04	1/2" - 3/4"	12

SGPRZ-05

1/2" FAUCET CONNECTOR FEST

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: ABS/rubber
- 1/2-inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-05	1/2"	30

SGPRZ-06

3/4" - 1" FAUCET CONNECTOR FEST

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: ABS/rubber
- 3/4 - 1 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-06	3/4" - 1"	30

SGPRZ-07

3/4" - 1" BRASS FAUCET CONNECTOR

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: brass
- 3/4 - 1 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-07	3/4" - 1"	12

SGPRZ-08

3/4" FAUCET CONNECTOR FEST

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: ABS/rubber
- 3/4 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-08	3/4"	30

SGPRZ-09**3/4" BRASS FAUCET CONNECTOR**

Designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an internal thread inlet.

- material: brass
- 3/4 inch connector



INDEX	Size (mm)	Packaging (pcs)
SGPRZ-09	3/4"	12

SGPRZ-10**3/4" FAUCET CONNECTOR WITH EXTERNAL THREAD**

The connector is designed for connecting quick couplings with irrigation devices such as spray guns, sprinklers, equipped with an external thread inlet.

- material: ABS/rubber
- 3/4 inch connector



INDEX	Size (inch)	Packaging (pcs)
SGPRZ-10	3/4"	30

SGSZ-01**1/2" QUICK CONNECTOR WITHOUT STOP FEST**

The quick connector provides fast and convenient connection of the hose beginning. Just pull to disconnect the quick connector. It fits 1/2 inch hoses. Now the garden hose can be easily attached to the faucet. The specially formed nut ensures a perfect connection with the hose and hassle-free assembly. The grooved grip made of soft plastic ensures comfortable handling.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGSZ-01	1/2"	30

SGSZ-02**1/2" BRASS QUICK CONNECTOR WITHOUT STOP**

The quick connector provides fast and convenient connection of the hose beginning. Just pull to disconnect the quick connector. It fits 1/2 inch hoses. Now the garden hose can be easily attached to the faucet. The specially formed nut ensures a perfect connection with the hose and hassle-free assembly. The grooved grip made of soft plastic ensures comfortable handling.

- material: brass



INDEX	Size (inch)	Packaging (pcs)
SGSZ-02	1/2"	12

SGSZ-03

1/2" QUICK CONNECTOR WITH STOP FEST

This quick connector offers fast and convenient hose beginning connection. Simply pull to disconnect. Suitable for 1/2 inch hoses, making garden hose attachment to faucets easy. The specially designed nut ensures a perfect hose connection and trouble-free installation. The grooved handle made of soft plastic provides comfortable handling.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGSZ-03	1/2"	30

SGSZ-04

3/4" BRASS QUICK CONNECTOR WITH STOP

This quick connector provides quick and convenient hose beginning connection. Just pull to disconnect. Fits 3/4 inch hoses, allowing easy attachment of garden hoses to faucets. The specially designed nut ensures a perfect hose connection and trouble-free installation. The grooved handle made of soft plastic ensures comfortable handling.

- material: brass



INDEX	Size (inch)	Packaging (pcs)
SGSZ-04	1/2"	12

SGSZ-05

3/4" QUICK CONNECTOR WITHOUT STOP FEST

This quick connector allows for quick and convenient hose beginning connection. Simply pull to disconnect. Suitable for 3/4 inch hoses, facilitating easy garden hose attachment to faucets. The specially designed nut ensures a perfect hose connection and hassle-free installation. The grooved handle made of soft plastic provides comfortable handling.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGSZ-05	3/4"	30

SGSZ-06

3/4" BRASS QUICK CONNECTOR WITHOUT STOP

This quick connector enables quick and easy hose beginning connection. Just pull to disconnect. Designed for 3/4 inch hoses, making garden hose attachment to faucets straightforward. The specially designed nut guarantees a perfect hose connection and effortless installation. The grooved handle made of soft plastic ensures ease of use.

- material: brass



INDEX	Size (inch)	Packaging (pcs)
SGSZ-06	3/4"	12

SGSZ-07**3/4" QUICK CONNECTOR WITH STOP FEST**

This quick connector offers quick and comfortable hose beginning connection. Simply pull to disconnect. Suitable for 3/4 inch hoses, allowing easy garden hose attachment to faucets. The specially designed nut ensures a perfect hose connection and hassle-free installation. The grooved handle made of soft plastic provides comfortable handling.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGSZ-07	3/4"	30

SGSZ-08**3/4" BRASS QUICK CONNECTOR WITH STOP**

This quick connector provides quick and comfortable hose beginning connection. Just pull to disconnect. Fits 3/4 inch hoses, facilitating easy attachment of garden hoses to faucets. The specially designed nut guarantees a perfect hose connection and effortless installation. The grooved handle made of soft plastic ensures easy handling.

- material: brass



INDEX	Size (inch)	Packaging (pcs)
SGSZ-08	3/4"	12

SGRE-01**HOSE REPAIRER 1/2" - 3/4"**

The repairer is made from high-quality materials. Used for permanent hose connection. Wide application and reliable performance.

- material: ABS/rubber
- repairer 1/2 - 3/4 inch



INDEX	Size (inch)	Packaging (pcs)
SGRE-01	1/2" - 3/4"	30

SGRE-03**HOSE REPAIRER 1/2" FEST**

The repairer is crafted from high-quality materials. Used for permanent hose connections. Offers wide application and reliable performance.

- material: ABS/rubber
- repairer 1/2 inch



INDEX	Size (inch)	Packaging (pcs)
SGRE-03	1/2"	30

SGRE-04

1/2" BRASS HOSE REPAIRER

Made from high-quality materials, this repairer is used for permanently connecting hoses. It has a wide application and reliable performance.

- material: brass
- repairer for 1/2 inch hose



INDEX	Size (inch)	Packaging (pcs)
SGRE-04	1/2"	12

SGRE-05

3/4" HOSE REPAIRER FEST

This repairer is made from high-quality materials and is used for permanently connecting hoses. It offers wide application and reliable performance.

- material: ABS/rubber
- repairer for 3/4 inch hose



INDEX	Size (inch)	Packaging (pcs)
SGRE-05	3/4"	30

SGRE-06

3/4" BRASS HOSE REPAIRER

Constructed from high-quality materials, this repairer is used for the permanent connection of hoses. It has broad applicability and ensures dependable functioning.

- material: brass
- repairer for 3/4 inch hose



INDEX	Size (inch)	Packaging (pcs)
SGRE-06	3/4"	12

SGRE-07

3/4" - 1/2" HOSE REPAIRER WITH VALVE

This repairer, made from high-quality plastic, is designed for the permanent connection of hose ends with a diameter of 3/4 and 1/2 inches, or for repair in case of mechanical damage. It includes a valve for water flow regulation.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGRE-07	3/4" - 1/2"	25

SGRE-08

HOSE REPAIR CONNECTOR 1/2" - 1/2" WITH VALVE

This connector is made from high-quality plastic. It is designed for permanent connection of hose ends with a 1/2 inch diameter or for repairing in case of mechanical damage. It features a valve for water flow regulation.

- material: ABS/rubber



INDEX	Size (inch)	Packaging (pcs)
SGRE-08	1/2"	25

SGRO-01

DOUBLE HOSE SPLITTER WITH VALVES

This garden hose splitter features valves for connecting two hoses to a faucet. It allows for separate water flow regulation for each hose.



INDEX	Packaging (pcs)
SGRO-01	48

SGZL-01

GARDEN HOSE CONNECTOR SET WITH SPRAY NOZZLE (1/2-3/4)

A 4-piece watering set made from high-quality plastic. The set includes a straight nozzle and quick-connect fittings with a 3/4 inch diameter for easy and problem-free mounting on a garden hose without additional components.

- 1 straight nozzle
- 1 quick-connect through 1/2
- 1 quick-connect stop 1/2
- 1 internal thread connector



INDEX	Size (inch)	Packaging (pcs)
SGZL-01	1/2" - 3/4"	48

SGZL-02

GARDEN HOSE CONNECTOR SET WITH SPRAY NOZZLE (3/4-1)

A 4-piece watering set made from high-quality plastic. The set includes a straight nozzle and quick-connect fittings with a 3/4 inch diameter for easy and problem-free mounting on a garden hose without additional components.

- 1 straight nozzle
- 1 quick-connect through 3/4
- 1 quick-connect stop 3/4
- 1 internal thread connector



INDEX	Size (inch)	Packaging (pcs)
SGZL-02	3/4" - 1"	48

SGTR-02

HOSE TEE CONNECTOR 1/2" - 1/2" - 1/2"

The tee connector allows for convenient branching of hoses. This enables simultaneous garden tasks, such as watering the lawn and flower beds. The tee has three 1/2 inch outlets.



INDEX	Size (inch)	Packaging (pcs)
SGTR-02	1/2"	30

SGLA-04

HOSE CONNECTOR 1/2" - 1/2"

This connector is made from high-quality materials and is used for joining hoses. It offers broad application and reliable performance.

- the connector size is 1/2 inch to 1/2 inch



INDEX	Size (inch)	Packaging (pcs)
SGLA-04	1/2"	30

SGZT-01

TRI-ARM ROTARY SPRINKLER FEST

A three-arm rotary sprinkler made from plastic, designed to be staked into the ground with a through spike. The spike includes a nipple for quick connectors and allows for daisy-chaining with other sprinklers.



INDEX	Packaging (pcs)
SGZT-01	48

SGZR-01

PLASTIC IMPULSE SPRINKLER FEST

An impulse sprinkler that stakes into the ground, made from plastic. It offers adjustable size and shape of the watering area. Features a sector spray lock to concentrate watering in a specific area. The spike includes a nipple for quick connectors and allows for daisy-chaining with other sprinklers.



INDEX	Packaging (pcs)
SGZR-01	48

SGZR-02

IMPULSE SPRINKLER

A plastic impulse sprinkler with adjustable spray range and pattern. It includes a lock for spraying a selected sector. The spike has a nipple for quick connectors and can be connected in series with other sprinklers.



INDEX	Packaging (pcs)
SGZR-02	48

SGZR-03

THREE-ARM SPRINKLER FEST

An impulse, spike-mounted, plastic sprinkler with adjustable spray range and pattern. It includes a sector spray lock. The spike comes with a nipple for quick connectors, allowing for serial connections with other sprinklers.



INDEX	Packaging (pcs)
SGZR-03	48

SGZR-04

METAL IMPULSE SPRINKLER FEST

A metal, spike-mounted, impulse sprinkler with adjustable spray range and pattern. It includes a lock for spraying a selected sector. The spike has a nipple for quick connectors, allowing for serial connections with other sprinklers.



INDEX	Packaging (pcs)
SGZR-04	48

SGZR-05

PLASTIC-METAL IMPULSE SPRINKLER FEST

A spike-mounted, plastic-metal impulse sprinkler with an adjustable spray range and pattern. It features a lock for spraying a selected sector. The spike includes a nipple for quick connectors and can be connected in series with other sprinklers.



INDEX	Packaging (pcs)
SGZR-05	48

SGZR-06

GARDEN SPRINKLER - IMPULSE SHOWER

An impulse sprinkler, mounted on a tripod and made of plastic. It allows for adjustable coverage area and spray pattern. It also includes a sector spray lock feature.



INDEX	Packaging (pcs)
SGZR-06	48

SGZR-07

ROTATING TRI-ARM GARDEN SPRINKLER "BUTTERFLY"

A rotating, impulse, adjustable sprinkler set on a butterfly-shaped base. This garden sprinkler is made from high-quality, durable plastic.



INDEX	Packaging (pcs)
SGZR-07	20

SGZR-08

ROTATING TRI-ARM GARDEN SPRINKLER "BUTTERFLY"

A 3-arm rotating sprinkler adjustable on a butterfly-shaped base. This garden sprinkler is constructed from high-quality, durable plastic material.



INDEX	Packaging (pcs)
SGZR-08	20

SGZR-09

PLASTIC GARDEN SPRINKLER "BALL"

A "ball" sprinkler made of plastic, mounted on a pass-through spike, creating a uniformly descending mist. The spike is equipped with a quick-connect nipple and can be connected in series with other sprinklers.



INDEX	Packaging (pcs)
SGZR-09	1

SGZW-02**15-HOLE OSCILLATING SPRINKLER**

Swinging sprinkler with 15 irrigation holes. It ensures even and gentle irrigation through precise, flexible nozzles embedded in an aluminum tube. The rest of the structure is made of shock-resistant plastic.

- very easy to use thanks to a convenient knob
- irrigates up to 250 m²
- adjustable irrigation area
- includes a nozzle cleaning needle
- maximum pressure up to 4 bar



INDEX

Packaging
(pcs)

SGZW-02

1

SGDY-01**FEST SPRAY NOZZLE**

360° spray nozzle. For surface, fine-drop irrigation of beds.

- Material - plastic



INDEX

Packaging
(pcs)

SGDY-01

25

SGDY-02**BRASS SPRAY NOZZLE**

360° spray nozzle. For surface, fine-drop irrigation of beds.

- Material - brass



INDEX

Packaging
(pcs)

SGDY-02

12

SGO-0,5**SPRAYER**

The Schmith Sprayer is the perfect addition to any home or garden. Adjusting the spray nozzle will allow you to adjust the type of water pumped out - from a powerful stream to a mist.



INDEX

Capacity
(L)Packaging
(pcs)

SGO-0,5

0,5

20

SGO

SPRAYER

The Schmith sprayer is an excellent addition to any home or garden. The adjustable spray nozzle allows you to adjust the type of water being pumped – from a strong stream to a fine mist.



INDEX	Capacity (L)	Packaging (pcs)
SGO-1,0	1	20
SGO-1,5	1,5	20
SGO-2,0	2	20

SGO

SPRAYER

The Schmith sprayer is an excellent addition to any home or garden. The adjustable spray nozzle allows you to adjust the type of water being pumped – from a strong stream to a fine mist.



INDEX	Capacity (L)	Packaging (pcs)
SGO-5,0	5	6
SGO-8,0	8	4
SGO-10,0	10	4

SGO

SPRAYER

The Schmith sprayer is an excellent addition to any home or garden. The adjustable spray nozzle allows you to adjust the type of water being pumped – from a strong stream to a fine mist.



INDEX	Capacity (L)	Packaging (pcs)
SGO-12,0	12	1
SGO-16,0	16	1
SGO-20,0	20	1

SGL-M

LEAF RAKE - M

The Schmith M leaf rake is a durable tool that allows for quick and efficient removal of leaves from the garden.



INDEX	Packaging (pcs)
SGL-M	20

SGL-L

LARGE LEAF RAKE

The Schmith Large Leaf Rake is a durable tool designed to quickly and efficiently clear leaves from your garden.



INDEX	Packaging (pcs)
SGL-L	20

SGL-XL

EXTRA LARGE LEAF RAKE

The Schmith Extra Large Leaf Rake is a robust tool that allows for the quick and efficient removal of leaves from your garden.



INDEX	Packaging (pcs)
SGL-XL	20

SG-GSIANO

HAY RAKE

The Hay Rake facilitates easy collection of hay/grass on various terrains. Made from lightweight plastic, it ensures ease of use. The Hay Rake is intended for attachment to a handle and, with its teeth, allows for precise raking. Its orange color contrasts with green, making it easier to locate during use.

- screw-on attachment
- does not include handle
- weight: 0.19kg
- width: 49cm
- 12 teeth



INDEX	Packaging (pcs)
SG-GSIANO	10

SGM-16

WELDED METAL RAKE 1400 MM 16 TEETH

The rake is made of durable materials, making it ideal for use in all conditions. Thanks to the large working width, work is carried out quickly and efficiently. A hand tool used in agriculture and gardening.

- irreplaceable for lawn care, loosening the soil, leveling the soil, collecting leaves and plant residues from the lawn
- resistant to deformation and breakage during work
- reinforced structure
- solid construction
- metal



INDEX	Size (mm)	Packaging (pcs)
SGM-16	1400	1

SG-WG15

METAL FAN RAKE 1200 MM 15 TEETH

- total length: 120cm
- rake length: 47 cm
- width: 50 cm
- number of teeth: 15



INDEX	Size (mm)	Packaging (pcs)
SG-WG15	1200	5

SG-G

WELDED RAKE WITH WOODEN HANDLE

This rake is made from durable materials, making it perfect for use under any conditions. Its wide working width allows for quick and efficient work.

- head made from high-quality steel
- handle made from selected beech wood



INDEX	Teeth (pcs)	Packaging (pcs)
SG-G12.	12	1
SG-G14.	14	1
SG-G16.	16	1
SG-G18.	18	1

SG-WG21

FAN RAKE WITH WOODEN HANDLE 1400 MM 21 TEETH

Constructed from durable materials, this rake is ideal for use under any conditions. Its wide working width ensures quick and efficient task completion.

- head made from high-quality steel
- beech wood handle
- total length: 170cm
- rake length: 27 cm
- width: 43 cm
- number of teeth: 21



INDEX	Size (mm)	Packaging (pcs)
SG-WG21	1400	1

SG-HJ

SINGLE-ARMED HOE WITH WOODEN HANDLE

Made from high-quality steel, this hoe is designed for gardening tasks. The handle is made from hard beech wood.

- trapezoidal hoe design
- head made from high-quality steel
- beech wood handle, 140 cm in length
- intended for loosening and turning the soil around plants



INDEX	Width (mm)	Packaging (pcs)
SG-HJ100	100	1
SG-HJ120	120	1
SG-HJ140	140	1
SG-HJ160	160	1
SG-HJ180	180	1

SG-HD160

DOUBLE-ARMED HOE WITH WOODEN HANDLE 160MM

Constructed from high-quality steel, this hoe is intended for gardening tasks. The handle is made from hard ash wood.

- trapezoidal hoe design
- head made from NCV steel



INDEX	Size (mm)	Packaging (pcs)
SG-HD160	160	1

SG-LA**ALUMINUM SHOVEL WITH WOODEN HANDLE**

An aluminum shovel with a wooden handle.

- very light
- durable and efficient
- features an ash handle
- length: 135 cm



INDEX	Size (mm)	Packaging (pcs)
SG-LA	1350	1

SG-LP**SAND SHOVEL WITH WOODEN HANDLE**

The wooden handle is impregnated with natural substances based on linseed oil. This method of impregnation ensures comfortable work with the tool for a long time, protecting the wood from water and excessive drying.

- the head is made of durable railway steel, maintaining optimal plastic properties during work
- the handle is impregnated with natural substances based on linseed oil



INDEX	Packaging (pcs)
SG-LP	17

SG-LRP**SAND SHOVEL WITH WOODEN HANDLE AND PP HANDLE**

A sand shovel with a wooden handle impregnated with natural substances based on linseed oil. This method of impregnation ensures comfortable work with the tool for a long time, protecting the wood from water and excessive drying.

- the head is made of durable railway steel, maintaining optimal plastic properties during work
- the handle is impregnated with natural substances based on linseed oil
- used in many construction works and in the household



INDEX	Packaging (pcs)
SG-LRP	17

SG-LT**SAND SHOVEL WITH WOODEN HANDLE TYPE T**

A sand shovel with a wooden handle impregnated with natural substances based on linseed oil. This method of impregnation ensures comfortable work with the tool for a long time, protecting the wood from water and excessive drying.

- the head is made of durable railway steel, maintaining optimal plastic properties during work
- the handle is impregnated with natural substances based on linseed oil.
- the wooden, profiled T-handle facilitates work
- used in many construction works and in the household



INDEX	Packaging (pcs)
SG-LT	17

SG-LM-1

SAND SHOVEL WITH METAL HANDLE

A sand shovel with a metal handle covered with a coating that facilitates working with granular materials and those with increased viscosity. Its optimal profiling ensures comfortable work. Designed for earthworks and construction tasks.

- ergonomic design
- the head is made of wear-resistant boron steel
- profiled metal handle for easier work



INDEX	Packaging (pcs)
SG-LM-1	6

SG-LMW-1

REINFORCED SAND SHOVEL WITH METAL HANDLE

A sand shovel made of hardened steel. The appropriately selected length of the shovel blade, specially profiled handle, ergonomic grip, and the angle of inclination minimize back and arm strain. Intended for earthworks and construction tasks.

- ergonomic design
- profiled metal handle for easier work
- strong weld connecting the head to the handle
- intended for working with granular materials



INDEX	Packaging (pcs)
SG-LMW-1	6

SG-LPP

SAND SHOVEL WITH PROFILED HANDLE

A wooden handle impregnated with natural substances based on linseed oil, which protects the wood from water effects and excessive drying.

- the head is made of durable, hardened railway steel maintaining optimal plastic properties during work
- wooden, profiled handle for easier work



INDEX	Packaging (pcs)
SG-LPP	6

SG-LDY

COAL SHOVEL WITH WOODEN HANDLE TYPE DY

A coal shovel with a wooden handle and DY grip can be used not only for coal but also for moving other granular materials such as gravel or soil. Its wide and deep blade allows for more efficient work.

- made of high-quality steel
- profiled ash handle with a metal-wood grip
- shovel dimensions: width 30cm, length 37cm
- total length: 138cm
- polish product



INDEX	Packaging (pcs)
SG-LDY	1

SG-LW**SHOVEL FOR COAL WITH WOODEN HANDLE**

Coal shovel with a wooden handle.

- made of high-grade steel
- profiled, ash wooden handle



INDEX

Packaging
(pcs)

SG-LW

1

SG-LW-3**COAL SHOVEL WITH WOODEN HANDLE 3**

Coal shovel with a wooden handle.

- made of high-grade steel
- shovel dimensions: width 26cm, length 36cm
- total length: 138cm



INDEX

Packaging
(pcs)

SG-LW-3

1

SG-S**ENTRENCHING TOOL 850MM**

Convenient entrenching tool, total length 850 mm.



INDEX

Size
(mm)Packaging
(pcs)

SG-S

850

1

SG-ST**STRAIGHT SPADE WITH WOODEN HANDLE TYPE T**

The impregnation method of the handle ensures comfortable use of the tool for a long time, protecting the wood against water and excessive drying. The tool's head is made of durable railway steel that retains optimal plastic properties during work.

- handle impregnated with natural substances based on linseed oil
- wooden, profiled T-handle for easier use



INDEX

Packaging
(pcs)

SG-ST

15

SG-SM-1

STRAIGHT SPADE WITH METAL HANDLE

Spade with a metal handle, coated to facilitate work with both granular materials and those of increased viscosity. The optimal profiling of the spade ensures comfortable work.

- ergonomic design
- blade made of boron steel with increased resistance to abrasion
- profiled, metal handle for easier use



INDEX	Packaging (pcs)
SG-SM-1	6

SG-SMS-1

POINTED SPADE WITH METAL HANDLE

Pointed spade with a metal handle. Perfectly suitable for gardening and agricultural work.

- blade made of hardened railway steel retaining optimal plastic properties during work
- strong weld connecting the blade to the handle
- comfortable, ergonomic handle made of high-quality plastic



INDEX	Packaging (pcs)
SG-SMS-1	6

SSZUF-M

SMALL CENTRAL HEATING SCOOP

- total length: 49cm
- actual scoop length: 19 cm
- width: 11 cm
- weight: 0.32 kg



INDEX	Size (mm)	Packaging (pcs)
SSZUF-M	190	10

SSZUF-S

MEDIUM CENTRAL HEATING SCOOP

- total length: 49cm
- actual scoop length: 22 cm
- width: 15 cm
- weight: 0.42 kg



INDEX	Size (mm)	Packaging (pcs)
SSZUF-S	220	10

SSZUF-D**LARGE CENTRAL HEATING SCOOP**

- total length: 64cm
- actual scoop length: 27 cm
- width: 19 cm
- weight: 0.74 kg



INDEX	Size (mm)	Packaging (pcs)
SSZUF-D	270	10

SG-WPP2**2-PRONG FARMING FORK WITH PROFILED WOODEN HANDLE**

Farming fork with a coating that improves work comfort.

- hardened steel
- wooden handle impregnated with linseed oil
- handle made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WPP2	1

SG-WP2**2-PRONG FARMING FORK WITH 120CM WOODEN HANDLE**

Fork with a wooden handle impregnated with linseed oil. The appropriate choice of steel used in the railway industry ensures optimal flexibility.

- hardened steel
- wooden handle impregnated with linseed oil
- handle made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WP2	1

SG-WPP3**3-PRONG FARMING FORK WITH PROFILED WOODEN HANDLE**

Farming fork with a coating that improves work comfort.

- hardened steel
- wooden handle impregnated with linseed oil
- handle made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WPP3	1

SG-WP3

3-PRONG GARDEN FORK WITH 120CM WOODEN HANDLE

Garden fork with a linseed oil impregnated wooden handle for optimal durability. The selection of steel used in the railway industry ensures the best elasticity.

- hardened steel
- linseed oil impregnated wooden handle
- made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WP3	1

SG-WT4

4-PRONG GARDEN FORK WITH T-SHAPED WOODEN HANDLE

4-prong garden fork with a coating that improves work comfort. The simple, impregnated handle ensures the correct posture while working.

- hardened steel
- linseed oil impregnated wooden handle
- T-shaped wooden handle for easier work



INDEX	Packaging (pcs)
SG-WT4	1

SG-WPP4

4-PRONG GARDEN FORK WITH PROFILED WOODEN HANDLE

Garden fork with a coating that improves work comfort.

- hardened steel
- profiled wooden handle impregnated with linseed oil
- made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WPP4	1

SG-WP4

4-PRONG GARDEN FORK WITH 120CM WOODEN HANDLE

Garden fork with a linseed oil impregnated wooden handle. The appropriate selection of steel used in the railway industry ensures the best elasticity.

- hardened steel
- profiled wooden handle impregnated with linseed oil
- made of high-quality ash wood



INDEX	Packaging (pcs)
SG-WP4	1

SG-WO-1**GARDEN FORK WITH METAL HANDLE**

The appropriate profile of the forks does not strain the spine. Comfortable grips make work easier.

- metal handle, profiled, reinforced with an elliptical cross-section
- durable profiled grip
- hardened head welded to the handle
- total length: 126cm



INDEX

Packaging

(pcs)

SG-WO-1

1

SG-LS-03**BLUE/RED SNOW SHOVEL**

The shovels are resistant to cracking at low temperatures, reinforced with galvanized sheet metal or an aluminum profile, and have a significantly thickened plastic working part.

- aluminum handle
- shovel color blue/red
- HDPE grip
- PP material
- length 133cm
- width 49cm



INDEX

Packaging

(pcs)

SG-LS-03

1

SG-LS-04**BLACK SNOW SHOVEL WITH WOODEN HANDLE**

- wooden handle
- HDPE grip
- PP material



INDEX

Packaging

(pcs)

SG-LS-04

1

KTPP-130**PROFILLED SHOVEL HANDLE 130 CM**

The handle is made of high-quality wood. Profiled.

- made of durable wood
- impregnated with linseed oil
- special profiling ensures durability and comfort of work



INDEX

Size

(cm)

Packaging

(pcs)

KTPP-130

130

1

SGK

THREADED BROOM STICK

Wooden threaded broom stick.

- shaft ends with a thread



INDEX	Size (mm)	Packaging (pcs)
SGK-120	1200	25
SGK-150	1500	25

KRZ

SPARE HANDLE

Handle with end cap.

- ergonomic grip
- contoured handle
- especially recommended for Schmith brand tools



INDEX	Packaging (pcs)
KRZ	1
KRZZ-R	1

KTG-140

RAKE HANDLE 140 CM

Handle made of high-quality wood resistant to breakage. Resistant to moisture, sun, and other adverse conditions.

- cross-section diameter 28 mm
- made of high-quality wood resistant to breakage
- flexibility and light weight



INDEX	Size (mm)	Packaging (pcs)
KTG-140	1400	1

KTG-140SZ

HANDLE 140 CM WITH QUICK COUPLER

Handle made of high-quality wood resistant to breakage. Resistant to moisture, sun, and other adverse conditions.

- cross-section diameter 28 mm
- made of high-quality wood resistant to breakage
- flexibility and light weight
- practical fastening



INDEX	Size (mm)	Packaging (pcs)
KTG-140SZ	1400	1

KTK-2,5

PICKAXE HANDLE 2.5 KG 90 CM

Pickaxe handle.

- made of high-quality beech wood
- length: 90 cm



INDEX	Size (mm)	Packaging (pcs)
KTK-2,5	900	1

KTM

HAMMER HANDLE

The handle is made of high-quality ash wood resistant to breakage. Varnishing provides resistance to moisture, sun, and other adverse conditions.

- impregnated with linseed oil for durability and comfort of use
- properly shaped to fit well in hand
- intended for minor assembly and construction work



INDEX	Weight (g)	Packaging (pcs)
KTM-100	100	1
KTM-200	200	1
KTM-300	300	1
KTM-500	500	1
KTM-800	800	1
KTM-1000	1000	1
KTM-1500	1500	1
KTM-2000	2000	1
KTM-600-3KG	3000	1
KTM-800-5KG	5000	1
KTM-8000	8000	1
KTM-10000	10000	1

KTSJ

ASH AXE HANDLE

The handle is made of high-quality ash wood resistant to breakage. Varnishing provides resistance to moisture, sun, and other adverse conditions.

- impregnated with linseed oil for durability and comfort of use
- properly shaped to fit well in hand
- intended for minor assembly and construction work



INDEX	Size (mm)	Packaging (pcs)
KTSJ-36	360	1
KTSJ-45	450	1
KTSJ-50	500	1
KTSJ-60	600	1
KTSJ-70	700	1
KTSJ-80	800	1
KTSJ-90	900	1

KTT-100

TYPE T HANDLE 100 CM

The handle is made of high-quality wood resistant to breakage. Varnishing provides resistance to moisture, sun, and other adverse conditions.

- optimal moisture level
- impregnated with linseed oil for durability and comfort of use
- knot-free, waxed



INDEX	Size (mm)	Packaging (pcs)
KTT-100	1000	1

SGR-3,0

FERTILIZER AND SEED SPREADER 3L

Made of high-quality plastic, ensuring the equipment's longevity. An ergonomic device for spreading:

- fertilizers
- grass seeds
- sand
- salt
- it features an adjustable spread intensity



INDEX	Capacity (L)	Packaging (pcs)
SGR-3,0	3	4

TRW-SPORT

RASEN GRASS

Designed for areas of intense use. The lawn is resistant to trampling and tearing.



INDEX	Weight (kg)	Packaging (pcs)
TRW-SPORT1	5	1
TRW-SPORT2	15	1

SZTNK

SQUARE CUTTING LINE

- high-quality cutting line for trimmers and brush cutters
- resistant to breaking and fraying
- provides efficient and even grass cutting.
- dimensions: length - 15 m
- shape - square



INDEX	Size (mm)	Packaging (pcs)
SZTNK-2,4/15M	2,4	1
SZTNK-2,7/15M	2,7	1
SZTNK-3,0/15M	3,0	1

SZTNO

ROUND CUTTING LINE

- high-quality cutting line for trimmers and brush cutters
- resistant to breaking and fraying
- provides efficient and even grass cutting
- dimensions: length - 15 m
- shape - round



INDEX	Size (mm)	Packaging (pcs)
SZTNO-2,4/15M	2,4	1
SZTNO-2,7/15M	2,7	1
SZTNO-3,0/15M	3,0	1



12





WELDING

WELDING WIRES 276

WELDING CHEMICS 276

SPARE PARTS FOR WELDING TORCHES 277

SELF-DARKENING VISORS 280

WELDING EQUIPMENT 281

SE71TGS-0,8

SELF-SHIELDING SCHMITH WIRE E71T-GS F10.8 1KG

Self-shielding core wire for welding thin steel components without the use of shielding gas. Used in construction, tank manufacturing, agricultural equipment, both in production and repair.



INDEX	Weight (kg)	Packaging (pcs)
SE71TGS-0,8/1	1	1
SE71TGS-0,8/5	5	1

SG2

WELDING WIRE SG2- G3Si1

Copper-coated manganese-silicon electrode wire for MIG/MAG welding. Intended for welding unalloyed structural, boiler, and shipbuilding steels. Precision winding and mechanical properties of the wire ensure high-quality joints and reliable wire feeding in mechanized welding.

Classification:

EN 13479

EN ISO 14341-A-: G3Si1

DIN 8599: SG2

AWS A5.18: ER70S-6

Shielding gas:

M20, M21, M3, C1

Welding positions:

PA,PB,PC,PD,PE,PF



INDEX	Weight (kg)	Packaging (pcs)
SG2-0,6/1	1	1
SG2-0,6/5	5	1
SG2-0,8	15	1
SG2-0,8/1	1	1
SG2-0,8/5	5	1
SG2-1,0	15	1
SG2-1,0/5	5	1
SG2-1,2	15	1
SG2-1,2/5	5	1

SPS-01

WELDING SPRAY 400ML

Anti-spatter spray made from biodegradable oils. It effectively protects metal surfaces and burner nozzles from welding spatter during electric welding and in gas shields. Contains no silicones or solvents, thus not hindering painting or coating processes.

- economical use provides long-lasting non-stick effect
- extends nozzle life
- improves arc stability
- ensures free gas flow
- includes corrosion inhibitors for anti-corrosion protection of welded surfaces and equipment



INDEX	Capacity (ml)	Packaging (pcs)
SPS-01	400	12

SPAW DGS.MB

CONICAL GAS NOZZLE MB SCHMITH 5 PCS

Standard conical gas nozzle for MIG/MAG welding torches. Compatible with torches made according to the pattern of brands like Binzel, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Size (mm)	Packaging (pcs)
SPAW DGS.MB13/15	12	5
SPAW DGS.MB24	12,5	5
SPAW DGS.MB25	15	5
SPAW DGS.MB36	16	5
SPAW DGS.MB401/501	16	5

SPAW DGMS.MB

HEAVILY CONICAL GAS NOZZLE MB SCHMITH

Heavily conical standard gas nozzle for MIG/MAG welding torches. Compatible with torches made according to the pattern of brands like Binzel, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Size (mm)	Packaging (pcs)
SPAW DGMS.MB25	11,5	5
SPAW DGMS.MB36	12	5

SPKP.15

CONTACT TIP MB 15 M6X25 SCHMITH 20PCS

Contact tips made to the Binzel MB 15/24/25/36/401/501 standard can be used in all torches compatible with this standard - TW 15/24/25/36/401/501, MIG 15/24/25/36/401/501, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Size (mm)	Tap	Packaging (pcs)
SPKP.15.0.8	0,8	M6X25	20
SPKP.15.1.0	1,0	M6X25	20
SPKP.15.1.2	1,2	M6X25	20

SPKP.24/25/26/36

CONTACT TIP MB 24/25/26/36 - M6X28 SCHMITH 20PCS

Contact tips made to the Binzel MB 15/24/25/36/401/501 standard can be used in all torches compatible with this standard - TW 15/24/25/36/401/501, MIG 15/24/25/36/401/501, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Size (mm)	Tap	Packaging (pcs)
SPKP.24/25/2636.0.8.	0,8	M8X28	20
SPKP.24/25/2636.1.0.	1,0	M8X28	20
SPKP.24/25/2636.1.2.	1,2	M8X28	20

SPKP.401/501

CONTACT TIP MB 401/501 M8X30 SCHMITH 20PCS

Contact tips made in the Binzel MB 15/24/25/36/401/501 standard can be used in all torches compatible with this standard - TW 15/24/25/36/401/501, MIG 15/24/25/36/401/501, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Size (mm)	Tap	Packaging (pcs)
SPKP.401/501.0.8.	0,8	M8X30	20
SPKP.401/501.1.0.	1,0	M8X30	20
SPKP.401/501.1.2.	1,2	M8X30	20

SPAW ŁP.MB

SCHMITH CURRENT CONNECTOR

The current connector made in the Binzel MB 15/24/25/36/401/501 standard can be used in all torches compatible with this standard MIG 15/24/25/36/401/501, Trafimet, Sherman, Magnum, Spartus, Bti, etc.



INDEX	Tap	Packaging (pcs)
SPAW ŁP.MB13/15.	M6	20
SPAW ŁP.MB24.	M6	20
SPAW ŁP.MB25.	M6/M8	20
SPAW ŁP.MB401/501M6.	M6	20
SPAW ŁP.MB401/501M8.	M8	20

SPAW SP-MB

MB SPRING SCHMITH 10 PCS

Spring for MIG/MAG welding torches. The spring is placed on the current connector, holding the gas nozzle. The spring is compatible with welding torches made according to the Binzel standard. The spring fits Binzel, Trafimet, Sherman, Magnum, etc., torches.



INDEX	Packaging (pcs)
SPAW SP-MB15	10
SPAW SP-MB25	10

SPAW TI-MB

INSULATING SLEEVES

The insulating sleeve made in the Binzel standard. MB 24/36/401/501 can be used in all torches compatible with this standard - MIG 24/36/401/501, Trafimet, Sherman, Magnum, Ideal, Tysweld, Spartus, Bti, etc.



INDEX	Type	Packaging (pcs)
SPAW TIB-MB24.	Biała	20
SPAW TIC-MB24	Ceramiczna	10
SPAW TICZ-MB24.	Czarna	20
SPAW TIB-MB36.	Biała	20
SPAW TIC-MB36	Ceramiczna	10
SPAW TICZ-MB36.	Czarna	20
SPAW TIB-MB401/501.	Biała	20
SPAW TIC-MB401/501	Ceramiczna	10
SPAW TICZ-MB401/501.	Czarna	20

SZMIGMAGPX4

MIG/MAG-PX4 PARTS DRAWER SET 48 PCS

An organizer for MIG/MAG consumable parts.
The set includes parts for torches:

- MB 15
- MB 24
- MB 25
- MB 26
- MB 36
- MB 401/501



INDEX	Packaging (pcs)
SZMIGMAGPX4	1

SKSM

WELDING ANGLE MAGNET

A magnetic welding angle for 3, 4 used for soldering, welding, assembly, to position and secure ferromagnetic components. Strong magnets ensure good hold of components at various angles during welding.



INDEX	Size (inch)	Packaging (pcs)
SKSM-3	3	1
SKSM-4	4	1
SKSM-3-3/4	3-3/4	1
SKSM-4-1/2	4-1/2	1

SPAW UE

SCHMITH ELECTRODE HOLDER

An electrode welding holder designed for welding with coated electrodes using the MMA method. Allows welding in all positions.




INDEX	Packaging (pcs)
SPAW UE200A	1
SPAW UE300A	1
SPAW UE400A	1
SPAW UE500A	1

SPAW Z.K.

SCHMITH GROUND CLAMP

Ground clamps are used in the ground cables of welding devices.



INDEX	Packaging (pcs)
SPAW Z.K.200A	1
SPAW Z.K.300A	1
SPAW Z.K.400A	1
SPAW Z.K.500A	1

SPAW PS2S-510SCH

AUTOMATIC WELDING HELMET SCHMITH - 510 SCH 2 SENSOR

Technical parameters:

- reaction time: <1/30000s
- number of sensors: 2
- optical class: 1/1/1/2
- UV/IR protection: up to 16 DIN
- dimming adjustment: 4/9-13 DIN
- adjustable sensitivity: ✓
- adjustable delay: Stepsles 0.1-1.0s
- low battery indicator: ✓
- Power supply: Photovoltaic cell + battery 1xCR2032



INDEX	Packaging (pcs)
SPAW PS2S-510SCH	1

SPAW PS4S-616SH

AUTOMATIC WELDING HELMET SCHMITH -616 SH 4 SENSOR

Physical parameters:

- type of welding filter: 616 SCH
- standard: CE, EN175B, EN379, EN166
- weight: 525 g
- filter size: 110x90 mm
- viewing area dimensions: 100x45 mm

Technical parameters:

- reaction time: <1/30000s
- number of sensors: 4
- optical class: 1/1/1/2
- UV/IR protection: up to 16 DIN
- dimming adjustment: 4/9-13 DIN
- adjustable sensitivity: ✓
- adjustable delay: Stepless 0.1-1.0s
- low battery indicator: ✓
- power supply: Photovoltaic cell + battery 1xCR2032



INDEX	Packaging (pcs)
SPAW PS4S-616SH	1

PRAKTIK200DV

PRAKTIK 200 DIGITAL

Inverter welder designed for MMA welding with rutile, basic, stainless steel, and cast iron electrodes. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Digital welding current display. Set includes welding cables, suitcase, and shoulder strap.



INDEX	Packaging (pcs)
PRAKTIK200DV	1

PRAKTIK200SYN

PRAKTIK 200 LCD SYNERGY

Inverter welder designed for MMA welding with rutile, basic, stainless steel, and cast iron electrodes. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Digital welding current display. Set includes welding cables and shoulder strap. The clear LCD display allows for precise device adjustment.



INDEX	Packaging (pcs)
PRAKTIK200SYN	1

PRAKTIK205D

PRAKTIK 205 DIGITAL

Inverter welder designed for MMA welding with rutile, basic, stainless steel, and cast iron electrodes. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Digital welding current display. Set includes welding cables and shoulder strap.



INDEX	Packaging (pcs)
PRAKTIK205D	1

PRAKTIK220

PRAKTIK 220 DIGITAL VRD

Inverter welder designed for MMA welding with rutile, basic, stainless steel, and cast iron electrodes. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Digital welding current display. Set includes welding cables, suitcase, and shoulder strap.



INDEX	Packaging (pcs)
PRAKTIK220	1

PRAKTIK220SYN

PRAKTIK 220 LCD SYNERGY

An inverter welder designed for MMA welding with rutile, basic electrodes, stainless steel, and cast iron. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Includes welding cables, a case, and a shoulder strap. The clear LCD display allows for precise device adjustment.



INDEX	Packaging (pcs)
PRAKTIK220SYN	1

V-ARC225D

V-ARC 225 DIGITAL

An inverter welder designed for MMA welding with rutile, basic electrodes, stainless steel, and cast iron. IGBT technology. Features facilitating the welding process: ANTI STICK, HOT START, ARC FORCE. Digital welding current display. Includes welding cables.



INDEX	Packaging (pcs)
V-ARC225D	1

PMIG200

PRAKTIK MIG 200 IGBT MMA

A welding semi-automatic for workshop applications. Welding by MIG-MAG method with welding wire in gas shield, FLUX method with self-shielding wire, and MMA method with coated electrode. Wire spool up to 5kg. 2-roller wire feeder. Digital welding current display.



INDEX	Packaging (pcs)
PMIG200	1

PMIG1800

PRAKTIK MIG 1800

PRAKTIK MIG 1800 MMA is an inverter welding semi-automatic designed for MIG/MAG, MMA, FLUX, and TIG Lift arc welding. The device is designed for a wide range of applications: from maintenance work to car body repairs. PRAKTIK MIG 1800 is used for welding carbon and low-alloy steels. Welding is performed in the protection of active gas or mixture, and in reverse polarity without gas.



INDEX	Packaging (pcs)
PMIG1800	1

PMIG211D

PRAKTIK MIG 211 MMA DIGITAL

An inverter professional semiautomatic welding machine for MIG-MAG welding, FLUX welding with shielding gas-free welding wire, and MMA welding with a coated electrode. Welding current 200A, Power supply 230V. Welding wire diameter 0.6-1.0mm.



INDEX	Packaging (pcs)
PMIG211D	1

PMIG211SYN

PRAKTIK MIG 211 MMA SYNERGIA

An inverter professional semiautomatic welding machine for MIG-MAG welding, FLUX welding with shielding gas-free welding wire, and MMA welding with a coated electrode. Welding current 200A, Power supply 230V. Welding wire diameter 0.6-1.0mm.



INDEX	Packaging (pcs)
PMIG211SYN	1

TMIG201

TECNO MIG 201

TECNOMIG 201 SYNERGIC is an inverter synergic semiautomatic welding machine intended for MIG/MAG, TIG LIFT, MMA, and FLUX arc welding. Designed for a wide range of applications from maintenance work to car body repairs. TECNOMIG 201 is used for welding stainless steel, carbon steel, low-alloy steel, and aluminum. Welding is done in the presence of inert, active gas or a mixture and also in reverse polarity without gas.



INDEX	Packaging (pcs)
TMIG201	1

TMIG215D

TECNO MIG 215 MMA DIGITAL

An inverter professional semiautomatic welding machine for MIG-MAG welding, FLUX welding with shielding gas-free welding wire, and MMA welding with a coated electrode. Welding current 200A, Power supply 230V. Welding wire diameter 0.6-1.0mm.



INDEX	Packaging (pcs)
TMIG215D	1

TMIG220MMA

TECNOMIG 220 MMA DIGITAL

A semiautomatic welding machine for workshop applications. MIG-MAG welding with shielding gas, FLUX welding with self-shielding wire, and MMA welding with coated electrode. Wire spool up to 5kg. 2-roller wire feeder. Euro connector. Digital welding current display.



INDEX	Packaging (pcs)
TMIG220MMA	1

TMIG205SYN

TECNO MIG 205 LCD MIG/TIG/MMA SYNERGIC

A microprocessor-controlled inverter semiautomatic welding machine for MIG/MAG, TIG LIFT, MMA, and FLUX welding. Designed for a wide range of applications, from maintenance work to car body repairs. TECNOMIG 205 LCD is used for brazing galvanized sheets, welding stainless steel, carbon steel, low-alloy steel, and aluminum. Quick synergic adjustment of welding parameters via an LCD display makes the device very easy to use. Just set the thickness of the material to be welded and start welding. Wire spool up to 5kg. 2-roller wire feeder.



INDEX	Packaging (pcs)
TMIG205SYN	1

TMIG202SYN

TECNOMIG 202 MIG/MMA/TIG SYNERGIC

A synergic semiautomatic welding machine for workshop and semi-professional applications. MIG-MAG welding with shielding gas, FLUX welding with self-shielding wire, and MMA welding with a coated electrode. Wire spool up to 5kg. Professional 2-roller wire feeder. Euro connector. Synergic selection of welding parameters. Digital display.



INDEX	Packaging (pcs)
TMIG202SYN	1

TMIG232P

TECNO MIG 232 PULSE

An inverter professional semiautomatic welding machine for MIG-MAG, MIG PULSE, FLUX, and MMA welding with a coated electrode. Welding current 200A. Power supply 230V. Welding wire diameter 0.8-1.2mm. 2-roller wire feeder designed for welding aluminum and its alloys, stainless steel, carbon steel, low-alloy steel, and brazing galvanized sheets. Intended for welding aluminum and its alloys, stainless steel, carbon steel, and low-alloy steel.



INDEX	Packaging (pcs)
TMIG232P	1

TMIG250/2PRO

TECNO MIG 250/2 PRO MMA

An inverter professional semiautomatic welding machine for MIG-MAG, FLUX, and MMA welding with a coated electrode. Welding current 250A. Power supply 230/400V. Welding wire diameter 0.6-1.0mm. 2-roller wire feeder.



INDEX	Packaging (pcs)
TMIG250/2PRO	1

TMIG212SYN

TECNO MIG 212 MIG/MMA/TIG SYNERGIC

A microprocessor-controlled inverter semiautomatic welding machine for MIG-MAG welding, brazing, FLUX, TIG Lift, and MMA. Welding current 200A (TIG/MIG), 160A (MMA). Power supply 230V. Welding wire diameter 0.6-1.0mm. 2-roller wire feeder. Synergic settings are used for brazing galvanized sheets, welding stainless steel, carbon steel, low-alloy steel, and aluminum.



INDEX	Packaging (pcs)
TMIG212SYN	1

TMIG255 4X4

TECNO MIG 255 4X4 PRO MMA

A professional inverter semiautomatic welding machine for MIGMAG welding with shielding gas, FLUX welding, and MMA welding. Welding current 250A. Power supply 400V. Welding wire diameter 0.6-1.0mm. 4-roller wire feeder.



INDEX	Packaging (pcs)
TMIG255 4X4	1

TMIG280 4X4

TECNO MIG 280 4X4 DIGITAL MMA

A semiautomatic welding machine for professional and semi-professional applications. MIG-MAG welding with shielding gas, FLUX welding with self-shielding wire, and MMA welding with a coated electrode. Wire spool up to 15kg. Professional 4-roller wire feeder. Euro connector. Gas cylinder shelf. Digital welding current display.



INDEX	Packaging (pcs)
TMIG280 4X4	1

TMIG285PS

TECNO MIG 285 PULSE SYNERGIC

A semiautomatic welding machine for professional and industrial applications. Capable of MIG-MAG, MIG-MAG Pulse and Double Pulse welding, and MMA welding with a coated electrode. Features a professional 4-roller wire feeder and synergic adjustment of welding parameters. Designed for welding aluminum and its alloys, stainless steel, carbon steel, low-alloy steel, and brazing galvanized sheets.



INDEX	Packaging (pcs)
TMIG285PS	1

TMIG370 4X4

TECNO MIG 370 4X4 DIGITAL MMA

A semiautomatic welding machine for professional and semi-professional applications. It facilitates MIG-MAG welding with shielding gas, FLUX welding with self-shielding wire, and MMA welding with a coated electrode. Equipped with a 15kg wire spool, professional 4-roller wire feeder, Euro connector, gas cylinder shelf, and a digital welding current display.



INDEX	Packaging (pcs)
TMIG370 4X4	1

VMIG330 4X4D

V-MIG 330 4X4 DIGITAL MMA

A semiautomatic welding machine designed for professional and semi-professional use. It offers MIG-MAG welding with shielding gas, FLUX welding with self-shielding wire, and MMA welding with a coated electrode. Comes with a 15kg wire spool, professional 4-roller wire feeder, Euro connector, gas cylinder shelf, and a digital welding current display.



INDEX	Packaging (pcs)
VMIG330 4X4D	1

EXMIG215SYN

EXPERT MIG 215 LCD MIG/MMA/TIG SYNERGIC

A semiautomatic welding machine for workshop and semi-professional applications. It supports MIG-MAG welding with shielding gas, brazing technology, FLUX welding with self-shielding wire, MMA welding with a coated electrode, and TIG Lift method. Includes a 5kg wire spool, professional 2-roller wire feeder, Euro connector, synergic selection of welding parameters, and an LCD display. Thanks to its versatility, it can weld various materials such as steel, stainless steel, aluminum, or braze galvanized bodies and high-strength steels.



INDEX	Packaging (pcs)
EXMIG215SYN	1

PTIG202PD

PRAKTIK TIG 202 PULSE DIGITAL

An inverter welder designed for TIG welding with direct current (DC) featuring non-contact (HF) arc ignition, and MMA welding with a coated electrode in direct current (DC). Suitable for welding carbon steel, stainless steel, nickel, titanium, and oxygen-free copper.



INDEX	Packaging (pcs)
PTIG202PD	1

TTIG215 AC/DC/P

TECNO TIG 215 AC/DC PULSE

An inverter welder for TIG welding of all metals, including aluminum and stainless steel. The device allows for TIG and TIG PULSE welding with alternating current (AC), direct current (DC), and MMA welding with a coated electrode in direct current (DC). Features pulsation welding capability and a digital control panel.



INDEX	Packaging (pcs)
TTIG215 AC/DC/P	1

EXTIG220AC

EXPERT TIG 220 AC/DC PULSE PFC + TIG SET

A professional inverter welder for TIG welding of all metals, including aluminum and stainless steel. It supports TIG and TIG PULSE welding with alternating current (AC), direct current (DC), and MMA welding with a coated electrode in direct current (DC). Features a digital control panel, 9 welding programs, the option to select the AC voltage curve, and remote control in the handle.



INDEX	Packaging (pcs)
EXTIG220AC	1

EXT200DCP

EXPERT TIG 200 DC PULSE

A professional inverter welder for TIG and TIG PULSE welding with direct current (DC), featuring both non-contact (HF) and contact (LIFT) arc ignition, as well as MMA welding with a coated electrode in direct current (DC). It is capable of welding carbon steel, stainless steel, nickel, titanium, and oxygen-free copper. Offers pulsation welding, a digital control panel, and remote adjustment in the handle.



INDEX	Packaging (pcs)
EXT200DCP	1

PL45PRO

PLASMA 45 PRO

An inverter-based plasma cutting device. Enables distortion-free cutting of steel, stainless steel, aluminum, copper, and brass. Maximum cutting thickness is 12mm. Features post-cut cooling time adjustment for the torch.



INDEX	Packaging (pcs)
PL45PRO	1

EXPL45PFC

EXPERT PLASMA 45 PFC

An inverter-based plasma cutting device. Allows for distortion-free cutting of steel, stainless steel, aluminum, copper, and brass. Equipped with a 4-meter torch with a central connector. Features a digital cutting current display.



INDEX	Packaging (pcs)
EXPL45PFC	1

EXPLA80

EXPERT PLASMA 80

A professional plasma cutting device. Powered by 3x400V, with an output power of 80A. Capable of severance cutting up to 40 mm and quality cutting up to 35 mm.



INDEX	Packaging (pcs)
EXPLA80	1

SCHARGER 4

SMART CHARGER 4

An automatic rectifier designed for charging all types of lead-acid, gel, and AGM batteries. Controlled by a microprocessor, featuring a 7-stage charging process. Splash and dust resistant with an IP65 rating. Charging range for 1.2–14AH (6V), 14–120Ah (12V), and maintenance up to 160Ah.



INDEX	Packaging (pcs)
SCHARGER 4	1

CHARGER 7

RECTIFIER SMART CHARGER 7

An automatic charger designed for charging all types of lead-acid, gel, and AGM batteries. Features a microprocessor control system, 7-stage charging process, and a digital LED display. Resistant to splashing and dust-proof IP65. Capacity range: charging 1.2–30AH (6V), 14–220Ah (12V), maintenance up to 300Ah.



INDEX	Packaging (pcs)
CHARGER 7	1

PCHARHER 8

PRAKTIK CHARGER 8

A smart, portable charger for charging 6 and 12-volt acid, gel, AGM, MF, EFB batteries. Powered by 230V, charging voltage 6/12V, charging current 2/8A.



INDEX	Packaging (pcs)
PCHARHER8	1

PCHARHER 10

PRAKTIK CHARGER 10

A smart, portable charger for charging 6 and 12-volt acid, gel, AGM, MF, EFB batteries. Powered by 230V, charging voltage 6/12V, charging current 2/10A.



INDEX	Packaging (pcs)
PCHARHER10	1

PCHARHER 15

PRAKTIK CHARGER 15

A smart, portable charger for charging 12-volt acid, gel, AGM, MF batteries. Powered by 230V, charging voltage 12V, charging current 2/8/15A.



INDEX	Packaging (pcs)
PCHARHER15	1

IS

I-STARTER 12/24 V

An inverter charger for charging 12 and 24-volt lead-acid batteries with a start function. Powered by 230V, charging voltage 12/24V.



INDEX	Prąd ładowania	Prąd rozruchu	Packaging (pcs)
IS441	40A	400A	1
IS641	55A(12V), 60A(24V)	600A	1
IS841	80A	800A	1

13





QTECHNIC

QPPM-01

POLYURETHANE FOAM GUN

This foam gun is designed for applying single-component foam available in pressurized containers. It facilitates tasks such as sealing, installing windows and doors, filling insulation gaps, sealing and insulating partition walls, as well as insulating walls and roofs.



INDEX	Packaging (pcs)
QPPM-01	20

QPLAN-001

BLUE TARPAULIN QTECHNIC 70 G/M²

A versatile product designed for protecting and covering various items indoors and outdoors. Made from high-quality polyethylene, it is laminated on both sides and reinforced throughout its surface. The tarpaulin has additional reinforcements at the corners and metal mounting eyelets every 100 cm. It's ideal as a covering material for:

- cars, agricultural machinery, motorcycles, and trailers
- furniture, wood, coal, and building materials
- garden pools, gazebos, pavilions, and stalls
- garden tunnels, greenhouses, inspection pits
- weather-resistant and durable for several seasons
- waterproof and easy to clean
- metal mounting eyelets placed every 100 cm
- weight 70 g/m²



INDEX	Size (m)	Packaging (pcs)
QPLAN-001	2x3	45
QPLAN-002	2x4	35
QPLAN-003	3x4	25
QPLAN-004	3x5	20
QPLAN-005	4x5	15
QPLAN-006	4x6	12

QSPZB1

EXTENSION CORD REEL 4X, CABLE

- 4 grounded sockets
- cable 3x1mm²
- OMY cable with copper conductors multi-wire, with PVC insulation and coating
- rolled up max. 4A 920W
- developed max. 10A 2300W
- solidly reinforced body material extremely resistant to impacts
- metal stand
- insulated handle for easy lifting
- lock to prevent accidental unwinding
- thermal fuse



INDEX	Length (m)	Packaging (pcs)
QSPZB1-40-10G	10	1
QSPZB1-40-10Y	10	1
QSPZB1-40-10Y/1	10	1
QSPZB1-40-20G/1	20	1
QSPZB1-40-25G/1	25	1
QSPZB1-40-25Y	25	1
QSPZB1-40-25Y/1	25	1

QSPZB

EXTENSION CORD REEL 4X, CABLE

- 4 grounded sockets
- cable 3x1mm²
- H05RR-F cable, insulated with EPR rubber and coated with EPR rubber, flexible multi-wire copper conductors
- coiled max. 4A 920W
- uncoiled max. 10A 2300W
- robust body material highly resistant to impacts
- metal stand
- insulated handle for easy lifting
- lock to prevent accidental unwinding
- thermal fuse



INDEX	Length (m)	Packaging (pcs)
QSPZB-40-30G	30	1
QSPZB-40-30Y	30	1
QSPZB-40-30Y/1	30	1
QSPZB-40-40G	40	1
QSPZB-40-40G/1	40	1
QSPZB-40-40Y	40	1
QSPZB-40-40Y/1	40	1
QSPZB-40-50G	50	1
QSPZB-40-50Y	50	1

QTKPO-01

**12-PIECE FLAT-RING SPANNER SET
QTECHNIC**

A set of spanners made from an alloy steel that is resistant to static and kinetic stress. The unique surface coating significantly enhances work comfort and helps keep the tools clean.

- outer chrome coating protects against corrosion
- comfortable handle improves work comfort
- angled working surface facilitates maneuvering the spanner
- 12-point spanner ends
- made of high-quality carbon steel
- drop forged
- resistant to deformation
- practical roll-up case for wall hanging
- designed for heavy-duty work under high load
- Spanner sizes in the set: 7 / 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19



INDEX	Elements (pcs)	Packaging (pcs)
QTKPO-01	12	1

QTKPO-02

**17-PIECE FLAT-RING SPANNER SET
QTECHNIC**

A set of spanners made from an alloy steel that is resistant to static and kinetic stress. The unique surface coating significantly enhances work comfort and helps keep the tools clean.

- outer chrome coating protects against corrosion
- comfortable handle improves work comfort
- angled working surface facilitates maneuvering the spanner
- 12-point spanner ends
- made of high-quality carbon steel
- drop forged
- resistant to deformation
- practical roll-up case for wall hanging
- designed for heavy-duty work under high load
- spanner sizes in the set: 6 / 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 22 / 24 / 27 / 30 / 32



INDEX	Elements (pcs)	Packaging (pcs)
QTKPO-02	17	2

QTKPO-03

**25-PIECE FLAT-RING SPANNER SET
QTECHNIC**

A set of spanners made from an alloy steel that is resistant to static and kinetic stress. The unique surface coating significantly enhances work comfort and helps keep the tools clean.

- outer chrome coating protects against corrosion
- comfortable handle improves work comfort
- angled working surface facilitates maneuvering the spanner
- 12-point spanner ends
- made of high-quality carbon steel
- drop forged
- resistant to deformation
- practical roll-up case for wall hanging
- designed for heavy-duty work under high load
- spanner sizes in the set: 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 25 / 26 / 27 / 28 / 30 / 32



INDEX	Elements (pcs)	Packaging (pcs)
QTKPO-03	25	2

NAME	Page
A ABRASIVE BLOCK 70X100X25	19
ABRASIVE CANVAS SHEET 230X280MM	23
ABRASIVE DISC 125MM	20
ABRASIVE LINEN ROLL 2.5MX115MM	23
ABRASIVE MESH 115X280MM	24
ACTIV WORK BOOTS WITH A TOECAP	239
ACTIV WORK BOOTS WITHOUT THE EYE-PIECE	239
ACTIVE FOAM FOR HEAVY DIRT	227
ACTIVE FOAM FOR PASSENGER CARS 1 KG	228
ACTIVE FOAM FOR TRUCKS	227
ADJUSTABLE PIPE PLIERS	16
ADJUSTABLE PIPE PLIERS	131
ADJUSTABLE PIPE WRENCH TYPE S	132
AGRISCHMITH LIQUID FERTILIZER AGRISCHMITH CEREAL LIQUID FERTILIZER	81
AGRISCHMITH LIQUID FERTILIZER MANGANESE	80
AGRISCHMITH LIQUID FERTILIZER PLUS S	80
AGRISCHMITH LIQUID FERTILIZER RAPE SEED LIQUID	81
AGRISCHMITH MICRO COMPLETE LIQUID FERTILIZER	81
AGRISCHMITH RAPE LIQUID FERTILIZER LIQUID FERTILIZER	81
AGRISCHMITH SMG LIQUID FERTILIZER (LIQUID MAGNESIUM SULFATE)	80
ALLEN WRENCH LONG	132
ALLEN WRENCH SHORT	132
ALLEN WRENCH TYPE T	133
ALL-STEEL CLAMP	167
ALUMINUM ANGLE BAR	30
ALUMINUM ANGLE BAR	175
ALUMINUM ANGLE BAR WITH PROTRACTOR	30
ALUMINUM SHOVEL WITH WOODEN HANDLE	263
ALUZINC SILVER 500ML	222
ANGLE GRINDER 125MM 1100W	69
ANGLE GRINDER 125MM 1400W	69
ANGLE GRINDER 125MM 720W	68
ANGLE GRINDER 125MM 850W	68
ANGLE GRINDER 230MM 2100W	70
ANGLE PLUG 2P+Z 16A 250V UNI-SCHUKO BLACK	196
ANGLE PLUG 2P+Z 16A 250V UNI-SCHUKO WHITE	196
ANGLE PLUG 2P+Z 16A 250V UNI-SCHUKO WHITE	196
ANGLE PLUG 2P+Z 16A 250V WHITE	196
ANGLE PLUG 2P+Z 16A 250V WITH WHITE SOCKET	196
ANODIZED SPIRIT LEVEL PROFESSIONAL	175
ANODIZED SPIRIT LEVEL PROFESSIONAL	175
ASH AXE HANDLE	271
ASH AXE HANDLE 50CM SSD-1000, SSK-1000	38
ASSEMBLER'S KNIFE	152
AUTOMATIC INSULATION STRIPPER 0,2-6 MM	137
AUTOMATIC VISOR SCHMITH - 510 SCH 2 SENSOR	280
AUTOMATIC VISOR SCHMITH -616 SH 4 SENSOR	280
AXE HAMMER WITH WOODEN HANDLE 2.5 KG	12
AXE WITH WEDGE 2000 G	158
AXE WITH WOODEN HANDLE	12
AXE WITH WOODEN HANDLE	158
B BALL SAW	105
BEANIE CAP	241
BELT SANDER 1050W 76X533MM	75
BENT TELEPHONE PLIERS	139
BI-METAL HOLE SAW HOLDER	91
BIMETAL HOLESAW	91
BIT SET 100 PCS.	147
BIT SET 40 PCS WITH HOLDER	147
BIT SET 65 PCS.	148
BIT SET 79 PIECES	148
BIT WITH ROTARY 2X25	145
BLACK GLOVES (SET = 12 PAIRS)	235
BLACK NYLON ZIP TIES 100 PCS.	182
BLADE DRILL BIT FOR WOOD	90
BLUE INSULATING TAPE 10M	183
BRAKE CLEANER 500ML	225
BRASS HOSE REPARATOR 3/4"	254
BRASS SPRINKLER NOZZLE	259
BREAKAWAY BLADES 9 MM 10 PCS	154
BREAK-OFF BLADES BLACK 18 MM 10 PCS	154
BRICKLAYER'S LATH BESSER P/P	174
BRICKLAYER'S LATH BESSER P/P WITH HANDLE	174
BROOM - MAXI	111
BROOM - MINI	111
BRUSH BUTT BRUSH WITH M14 NUT FAL WIRE.	107
BRUSH FOR COBBLESTONES WITH SCRAPER NON-OPERATIONAL	109
BRUSH FOR WASHING CARS MIXTURE L700	112
BRUSH WITH ARBOR FI 6 WIRE SKR.	107
BRUSH WITH BUTT NUT M14 WIRE SKR.	107
BRUSH WITH SHANK FI 6 FAL WIRE.	108
BRUSHLESS 50NM IMPACT DRILL/DRIVER 18V	215
BRUSHLESS ANGLE GRINDER 18V 125MM	214
BRUSHLESS CIRCULAR SAW 165MM 18V	213
BRUSHLESS JIGSAW, 25MM STROKE 18V	215
BUTT-END BRUSH WITH SHANK FI 6 FAL WIRE	107
C CABLE CUTTING PLIERS	137
CALIPER	155
CANDLESTICK P/T SWITCH 10A 250V 2-KEY	201
CANDLESTICK P/T SWITCH 10A 250V 2-KEY	202
CAR WASHING BRUSH NYLON L700	113
CARPENTER'S HAMMER MONOBLOCK 450G	16
CARPENTER'S PENCIL	31
CARPENTER'S PENCIL	185
CARPENTER'S SQUEEZE	166
CEREAL CRISTAL FERTILIZER AGRISCHMITH CEREAL CRYSTAL FERTILIZER	79
CHEMICAL ANCHOR 2 MIXER 300ML	26
CHEMICAL ANCHOR 300ML	221
CHRISTMAS TREE DRILL SPIRAL	84
CIRCULAR SAW 185MM 1300W	71
COAL SHOVEL WITH WOODEN HANDLE	265
COAL SHOVEL WITH WOODEN HANDLE 3	265

NAME	Page
COARSE-GRAINED POLISHING SPONGE 150X50MM	19
COBALT METAL DRILL BIT	85
COBALT PILOT METAL DRILL BIT HI-TEK	86
COBBLER'S HAMMER 13" FIBERGLASS 450G	17
COCONUT MASONRY KNEEPAD	112
COCONUT SWEEPER	113
COLUMN FAN 45W WHITE 110 CM WITH REMOTE CONTROL	49
COMBINATION RATCHET WRENCH	116
CONNECTION TO TAP 1/2" - 3/4" FEST	249
CONNECTION TO TAP 3/4" BRASS	251
CONNECTION TO TAP 3/4" FEST	250
CONNECTION TO TAP 3/4" MALE THREAD	251
CONSTRUCTION BUCKET	186
CONSTRUCTION MARKER	185
CONSTRUCTION TRAY	186
CONTINUOUS DIAMOND BLADE	103
CONVECTOR ELECTRIC HEATER 750/1000/1500 W	53
CONVECTOR ELECTRIC HEATER 750/1250/2000 W	53
COPPER PASTE 400ML	222
COPPER PIPE CUTTER	152
CORDESS WORK LAMP 10 W	57
CORE DRILL HEX 65 MM CHUCK	89
COTTON GLOVES (SET = 12 PAIRS)	235
CRIMPER FOR CABLE TIES 2.4-4.8 MM	141
CRIMPING PLIERS LONG 220 MM	140
CRIMPING PLIERS TYPE C 280 MM	140
CRISTAL FERTILIZER AGRISCHMITH NPK 20-20-20 PLUS MICRO	79
CRISTAL FERTILIZER AGRISCHMITH NPK 5-15-40 PLUS MICRO	79
CROWBAR	159
CRYSTAL FERTILIZER AGRISCHMITH MICRO COMPLETE CRYSTAL	79
CRYSTALLIC FERTILIZER AGRISCHMITH NPK 10-40-10 PLUS MICRO	79
CURVED SCRAPER	177
CUTTERS	138
D DEMINERALIZED WATER 2L	28
DESK FAN 30 W CHROME	48
DESK FAN 50W BLACK AND WHITE	49
DIAMOND HOLE SAW SET 6-8-10-35-68MM+ M14 (ALUM)	12
DIAMOND HOLESAW	91
DIAMOND HOLESAW	92
DIAMOND HOLESAW M14 - 68 MM	11
DIAMOND TURBO DISC	104
DIGITAL CALIPER	155
DOUBLE HEXAGON SOCKET WRENCH SHORT 1/2"	124
DOUBLE HOSE DISTRIBUTOR WITH VALVES	255
DOUBLE SUCTION CUP	168
DOUBLE-ARMED HOOK WITH WOODEN HANDLE 160MM	38
DOUBLE-ARMED HOOK WITH WOODEN HANDLE 160MM	262
DOUBLE-BOLT HAMMER 16" FIBERGLASS 1800G	16
DRAWER SET FOR MIG/MAG-PX4 PARTS 48 PCS.	279
DRILL CHUCK WITH KEY	97
DRUM EXTENDER STAND LINE, CABLE 3X1MM2	206
DRUM EXTENDER, PROF. LINE, CABLE 3X1,5MM2	206
DRY PTFE GREASE 400ML	224
E ECCENTRIC GRINDER 125MM 350W	71
ECCENTRIC GRINDER 18V 125MM BRUSHLESS	214
ECOLOGICAL FERTILIZER FOR CONIFERS	76
ECOLOGICAL FERTILIZER FOR LAWNS	76
ECOLOGICAL FERTILIZER FOR VEGETABLES AND FRUIT BUSHES	76
ECOLOGICAL UNIVERSAL FERTILIZER	76
ECOLOGICAL UNIVERSAL FERTILIZER FOR AUTUMN 3KG	77
ECONOMY SHOVEL WOODEN HANDLE PP HANDLE	39
ELECTRIC ADAPTER (SCREWED INTO THE SOCKET OF AN E-27 FILAMENT)	197
ELECTRIC CONVECTOR HEATER 750/1250/2000 W TURBO	53
ELECTRIC HEATER 3000W	46
ELECTRIC HEATER 5000 W	46
ELECTRIC INDUSTRIAL HEATER 15 KW	47
ELECTRIC INDUSTRIAL HEATER 2 KW	46
ELECTRIC INDUSTRIAL HEATER 5 KW	47
ELECTRIC INDUSTRIAL HEATER 9 KW	47
ELEK. COLUMN HEATER PTC CERAMIC 1 KW / 2 KW	51
ELEK. COLUMN HEATER PTC CERAMIC 2 KW + REMOTE CONTROL	52
ELEK. COLUMN HEATER PTC CERAMIC 2KW	51
ELEK. CONVECTOR HEATER 2000 W WITH REMOTE CONTROL	52
ELEK. CONVECTOR HEATER 2000 W WITH WI-FI FUNCTION	52
END CUTTERS	137
END. PR. MB 401/501 M8X30 SCHMITH 20PCS.	278
END.PR.MB 24/25/26/36 - M6X28 SCHMITH 20PCS.	277
ENDLESS BELT 100X610MM	23
ENDLESS BELT 75X457MM	22
ENDLESS BELT 75X533MM	22
EXPERT MIG 215 LCD MIG/MMA/TIG SYNERGIC	286
EXPERT PLASMA 45 PFC	288
EXPERT PLASMA 80	288
EXPERT TIG 200 DC PULSE	287
EXPERT TIG 220 AC/DC PULSE PFC + TIG KIT	287
EXTENSION CABLE 3 PHASE 5X2.5MM IP44 H07RN-F	204
EXTENSION CABLE DRUM 3 PHASE 5X1.5MMH+2X230V IP44 H07RN-F	208
EXTENSION CABLE DRUM. HEAVY DUTY, CABLE. 3X2.5MM2	207
EXTENSION CABLE DRUM. HEAVY LINE, WIRE 3X1,5MM2	207
EXTENSION CABLE DRUM. PROF. LINE, CABLE 3X2,5MM2	206
EXTENSION CABLE DRUM. STAND LINE, CABLE 3X1,5MM2	207
EXTENSION CABLE, WIRE 2X1MM2, ORANGE	203
EXTENSION CORD WITH CIRCUIT BREAKER WORKSHOP 2X2P+Z 10A 1.5MM IP44	204
EXTENSION CORD WITH CIRCUIT BREAKER WORKSHOP 5X2P+Z 16A 1.5MM IP44	204
EXTENSION CORD, THREE SOCKETS 3X2P, 10A	205
EXTENSION CORD, THREE SOCKETS 3X2P+Z, 10A	205
EXTENSION FOR 3/4" SOCKETS	129
EXTENSION FOR SOCKETS 1/2" IMPACT SOCKET	129
EXTENSION FOR SOCKETS 1/4"	128
EXTENSION PIECE FOR SOCKETS 1/2"	128
EXTENSION WITH CIRCUIT BREAKER, FOUR SOCKETS 4X2P+Z,10A1,5M	205
EXTRACTORS FOR BROKEN SCREWS, 5 PCS.	144

NAME	Page
F FACADE PUTTY RUBBER HANDLE	179
FAN RAKE WITH WOODEN HANDLE 1400 MM 21 TEETH	262
FERTILIZER AND SEED SEEDER 3L	272
FEST 200MM CHAINSAW FILE	159
FEST 9 FUNCTION SPRINKLER LANCE	248
FEST 9 FUNCTION SPRINKLER SHOWER	248
FEST BREAKAWAY BLADES 18 MM	153
FEST FLAT FILE	160
FEST METAL IMPULSE SPRINKLER	257
FEST PLASTIC AND METAL IMPULSE SPRINKLER	257
FEST PLASTIC IMPLUS SPRINKLER	256
FEST ROUND FILE	160
FEST RUST BRUSH BLACK WIRE	109
FEST SPRINKLER NOZZLE	259
FEST SQUARE FILE	160
FEST THREE-ARM SPRINKLER	256
FEST THREE-ARM SPRINKLER	257
FEST UNIVERSAL TAPE	185
FINE POLISHING SPONGE 150X50MM	19
L FIXED VICE	161
FLANNEL SHIRT	242
FLAP WHEEL	105
FLAP WHEEL 125MM	24
FLAT CHISEL SDS MAX	89
FLAT CHISEL SDS MAX	89
FLAT CHISEL SDS PLUS 60X250	11
FLOOR CIRCULATOR 100 W CHROME	48
FLOOR FAN 40W WITH REMOTE CONTROL BLACK	51
FLOOR FAN 50W WITH REMOTE CONTROL	50
FLOOR FAN 50W WITH REMOTE CONTROL AND TOUCH PANEL	50
FORE DRUM 4X , WIRE.	292
FOXTAIL SAW	149
FRAME 1-FOLD	202
FRAME 2-FOLD	202
FRAME 3-FOLD	202
FRAME 4-FOLD	202
G GALVANIZED METAL BUCKET	29
GALVANIZED METAL BUCKET	186
GARDEN CONNECTOR SET WITH FEST NOZZLE (3/4-1)	255
GARDEN FORK WITH METAL HANDLE	269
GARDEN HOSE	246
GARDEN HOSE 4 LAYERS	35
GARDEN HOSE 5 LAYERS	35
GAS HEATER 10 KW	44
GAS HEATER 20 KW	44
GAS HEATER 30 KW	44
GAS HEATER 50 KW	44
GEL DISPENSING PUMP 4L	226
GEL HOLDER 4L	226
GLASS DEFROSTER 750ML	225
GLOVES (SET = 12 PAIRS)	235
GRANULATED LIME BUCKET	77
GRASS AND HEDGE SHEARS 18V	216
GRAY GLOVES (SET = 12 PAIRS)	235
GRINDING WHEEL WITH 40X20MM SHAFT	24
GRINDING WHEEL WITH 80X30MM SHANK	25
GRINDING WHEEL WITH MANDREL 60X30MM	25
GROUT RUBBER TROWEL 250*95MM	179
GUN (PTFE) FOR POLYURETHANE FOAM	177
GUN FOR POLYURETHANE FOAM	292
GUN MOUNTING FOAM 650ML	220
GUN MOUNTING FOAM 750ML	220
GUN MOUNTING FOAM WINTER 650ML	220
GUN MOUNTING FOAM WINTER 750ML	221
H HALF BOOTS ACTIV WITHOUT THE EYE-LINER	238
HALF ROUND FILE FEST	160
HALF-BOOTS ACTIV WITH THE TOE-CAP	238
HAMMER DRILL SDS+ 6J 1500W	67
HAMMER HANDLE	271
HAND BRUSH BENT METAL AND PLASTIC.	109
HAND CLEANING PASTE	226
HAND KNIFE WITH 18MM BREAKAWAY BLADE	151
HAND KNIFE WITH 18MM BREAKAWAY BLADE	151
HAND KNIFE WITH 18MM BREAKAWAY BLADE	152
HAND KNIFE WITH 9MM BREAKAWAY BLADE	151
HAND KNIFE WITH BLACK BREAKAWAY BLADE	17
HAND KNIFE WITH BREAK-OFF BLADE 18 MM	151
HAND KNIFE WITH TRAPEZOIDAL BLADE	152
HAND RIVETER 265MM	182
HAND SAW FOR METAL 300 MM	149
HAND SCREWDRIVER FEST SL S2	141
HAND TAPPING TOOL	97
HAND WASHING GEL	226
HAND-HELD NAILER	97
HANDLE 140 CM WITH QUICK-RELEASE COUPLING	270
N HAY RAKE	261
HCS WOOD CUTTING JIGSAW BLADE 2 PCS.	150
HEAD FLASHLIGHT	194
HEAT GUN 2000W	74
HEAVY DUTY 4 IN 1 STAPLER	167
HEAVY DUTY 40 CM ORGANIZER	162
HEAVY DUTY ORGANIZER 60 CM	162
HEAVY DUTY STAPLER 4-14MM	168
HEAVY DUTY TOOLBOX	163
HEX CHISEL WITH PROTECTION	159
HEXAGON SOCKET WRENCH 1/2" 36 MM	10
HEXAGON SOCKET WRENCH 1/4"	124
HEXAGONAL SOCKET WRENCH 3/4"	127
HEXAGONAL SOCKET WRENCH 1/2"	124
HI-TEK RUBBER EXTENSION CABLE 3 SOCKETS 3X2.5MM 10M IP54	64
HI-TEK RUBBER EXTENSION CABLE 3X2.5MM 10M IP54 BLACK	64
HOLDER FOR BUTTON PUNCHES	98

NAME	Page
HOOK BLADE 5 PCS.	153
HOSE COUPLING 1/2" - 1/2"	256
HOSE REPARATOR - 1/2" WITH VALVE 1/2"	255
HOSE REPARATOR 1/2" - 3/4"	253
HOSE REPARATOR 1/2" BRASS	254
HOSE REPARATOR 1/2" FEST	253
HOSE REPARATOR 3/4" - 1/2" WITH VALVE	254
HOSE REPARATOR 3/4" FEST	254
HOSE TEE - 1/2" - 1/2"	256
HOSE TROLLEY 1/2 FEST	246
HOSE TROLLEY 1/2 WITH FEST WHEELS	246
HOUSEHOLD FORK WITH PROFILED WOODEN HANDLE 2-PRONGED	267
HOUSEHOLD FORK WITH WOODEN HANDLE TYPE T 4-PRONGED	268
HOUSEHOLD FORK. 2-PRONGED WITH PROFILED WOODEN HANDLE	267
HOUSEHOLD FORK. 4-PRONGED PITCHFORK WITH WOODEN HANDLE	268
HOUSEHOLD FORK. PITCHFORK WITH WOODEN HANDLE TYPE T	268
HOUSEHOLD PITCHFORK WITH WOODEN HANDLE 120 3-PRONGED	267
HOUSEHOLD PITCHFORK WITH WOODEN HANDLE 3-PRONGED	268
HSS DIN 1869 LONG METAL DRILL BIT	86
HSS METAL CUTTING JIGSAW BLADE 2 PCS.	150
HSS METAL DRILL	84
HSS METAL DRILL BIT DIN 340 EXTENDED	86
HSS METAL DRILL BIT PRO	85
HYDRAULIC JACK 12T	42
HYDRAULIC POLE LIFT 15T	43
HYDRAULIC POLE LIFT 20T	43
HYDRAULIC POLE LIFT 2T	41
HYDRAULIC POLE LIFT 32T	43
HYDRAULIC POLE LIFT 4T	41
HYDRAULIC POLE LIFT 6T	42
HYDRAULIC POLE LIFT 8T	42
I IMPACT BITS 300 50 MM 10 PCS. HI-TEK LINE	145
IMPACT DRILL 710W	66
IMPACT DRILL 850W	66
IMPACT DRIVER 18V BRUSHLESS 180NM 1/4"	213
IMPACT MAGNETIC CHUCK HI-TEK LINE	146
IMPACT QUICK RELEASE BIT HOLDER	147
IMPACT REDUCER	130
IMPACT WRENCH 1/2"	126
IMPACT WRENCH 1/2" 18V BRUSHLESS 400NM	212
IMPACT WRENCH 3/4"	127
IMPACT WRENCH LONG 1/2"	126
IMPACT WRENCH LONG 3/4"	127
M IMPULSE GARDEN SPRINKLER - SHOWER	258
IMPULSE SPRINKLER	257
INSPECTION RECTANGULAR TELESCOPIC MIRROR 87CM	170
INSULATED COMBINATION PLIERS	135
INSULATED WORK WELLINGTONS	240
INSULATING SLEEVES	278
INSULATING TAPE BLACK	183
INSULATING TAPE MIX - 5 PCS.	184
INSULATING TAPE RED 10M	184
INSULATING TAPE WHITE 10M	183
INSULATION PLIERS 160MM 1000V	136
I-STARTER 12/24 V	289
J JEANS	242
JIGSAW 650W	72
JIGSAW 750W	73
JIGSAW FOR HOLES WITH TUNGSTEN COATING	92
K KEYLESS DRILL CHUCK	96
KNEE PADS (PAIR)	182
KNOB FOR SOCKETS TYPE T 1/2" 250 MM	129
L LADIES' GARDEN GLOVES	32
LARGE DUSTPAN	267
LATEX-COATED GLOVES (SET = 12 PAIRS)	236
LDPE RUBBLE BAGS	40
LDPE WASTE BAGS	40
LEAF RAKE - L	261
LEAF RAKE - M	260
LEAF RAKE - XL	261
LEATHER ASSEMBLING BELT	238
LEATHER ROOFING BELT	238
LED FLASHLIGHT	195
LED FLOODLIGHT 20 W GRAY/BLACK	58
LED FLOODLIGHT 2X100 W SLIM WITH BLACK STAND	60
LED FLOODLIGHT 2X100 W SLIM WITH YELLOW TRIPOD	60
LED FLOODLIGHT 2X30 W SLIM WITH BLACK TRIPOD	61
LED FLOODLIGHT 2X30 W SLIM WITH YELLOW TRIPOD	61
LED FLOODLIGHT 2X50 W SLIM WITH BLACK TRIPOD	62
LED FLOODLIGHT 2X50 W SLIM WITH GREEN TRIPOD	63
LED FLOODLIGHT 2X50 W SLIM WITH RED TRIPOD	62
LED FLOODLIGHT 2X50 W SLIM WITH YELLOW TRIPOD	63
LED FLOODLIGHT 30 W GRAY-BLACK	58
LED FLOODLIGHT 50 W GRAY-BLACK	59
LED FLOODLIGHT ON TRIPOD 2 X 45W	194
LED FLOODLIGHT RED, 2X1F 230V	59
LED LAMP WITH SOLAR PANEL 100 W	54
LED LAMP WITH SOLAR PANEL 200 W	55
LED LAMP WITH SOLAR PANEL 300 W	55
LED STREET LAMP	55
LED TELESCOPIC MAGNETIC GRIPPER 81CM	169
LIQUID FERTILIZER AGRISCHMITH BORON	80
LIQUID FERTILIZER AGRISCHMITH COPPER	80
LIQUID FERTILIZER AGRISCHMITH LIQUID CORN	81
LIQUID FERTILIZER AGRISCHMITH ZINC	80
LIQUID FOR WASHING HEAVILY SOILED SURFACES	228
LIQUID SOAP 5L	27
LOCKSMITH HAMMER WITH FIBERGLASS HANDLE	156
LOCKSMITH HAMMER WITH WOODEN HANDLE	156
LOCKSMITH SCREWDRIVER WITH FLAT HEAD SCREW SL	142
LONG COCONUT BROOM	113
LONG HEXAGON SOCKET WRENCH 1/4"	124

NAME	Page
LONG HEXAGON SOCKET WRENCH 1/2"	125
LONG MIXED BROOM	113
LOW PROFILE HYDRAULIC JACK 2T	41
LUPINE CATCH CROP A' 2 KG	77
M MAGNETIC CHUCK	146
MAGNETIC GRIPPER LED 60CM	169
MAGNETIC HOLDER	146
MAGNETIC RECTANGULAR BOWL	170
MAGNETIC STRIP FOR TOOLS	170
MAGNETIC WRENCH	145
MASONRY COCONUT/NYLON SCRIM	112
MASONRY DRIP PAN NYLON	112
MASONRY HAMMER MONOBLOCK TYPE BERLINER	156
MASONRY HAMMER TYPE RHINE	157
MASONRY PENCIL	185
MASS EXTRACTOR 230 MM	177
MASS EXTRACTOR 230 MM	177
MASS SQUEEZER 230 MM	28
MASS SQUEEZER 230 MM	28
MASS SQUEEZER 230 MM	28
MASS SQUEEZER 230 MM	29
MB GAS NOZZLE CONICAL SCHMITH 5 PCS.	277
MB GAS NOZZLE STRONGLY CONICAL SCHMITH	277
MB SCHMITH SPRING 10 PCS.	278
MEDIUM DUSTPAN	266
MESSERSCHMITH SDS DRILL BIT	88
METAL CUTTING DISC	102
METAL CUTTING DISC 125X1,0 SQ	102
METAL CUTTING DISC V2	102
METAL GRINDING DISC	103
METAL RAKE FAN 1200 MM 15 TEETH	261
METAL SAW 300 MM STANDARD	149
METAL SHEARS PELICAN STRAIGHT	155
MINI 3W COB RECHARGEABLE WORKSHOP FLASHLIGHT	195
MINI FLASHLIGHT WITH OPENER/MAGNET/STAND	56
MIXTURE BROOM	113
MOBILE SOCKET 2P+Z 16A 250V IP44 BLACK	198
MOBILE SOCKET 2P+Z 16A 250V IP44 ORANGE	198
MOBILE SOCKET 2P+Z 16A 250V IP54 BLACK	65
MOBILE SOCKET OUTLET 2P 16A 250V WHITE	197
MOBILE SOCKET OUTLET 2P+Z 16A 250V WHITE	197
MONOBLOCK CARPENTRY HAMMER 600G	156
MORSEA CRIMPING PLIERS	140
MORTAR STIRRER	181
MORTAR STIRRER	181
MORTAR STIRRER	181
MULTIFUNCTIONAL APPLIANCE 300W	74
MULTIFUNCTIONAL PREPARATION MULTI-40 400ML	222
MULTIFUNCTIONAL PREPARATION RD-40 500ML	26
MULTIFUNCTIONAL VICE	161
MULTI-PURPOSE PLIERS	135
MUSTARD CATCH CROP A' 2 KG	77
N N/T SOCKET 1X2P+Z SMOKY FLAP IP44	198
N/T SOCKET 1X2P+Z SMOKY FLAP+SWITCH 1 POLE IP44	198
N/T SOCKET 2X2P+Z SMOKY FLAP IP44	199
N/T SOCKET 3X2P+Z SMOKY FLAP IP44	199
N/T SOCKET 3X2P+Z WHITE FLAP IP44	199
NATURAL GOATSKIN WORK GLOVES (12 PAIRS)	237
NITRILE GLOVES BLACKGRIP	32
NON-WOVEN ABRASIVE DISC 125MM	106
NON-WOVEN FLAP DISC 125MM FINE	25
NON-WOVEN FLAP POLISHING WHEEL 125MM	106
NORMALLY OPEN LIGHT/BELL SWITCH 10A 250V FRAME	202
NORMALLY OPEN LIGHT/BELL SWITCH, WHITE IP44	198
NYLON SWEEPER	111
NYLON SWEEPER WITH CLICK	111
NYLON SWEEPER WITH HANDLE	111
NYLON ZIP TIES 100 PCS.	182
O OIL CONSTRUCTION MARKER GREEN	186
OIL HEATER ON CART 20 KW	45
OIL HEATER ON CART 30 KW	45
OIL HEATER ON CART 50 KW	45
OILER WITH A COPPER TIP 250ML	191
OILER WITH PLASTIC TIP 250ML	191
OPEN-END WRENCH	116
ORBITAL SANDER 90X180MM 320W	72
ORGANIZER 32 CM	161
ORGANIZER 36 CM	162
ORGANIZER 45 CM	162
OSCILLATING SPRINKLER 15-HOLE	259
OVERALLS	34
P P/T CROSS SWITCH 10A 250V FOR THE FRAME	202
P/T CROSS SWITCH 10A, 250V	201
P/T SWITCH, LIGHT/BELL CLOSING, 10A, 250V	201
PAINTER'S SPATULA	179
PAN SCHMITH ASSEMBLY GLUE 290ML	26
PAVING BLOCK CLEANER	227
PAVING HAMMER 1500 G WITH RUBBER COVER	157
PENETRATING GREASE 500ML	223
PERFORATED SANDPAPER 225MM	22
PH IMPACT BITS 20 PCS. HI-TEK LINE	144
PHILLIPS SCREWDRIVER FEST PH S2	141
PHILLIPS SCREWDRIVER FEST PZ S2	141
PHILLIPS SCREWDRIVER PH	142
PICK 2.5 KG	158
PICK HANDLE 2.5 KG 90 CM	271
PIPE KNOB 1/2"	129
PIPE KNOB 3/4" 450MM	130
PIVOT KNOB 1/2"	130
PLANER 900W 82MM	75
PLASMA 45 PRO	288
PLASTERING PLIERS	140

NAME	Page
PLASTERING TAPE	185
PLASTIC "BALL" GARDEN SPRINKLER	258
PLIERS FOR CRIMPING SLEEVE WIRES 0,25-6 MM2	139
POINTED SPADE METAL HANDLE	266
POLE CLAMP, TICK. SCHMITH	279
POLISHER 180MM 1200W	70
POLISHING DISC 125MM	106
POLISHING FELT 125X10MM	18
POLISHING FELT 125X6MM	18
POLYESTER INSULATED GLOVES (12 PAIRS)	236
PORTABLE HOSE TROLLEY	37
PORTABLE OIL HEATER 15 KW	45
PORTABLE OIL HEATER 20 KW	46
PORTABLE PLUG 2P+Z 16A 250V IP54 BLACK	65
PORTABLE SOCKET 2P+Z 16A 250V IP44 WHITE	198
PR END. MB 15 M6X25 SCHMITH 20PCS.	277
PRAKTIK 200 DIGITAL	281
PRAKTIK 200 LCD SYNERGY	281
PRAKTIK 205 DIGITAL	281
PRAKTIK 220 DIGITAL VRD	281
PRAKTIK 220 LCD SYNERGY	282
PRAKTIK CHARGER 10	289
PRAKTIK CHARGER 15	289
PRAKTIK CHARGER 8	289
PRAKTIK MIG 1800	282
PRAKTIK MIG 200 IGBT MMA	282
PRAKTIK MIG 211 MMA DIGITAL	283
PRAKTIK MIG 211 MMA SYNERGY	283
PRAKTIK TIG 202 PULSE DIGITAL	287
PRE-CONNECTOR WITH HARDWIRE, THREE SOCKETS 3X2P+Z 10A	205
PREMIUM BRAKE CLEANER	225
PREMIUM OSCILLATING OSCILLATING SPRINKLER	36
PREMIUM SLIM DIAMOND BLADE	103
PREPARATION FOR DRILLING AND THREADING 400ML	223
PREPARATION FOR WASHING ENGINES	228
PROTECTIVE GLOVES	32
PROTECTIVE MASK	232
PROTECTIVE MASK WITH VALVE	233
PUMPING AND BLOWING SET, 6 ELEMENTS	169
PVC PIPE CUTTER 0-42 MM	17
PVC TROWEL SMOOTH 270MM	179
PZ IMPACT BITS 20 PCS. HI-TEK LINE	144
QTECHNIC BLUE TARP 70 G/M2	292
QUICK CHARGER 2,4A	217
QUICK CONNECTOR 1/2" WITHOUT ALLOY FEST	251
QUICK COUPLING 1/2" WITHOUT ALLOY BRASS	251
QUICK DISCONNECT 1/2" WITH ALLOY FEST	252
QUICK-ACTION COUPLING 3/4" WITH ALLOY BRASS	253
QUICK-ACTION COUPLING 3/4" WITH ALLOY FEST	253
QUICK-ACTION COUPLING 3/4" WITH ALLOY, BRASS	252
QUICK-ACTION COUPLING 3/4" WITHOUT ALLOY FEST	252
QUICK-ACTION WHOLE-STEEL COMPRESSION TOOL	167
QUICK-CONNECTOR 3/4" WITHOUT ALLOY BRASS	252
R RADIATOR ELEK. PTC CERAMIC 900/1500 W	54
RADIATOR ELEK. PTC CERAMIC, 1500 W	54
RAKE HANDLE 140 CM	270
RASEN GRASS	272
RATCHET 1/4", 1/2", 72 TEETH	128
RATCHET 1/4", 3/8", 1/2", 72 TEETH	127
RATCHET COMBINATION WRENCH	116
RECHARGEABLE 18V 2.0 AH	216
RECHARGEABLE 18V 4.0 AH	216
RECHARGEABLE HEADLAMP	56
RECHARGEABLE HEADLAMP FLASHLIGHT 3W COB	194
RECHARGEABLE WORK LAMP 5W + POWERBANK	47
RECHARGEABLE WORKSHOP FLASHLIGHT 3W COB	195
REDUCER	130
REEL EXTENSION 4X, CABLE	292
REPLACEMENT INSERT FOR TROWEL 250*95MM	180
ROLL MEASURE	30
ROLL MEASURE	176
ROLL-UP MEASURE	176
ROPE AND CHAIN LUBRICANT 500ML	224
ROTATING SPRINKLER 4-FUNCTION	36
ROUND 3-SOCKET SPLITTER	197
ROUND CUTTING LINE	272
ROUND MAGNETIC BOWL	170
ROUND SPLITTER 2 SOCKET	197
ROUND SPLITTER WITH GROUNDING 2-SOCKET	197
ROUND SPLITTER WITH GROUNDING 3-SOCKET	197
RUBBER EXTENSION CABLE, WIRE 3X1.5MM2, BLACK	203
RUBBER EXTENSION CABLE, WIRE 3X1MM2, BLACK	203
RUBBER EXTENSION CABLE, WIRE 3X2.5MM2, BLACK	204
RUBBER HAMMER WITH FIBERGLASS HANDLE	158
RUBBER HAMMER WITH WOODEN HANDLE 910G	157
RUBBER OVERLAY FOR PAVING HAMMER 1500G	157
RUST BRUSH	109
RUST REMOVER WITH MOS2 400ML	221
S S3 INSULATED WORKING BOOTS	240
SABRE SAW 1050W	73
SAFETY GLASSES CLASSIC	234
SAFETY GLASSES MODEL 2 CLEAR	234
SAFETY GLASSES MODEL 2 DARK	234
SAFETY GLASSES MODEL 2 YELLOW	234
SAFETY GOGGLES CLASSIC	234
SAFETY HALF-SHOE S1 WITH A TOE-CAP	33
SAND SHOVEL METAL HANDLE	264
SAND SHOVEL METAL HANDLE REINFORCED	264
SAND SHOVEL PROFILED HANDLE	264
SAND SHOVEL WOODEN HANDLE	263
SAND SHOVEL WOODEN HANDLE PP HANDLE	263
SAND SHOVEL WOODEN HANDLE TYPE T	263

NAME	Page	NAME	Page
SAND SHOVEL WOODEN HANDLE TYPE T 115CM	39	SOCKET N/T 1X2P+Z FLAP WHITE IP44	198
SANDING PAPER 2.5MX115MM	21	SOCKET N/T 1X2P+Z WHITE FLAP+SWITCH 1 POLE IP44	198
SANDING TROWEL	180	SOCKET N/T 2X2P+Z SMOKED FLAP WHITE IP44	199
SAW FOR CELLULAR CONCRETE	150	SOCKET P/T 1X2P 16A 250V	200
SCHMITH CURRENT CLAMP	278	SOCKET P/T 1X2P+Z 16A 250V	200
SCHMITH ELECTRODE HOLDER	279	SOCKET P/T 1X2P+Z 16A 250V FLAP	200
SCHMITH PVC PIPE CUTTER	137	SOCKET P/T 1X2P+Z 16A 250V FOR FRAME	201
SCHMITH SCREWDRIVER HOLDER	146	SOCKET P/T 1X2P+Z 16A,250V,SMOKY FLAP(HL)	200
SCHMITH SELF BONDING WIRE E71T-GS F10,8 1KG	276	SOCKET P/T 2X2P 16A 250V	200
SCHMITH SOCKS	241	SOCKET P/T 2X2P 16A 250V	200
SCHMITH T-SHIRT	242	SOCKET P/T 2X2P 16A 250V FOR FRAME	201
SCRAPER WITH BRASS BLADE	191	SOCKET P/T 2X2P+Z 16A 250V	200
SCREW WRENCH 1/2"	131	SOCKET P/T 2X2P+Z 16A 250V FOR FRAME	200
SCRUBBING BRUSH	191	SOCKET P/T 2X2P+Z 16A, 250V	200
SDS DRILL BIT	87	SOCKET WRENCH 1/2" WITH ALLEN BIT 100 MM	126
SDS DRILL BIT MS-4PRO LINE HI-TEK	88	SOCKET WRENCH 1/2" WITH ALLEN BIT 55 MM	126
SDS MAX POINTED CHISEL	90	SOCKET WRENCH FOR SPARK PLUGS 1/2"	125
SDS PLUS CHANNEL CHISEL 22X250	89	SOCKET WRENCH WITH TORX BIT 100 MM 1/2"	125
SDS PLUS POINTED CHISEL	90	SOCKET WRENCH WITH TORX BIT 55 MM 1/2"	125
SDS+ HAMMER DRILL 3J 800W	67	SOFTSHELL ANTHRACITE	243
SDS-PLUS - 1/2" ADAPTER	97	SPARE HANDLE	270
SDS-PLUS 18V BRUSHLESS HAMMER DRILL 1.7J	212	SPARE HANDLE FI 32 RED FOR METAL TUBE	39
SEEGER INNER RING PLIERS STRAIGHT.	138	SPARE WEDGE	159
SEEGER RING PLIERS EXT. BENT	138	SPAW DRUT. SG2- G3S11	276
SEEGER RING PLIERS EXT. STRAIGHT	138	SPIRIT LEVEL WITH RUBBER END CAPS	175
SEEGER RING PLIERS INNER BENT	139	SPLITTER 2X2P+Z + 2P/II	197
SEGMENTED DIAMOND BLADE	103	SPLITTER 3 SOCKETS 2P+Z 16A 250V IP54 ON CABLE	65
SET - MEASURING TAPE WITH KNIFE	176	SPRAY GUN 7 FUNCTIONS	248
SET OF BITS FOR ELECTRONICS 108 PCS.	10	SPRAY GUN 7 FUNCTIONS METAL FEST	246
SET OF BITS FOR ELECTRONICS 108 PCS.	148	SPRAY GUN 8 FUNCTIONS WITH DISPENSER	37
SET OF CHISELS AND PUNCHES 12 PCS.	15	SPRAY GUN 9 FUNCTIONS FEST	247
SET OF COBALT METAL DRILL BITS 19 PCS.	94	SPRAY GUN FEST	247
SET OF COBALT METAL DRILL BITS 25 PCS.	15	SPRAY GUN FEST	247
SET OF COBALT METAL DRILL BITS 25 PCS.	94	SPRAY GUN METAL FEST	247
SET OF COMBINATION WRENCHES 12 PCS. QTECHNIC	293	SPRAY GUN TYPE T	248
SET OF COMBINATION WRENCHES 17 PCS. QTECHNIC	293	SPRAYER	260
SET OF COMBINATION WRENCHES 25 PCS. QTECHNIC	293	SPRAYER 16L ON WHEELS	37
SET OF CONCRETE DRILL BITS 3-4-5-6-7-8-9-10 MM	95	SQUARE CUTTING LINE	272
SET OF CONCRETE DRILL BITS 4-5-6-8-10 MM	95	STAINLESS STEEL CUTTING DISC INOX	102
SET OF COPPER WASHERS 580 PCS.	190	STAINLESS STEEL HANDLE PLASTIC HOLDER	180
SET OF DIES AND THREADING DIES 18500032	98	STAINLESS STEEL JOINT TROWEL	29
SET OF DIES AND THREADING DIES 18500040	98	STAINLESS STEEL STUCCO TROWEL	178
SET OF DOUBLE-SIDED WRENCHES 12 PCS.	117	STAINLESS STEEL TRAPEZIUM TROWEL	178
SET OF EXTENDED TORX WRENCHES 9 PCS.	134	STAINLESS STEEL TROWEL WOODEN HANDLE	181
SET OF EXTENSION ALLEN WRENCHES 9 PCS.	133	STAINLESS TRIANGULAR TROWEL	178
SET OF FEST SCREWDRIVERS 6 PCS. S2	143	STAINLESS TROWEL WOODEN HANDLE	180
SET OF FEST SCREWDRIVERS 8 PCS. S2	143	STAIRCASE SWITCH 10A 250V FOR FRAME	202
SET OF GARDEN CONNECTORS WITH FEST NOZZLE (1/2-3/4)	255	STAIRCASE SWITCH 10A, 250V	201
SET OF HSS METAL DRILL BITS 13 PCS.	93	STAIRCASE SWITCH, WHITE, IP44	199
SET OF HSS METAL DRILL BITS 19 PCS.	13	STAPLES 1000 PCS.	168
SET OF HSS METAL DRILL BITS 19 PCS.	92	STARTER CABLES 3 M - 16 MM2	190
SET OF HSS METAL DRILL BITS 25 PCS.	13	STARTER CABLES 5 M - 35 MM2	190
SET OF HSS METAL DRILL BITS 25 PCS.	93	STILLSON ADJUSTABLE WRENCH	132
SET OF HSS PRO METAL DRILL BITS 19 PCS.	14	STORAGE CONTAINER	163
SET OF HSS PRO METAL DRILL BITS 19 PCS.	93	STORAGE CONTAINER 2L	163
SET OF HSS PRO METAL DRILL BITS 25 PCS.	14	STRAIGHT FLAP WHEEL	105
SET OF HSS PRO METAL DRILL BITS 25 PCS.	94	STRAIGHT PLUG 2P+Z 16A 250V UNI-SCHUKO BLACK	196
SET OF LOCKSMITH SCREWDRIVERS WITH SCREW 4 PCS.	143	STRAIGHT PLUG 2P+Z 16A 250V UNI-SCHUKO WHITE	196
SET OF LONG ALLEN KEYS, 9 PCS.	133	STRAIGHT PLUG, INSULATION CLASS I, 16A 250V UNI-SCHUKO	196
SET OF LONG TORX WRENCHES 9 PCS.	134	STRAIGHT SCRAPER 1.5"	178
SET OF OFFSET RING WRENCHES 12PCS.	117	STRAIGHT SPADE METAL HANDLE	266
SET OF OPEN-END WRENCHES 12PCS.	117	STRAIGHT SPADE WOODEN HANDLE TYPE T	265
SET OF OPEN-END WRENCHES 17PCS.	118	STREET BRUSH	110
SET OF OPEN-END WRENCHES 25PCS.	118	STREET BRUSH 55 MM WITH L400 BRUSH SHANK	110
SET OF OPEN-END WRENCHES 47 PCS.	119	STREET-WIRE BRUSH 65MM L370	110
SET OF O-RINGS 419 PCS.	190	STREETWISE BRUSH 65MM L327	110
SET OF SCREWDRIVER HOLDERS 3 PCS.	146	STRONG LDPE WASTE BAGS 120L	40
SET OF SDS PLUS CONCRETE DRILL BITS 5-6*110 MM	95	STYROFOAM RASP	181
SET OF SHORT ALLEN KEYS, 9 PCS.	133	SUPER TURBO DIAMOND DISC	104
SET OF SHORT TORX WRENCHES 9 PCS.	135	SWEDISH ADJUSTABLE WRENCH	131
SET OF SOCKET WRENCHES 108PCS.	122	SWEDISH ADJUSTABLE WRENCH	131
SET OF SOCKET WRENCHES 108PCS.	8	SWITCH 10A 250V FOR FRAME 1-POLE P/T	202
SET OF SOCKET WRENCHES 150PCS.	123	SWITCH 10A, 250V 1-POLE P/T	201
SET OF SOCKET WRENCHES 215PCS.	9	SWITCH N/T 2-KEY CANDLESTICK WHITE IP44	199
SET OF SOCKET WRENCHES 82PCS.	8	SWITCH N/T CROSS-TYPE WHITE IP44	199
SET OF STRAIGHT PINS 1000 PCS.	191	SWITCH N/T SINGLE WHITE IP44	199
SET OF TORX BITS WITH HOLDER 15 PCS.	148	SWIVEL VICE	161
SET OF TORX TYPE T WRENCHES 9 PCS.	134	SYNTHETIC GREASE WITH TEFLON 500ML	223
SET OF TYPE T ALLEN WRENCHES 8 PCS.	134	T IMPACT BITS 20PCS. -HI-TEK LINE	145
SET OF VDE SCREWDRIVERS FEST 5 PCS.	144	TAP CONNECTOR 1" BRASS	249
SET OF WOOD DRILL BITS 10-13-16-19-22-25 MM	96	TAP CONNECTOR 1" FEST	249
SHEARS FOR CUTTING WIRE	155	TAP CONNECTOR 1/2" - 3/4" BRASS	249
SHEARS FOR SHEET METAL PELICAN LEFT	154	TAP CONNECTOR 1/2" FEST	250
SHEARS FOR SHEET METAL PELICAN RIGHT	154	TAP CONNECTOR 3/4" - 1" BRASS	250
SHORT INSULATED WELLINGTONS	241	TAP CONNECTOR 3/4" - 1" FEST	250
SHORT SHORTS	34	TAR GRAY	112
SHORT TWELVE ANGLE SOCKET WRENCH 36 1/2"	10	TECNO MIG 201	283
SHORT WORK GLOVES GOATSKIN (12 PAIRS)	237	TECNO MIG 205 LCD MIG/TIG/MMA SYNERGIC	284
SHOVEL 850MM	265	TECNO MIG 212 MIG/MMA/TIG SYNERGIC	285
SHOVEL HANDLE PROFILED 130 CM	269	TECNO MIG 215 MMA DIGITAL	283
SIDE CUTTERS	136	TECNO MIG 232 PULSE	284
SIDE CUTTERS 160 MM 1000V	136	TECNO MIG 250/2 PRO MMA	285
SILICONE SPRAY 400ML	224	TECNO MIG 255 4X4 PRO MMA	285
SILVER TARPULIN 120 G/M2	187	TECNO MIG 280 4X4 DIGITAL MMA	285
SINGLE SUCTION CUP	168	TECNO MIG 285 PULSE SYNERGIC	286
SINGLE-ARM HOOK WITH WOODEN HANDLE	262	TECNO MIG 370 4X4 DIGITAL MMA	286
SMALL DUSTPAN	266	TECNO TIG 215 AC/DC PULSE	287
SMART CHARGER 4	288	TECNOMIG 202 MIG/MMA/TIG SYNERGIC	284
SMART CHARGER 7 RECTIFIER	289	TECNOMIG 220 MMA DIGITAL	284
SNOW SHOVEL BLACK WOODEN HANDLE	269	TELEPHONE PLIERS 160 MM 1000V	136
SNOW SHOVEL BLUE/RED	269	TELEPHONE PLIERS STRAIGHT	139
SOCKET + PLUG SET 2P+Z 16A 250V IP54 BLACK	65	TELESCOPIC PANEL CLEANING BRUSH 200-490CM	11

NAME	Page
TELESCOPIC RATCHET 1/2", 72 TEETH	128
T-HANDLE TYPE T 115 CM	38
THE SET OF WOOD HOLE PUNCHES 5 PCS.	92
THERMO FAN 2000 W	48
THREADED BROOM STICK	270
THREE-ARM ROTATING GARDEN SPRINKLER "BUTTERFLY"	258
THREE-ARM ROTATING GARDEN SPRINKLER "BUTTERFLY"	258
THREE-ARM ROTATING SPRINKLER	36
TOOL CARRIER	31
TOOL CASE	149
TOOL CASE 252 EL.	120
TOOLBOX 3XL	166
TOOLBOX 3XL PLATFORM	166
TOOLBOX HEAVY DUTY	163
TOOLBOX LARGE TYPE RS	164
TOOLBOX LARGE TYPE S	165
TOOLBOX MEDIUM TYPE S	165
TOOLBOX SMALL TYPE RS	164
TOOLBOX SMALL TYPE S	165
TOOLBOX, MEDIUM TYPE RS	164
TORX WRENCH TYPE T	135
TRAPEZOIDAL ABRASIVE BLOCK 70X100X25	19
TRAPEZOIDAL BLADE 5 PCS.	153
TRAPEZOIDAL PLASTERING LATH BESSER	174
TREKKING SHOE	33
TYPE H PLASTERING BATTEN WITH TRAPEZOIDAL JOINT	174
TYPE T HANDLE 100 CM	271
UNIVERSAL DIAMOND CUTTING DISC 125MM	104
UNIVERSAL JOINT FOR SOCKETS	129
VAMPIRE GLOVES XL BLUE (10 PAIRS)	236
V-ARC 225 DIGITAL	282
VDE CROSS HEAD SCREWDRIVER FEST PH	142
VDE FLAT-BLADED SCREWDRIVER FEST SL	142
VELCRO ABRASIVE DISC 125MM WITH HOLES	20
VELCRO DISC 225MM	21
VELCRO DISK M14 125MM	18
VELCRO DISK MULTI M14 125MM	18
V-MIG 330 4X4 DIGITAL MMA	286
VOLTAGE TESTER	143
WAGO CONNECTOR, CABLE MAX 2.5MM2	208
WAGO CONNECTOR, CABLE/CORD, MAX. 4MM2	208
WAIST PANTS	34
WASTE BAGS WITH LDPE TAPE, 60L	40
WELDED METAL RAKE 1400 MM 16 TEETH	261
WELDED RAKES WITH WOODEN HANDLE	262
WELDING BEVEL	279
WELDING GLOVES LONG	237
WELDING GLOVES WHITE SIZE 10 (12 PAIRS)	237
WELDING PREPARATION 400ML	276
WELDING SHOE	241
WHEEL BRUSH WITH ARBOR FI 6 FAL WIRE.	107
WHEEL BRUSH WITH ARBOR HOLE 32 CRIMPED WIRE	108
WHEEL BRUSH WITH HOLE 22 WAVY WIRE	108
WHEEL BRUSH WITH M14 NUT FAL WIRE.	108
WHEEL BRUSH WITH M14 NUT SKR WIRE.	108
WHEEL INFLATOR GUN	169
WIDIA BULLET DRILL BIT	87
WINDSHIELD WASHER FLUID SUMMER 2L	27
WINTER CAP	241
WINTER SHORT JACKET	243
WINTER WINDSHIELD WASHER FLUID 2L (ETA)	27
WOOD AUGER	90
WOOD DRILL BIT SET 3-4-5-6-7-8-9-10 MM	96
WOOD/METAL BIM JIGSAW BLADE 2 PCS.	150
WOODEN MEASURE	176
WORK GLOVES GOATSKIN LEATHER NAVY BLUE (12 PAIRS)	237
WORK GLOVES LEATHER 8 WITH VELCRO (12 PAIRS)	33
WORK GLOVES LEATHER WITH VELCRO (12 PAIRS)	236
WORK RUBBER BOOTS	240
WORK SANDALS WITH TOE CAP ACTIV	239
WORKING BOOTS WITH A TOECAP	239
WORKING WELLINGTONS	240
WORKSHOP FLASHLIGHT WITH BLUETOOTH	57
WORKSHOP SCISSORS 2 PCS, 250MM, 158MM	153
WORKSHOP SCISSORS 20 CM	31
YELLOW-GREEN INSULATING TAPE 10M	184
ZIRCONIA FLAP WHEEL CONVEX 125MM	106
ZIRCONIA FLAP WHEEL STRAIGHT 125MM	106

This material/catalog is for informational purposes only and does not constitute an offer in the legal sense, including, among other things, it is not an offer to enter into a contract. Schmith Polska S.A. assumes no responsibility for any errors in catalogs, brochures, and other printed or electronic materials. Schmith Polska S.A. reserves the right to make changes to prices or products without prior notice, including products that have already been ordered. Substitutes may be provided without making any changes to previously agreed specifications. All trademarks in this material are the property of their respective companies. Trademarks of Schmith Polska S.A. are the property of Schmith Polska S.A. and are legally protected, including copyright.

The photos in the catalog are for illustrative purposes, and the actual products may differ from the illustrations. The publication is protected by copyright. Copying, reprinting, and distributing the whole or parts, including on magnetic or electronic media, without the prior written consent of Schmith Polska S.A. is prohibited.

STAY UP TO DATE WITH US

 Schmith Polska S.A.

 SchmithPolska

 schmithpolska

 schmith.polska

CONTACT
SALES DEPARTMENT
wsparcie@schmithpolska.pl

OFFICE
tel.: +48 887-070-278
www.schmithpolska.pl
kontakt@schmithpolska.pl

Schmith Polska S.A.
Kulice, ul. Szkolna 3,
83-130 Pelplin
Poland

BIURO HANDLOWE
ul. Kartuska 489
80-298 Gdańsk
Poland